

10th Anniversary • Biggest Issue Ever

KNIT 'N Style

Real Fashion
for Real Knitters

100 Tips
From 10 Top
Designers

Men's
Fashion
Forecast

50 Fantastic
Projects!

Mitten
Workshop

www.knitnstyle.com
December 2007
Issue 152



\$5.99 USA \$7.99 Canada >



4 741231482871

An AOL Company Grants Publication

KNIT

Melissa Leapman

1

Instructions begin on page 88

Empire Waist Pullover

CROCHET

Melissa Leapman

Instructions begin on page 89

2

Empire
Waist
Pullover



3b

Diane Zangl

3a

Instructions begin on page 90

Britney Top with Purse

4

Aurora Yarns

Instructions begin on page 91.

Transparent
Beauty



The Great
Adirondack
Yarn Co

5

Instructions begin on page 32

Black Orchid Camisole

The Great
Adirondack
Yarn Co.


6



Instructions begin on page 92

Evening Surprise Shawl


7



Instructions begin on page 93

Holy Moly Bolero

Knit One, Crochet Too



8


Colinette

Instructions begin on page 94

Parisienne Sweater

9
Cynthia Yanok

Instructions begin on page 95



Cable-Knit Cardi


10



Erdal Yarns

Instructions begin on page 97.

Wrapped in
LUXURY




11

Prism Yarns

Instructions begin on page 98

Ruffle



Prism Yarns

Wrap



12
Sandi Prosser


Instructions begin on page 98

Wrap Collar Pullover

13

The Schaefer Yarn Co.

Instructions begin on page 99





14

Gayle Bunn

Instructions begin on page 101

Cabled Cardigan






15
Edie Eckman

Instructions begin on page 102

New Wave Bolero




16

Plymouth
Yarn Co

Instructions begin on page 103

King George




Cabled Pullover

17

Skacel Collection

Instructions begin on page 105



Gentry Timeless Cardigan



Ironstone Yarns

18

Instructions begin on page 106



Jazzy Kimono Jacket

19
Conjoined
Creations

Instructions begin on page 107

Cozy
Coat

20




Berroco

Instructions begin on page 108


Sonoma

21

Instructions begin on page 109



South West Trading Co
Six Rectangle
Jacket




22

Michael del Vecchio

Instructions begin on page 110

Knock-A-Round Hoodie



23

Instructions begin on page 111

All Buttoned Up Vest


Sandi Prosser



24
Skacel Collection

Instructions begin on page 112

Urban
Silk
Lace
Stole



25

Dark Horse Yarn

Instructions begin on page 113

Diamond Moss Stitch Vest

A color photograph of a woman with long dark hair, smiling. She is wearing a red, blue, and white color-blocked kimono-style jacket over a light blue top. The background is plain white.


26

S R Kertzer

Instructions begin on page 114

Color Block Kimono Jacket

27a




Instructions begin
on page 116



27b

Swing Jacket & Trumpet Skirt

Caron International



28

Melissa Matthay

Instructions begin on page 117

Wedding Jacket

A photograph of two white, cable-knit Aran-style Christmas stockings hanging from a wooden mantel. The stockings are decorated with a ruffled cuff at the top and a textured, cable-knit pattern down the body. The mantel is made of dark wood and is decorated with a small Christmas tree on the left and some flowers on the right. The background is a dark, out-of-focus room.

Georgia Druen

Instructions begin on page 118.

29b

29a

An Aran Christmas

30a

Lion Brand Yarn

Instructions begin on page 120

30b

Bubblegum Baby Set




31

Farmhouse Yarns

Instructions begin on page 120



Snowflake Sweater



32

S R Kertzer

Instructions begin on page 121

Bobble & Lace Trim Pullover



33
Coats & Clark

Instructions begin on page 122

Cabled Petal Scarf

Instructions begin
on page 123

34



Wagtail Yarns


Waffle Scarf

35a

Instructions begin on page 123

35b

Rebekah Blankenship
Cable Me
Red



36
Twisted Sisters

Night Lights

Instructions begin on page 124

37a

Coats & Clark

Instructions begin on page 125

Cables &



37b


Color

38a
Diane Zangl

Instructions begin on page 126

38b


Icicle Hat &
Warmers



39
South West
Trading Co

Instructions begin on page 126

Peppermint Twist SOCKS



40

Caron
International

Instructions begin on page 127

Big Cable
Purse




Instructions begin on page 128

41

Rain Drops

Universal Yarn



42

The Alpaca
Yarn Co

Instructions begin on page 128

Purl Lace Socks

43

Instructions begin on page 129



The BagSmith

Let's Do
Lunch

Master List of Knitting & Crochet Abbreviations

adj	inches	lp(s)	loop/s	ssk	slip, slip, slip, knit these 3 stitches together (2 stitch decrease)
adjust	adjust	m	meter/s	st(s)	stitch/es
alt	alternate	M1	make 1 knit stitch (1 stitch increase)	St st	stockinette stitch
approx	approximately	M1 p-st	make 1 purl stitch (1 stitch increase)	tbl	through the back loop
beg	beginning	MC	main color	tch	turning chain
bet	between	meas	measures	t-ch	turning chain
BL	back loop/s	mm	millimeter/s	tog	together
bo	bubble	ndl(s)	needle/s	tr	treble
BO	bind off	oz(s)	ounce/s	trtr	triple treble
BP	back post	p or P	purl	WS	wrong side
BPdc	back post double crochet	p2tog	purl 2 stitches together	WSR	wrong side row
BPsc	back post single crochet	pat(s)	pattern(s)	wyib	with yarn in back
BPtr	back post treble crochet	pc	popcorn	wyif	with yarn in front
CC	contrasting color	pf&tb	purl into the front and the back of the same stitch	yd(s)	yard/s
ch	chain	pm or PM	place marker	yfwd	yard forward
ch-	refers to chain or space prev made; e.g., ch-1	prev	previous	yo	yarn over
ch-sp	chain space	pss0	pass slipped stitch over	yoh	yarn over hook
CL	cluster	pwise	purwise	yrn	yarn round the needle
cn	cable needle	rem	remaining	yon	yarn over the needle
CO	cast on	rep	repeat	[]	work instructions within brackets as many times as directed
cont	continue	rev St st	reverse stockinette stitch	{}	work instructions within braces as many times as directed
dc	double crochet	RH	right hand	**	repeat instructions following the asterisk as directed
dc2tog	double treble	rib	ribbing	*	repeat instructions following the asterisk as directed
dec	decrease	rnd(s)	round/s		
dpn	double pointed needles	RS	right side		
dtr	double crochet 2 together	RSR	right side row		
EOB	every other row	sc	single crochet		
est	establish/ed	sc2tog	single crochet 2 stitches together		
fl or FL	front loop/s	sk	skip		
fol	following	skp	slip, knit, pass slipped stitch over (1 stitch decrease)		
FP	front post	sk2p	slip, knit 2 together, pass slipped stitch over the knit 2 together (2 stitch decrease)		
FPdc	front post double crochet	sl	slip		
FPsc	front post single crochet	slm	slip marker		
FPtr	front post treble crochet	sl1k	slip 1 stitch knitwise		
g	gram	sl1p	slip 1 stitch purwise		
hdc	half double crochet	sl st	slip stitch/es		
inc	increase	sp(s)	space/s		
k or K	knit	ss	slip stitch/es		
k2tog	knit 2 together	ssk	slip, slip, knit these 2 stitches together (1 stitch decrease)		
kf&tb	knit into the front and back of the same stitch				
kwise	knitwise				
LH	left hand				

Standard Yarn Weight System

Categories of yarn, gauge ranges, and recommended needle and hook sizes

Yarn Weight Symbol & Category Names	1 Super Fine	2 Fine	3 Light	4 Medium	5 Bulky	6 Super Bulky
Type of Yarns in Category	Sock, Fingering, Baby	Sport, Baby	DK, Light Worsted	Worsted, Afghan, Aran	Chunky, Craft, Rug	Bulky, Roving
Knit Gauge Range* in Stockinette Stitch to 4 inches	27-32 sts	23-26 sts	21-24 sts	16-20 sts	12-15 sts	6-11 sts
Recommended Needle in Metric Size Range	2.25-3.25 mm	3.25-3.75 mm	3.75-4.5 mm	4.5-5.5 mm	5.5-8 mm	8 mm and larger
Recommended Needle U.S. Size Range	1 to 3	3 to 5	5 to 7	7 to 9	9 to 11	11 and larger
Crochet Gauge* Ranges in Single Crochet to 4 inch	21-32 sts	16-20 sts	12-17 sts	11-14 sts	8-11 sts	5-9 sts
Recommended Hook in Metric Size Range	2.25-3.5 mm	3.5-4.5 mm	4.5-5.5 mm	5.5-6.5 mm	6.5-9 mm	9 mm and larger
Recommended Hook U.S. Size Range	B-1 to E-4	E-4 to F-7	F-7 to I-9	I-9 to K-10	K-10 to M-13	M-13 and larger

* GUIDELINES ONLY: The above reflect the most commonly used gauges and needle or hook sizes for specific yarn categories.

BASIC KNITTING INSTRUCTIONS

Garter Stitch: Knit every row. If working in the round, knit one round, then purl one round.

Stockinette Stitch: Knit RS rows and purl WS rows. working in the round, knit all rounds.

Reverse Stockinette Stitch: Purl RS rows and knit WS rows. If working in the round, purl all rounds.

3-Ndl BO = 3 needle bind off: Place sts from each stitch holder onto separate ndls, points parallel and facing the same direction. Hold these with work RS top. *Insert a third ndl (the same size) into the first st from front ndl and the first st from back ndl. K2tog. Pass first st from RH ndl over second st to BO. Rep from * until 1 st rem. Fasten off.

Skill Levels

1 Beginner

Projects for first-time knitters using basic knit and purl stitches. Minimal shaping.

2 Easy

Projects using basic stitches, repetitive stitch patterns, simple color changes, and simple shaping and finishing.

3 Intermediate

Projects with a variety of stitches, such as basic cables and lace, simple intarsia, double-pointed needles and knitting in the round techniques, mid-level shaping and finishing.

4 Experienced

Projects using advanced techniques and stitches, such as short rows, fair isle, more intricate intarsia, cables, lace patterns and numerous color changes.

Knitting Needles Conversion

Metric (mm)	US	Metric (mm)	US
2.00	0	5.00	8
2.25	1	5.50	9
2.75	2	6.00	10
3.25	3	6.50	10½
3.50	4	8.00	11
3.75	5	9.00	13
4.25	6	10.00	15
4.50	7	13.00	17
		15.00	19

1 KNIT Empire Waist Pullover

Continued from page 24



SIZES

- Pullover is sized to fit Women's Small (Medium, Large, X-Large, XX-Large).

FINISHED MEASUREMENTS

- Bust 35 (37, 39%, 43, 47")
- Length 24 (24%, 25, 25%, 25%)"
- Upper Arm 13 (13, 13%, 13%, 14")

MATERIALS

- 6 (7, 8, 9, 10) 100g (208 yd) balls *Ornaghi Filati / Aurora Yarns Lana D'Irlanda* (100% superwash wool) color #28 (A)
- 6 (7, 8, 9, 10) 25g (191 yd) balls *Ornaghi Filati / Aurora Yarns Sax* (60% cupro, 40% polyester) color #204 (B)
- Size 8 US (11mm) 24" circular needles OR SIZE TO OBTAIN GAUGE
- 59" ribbon for tie (optional)

GAUGE

- 16 sts x 24 rows = 4" in Lace Pattern
- 18 sts x 24 rows = 4" in St

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

LACE PATTERN (multiple of 7 sts + 2)

Row 1 (RS): Knit across.

Row 2: Purl across.

Row 3: K2, *K2tog, yo, K1, yo, ssk, K2. Rep from * across.

Row 4: Knit across.

Rep Rows 1-4 for Lace patt.

DESIGNER NOTES

- For fully-fashioned decreases: On RSRs: K2, ssk, work across in patts as est until 4 sts rem, end row with K2tog, K2; on WSRs, P2, P2tog, work across in patts as est until 4 sts rem, end row with ssp, P2.
- One strand each of A and B are held tog throughout.

BACK

With one strand each of A and B held tog, CO 73 (79, 85, 91, 97) sts. P 8 rows, inc 13 (14, 15, 16, 17) sts evenly spaced along last row - 86 (93, 100, 107, 114) sts. Beg Lace Patt, and work even until piece meas approx 12 (13, 13%, 14, 14")" from CO, end after Row 4 of patt. Beg St st and dec 7 (10, 13, 10, 9) sts evenly spaced across first row - 9 (83, 89, 97, 105) sts rem. Cont even in St st until piece meas approx 16" from CO, end after WSR.

Shape Armholes

BO 4 (5, 6, 7, 7) sts at beg of next two rows, then BO 2 (2, 2, 3, 3) sts at beg of next two rows, then work fully-fashioned decreases (see Notes) each side every row 2 (2, 2, 3, 9) times, then every other row 4 (4, 5, 5, 2)



(4, 0, 0, 4) times - 59 (59, 61, 61, 63) sts rem. Cont even until sleeve meas approx 18%" from CO, end after WSR.

Shape Cap

BO 4 (5, 6, 7, 7) sts at beg of next 2 rows, then work fully-fashioned decs each side (see Designer Notes) every 4 rows 0 (0, 0, 2, 3) times, EOR 7 (11, 14, 12, 11) times, then every row 9 (4, 0, 0, 1) times - 19 sts rem. Work 0 (0, 1, 0, 0) row even. BO 2 sts at beg of next 4 rows. BO rem 11 sts.

FINISHING

Sew Front to Back at right shoulder seam.

Neckband

With RS facing, pick up and K100 sts evenly-spaced along neckline. P 4 rows. **Next Row:** Purl, and dec 10 sts evenly across - 90 sts rem. Purl 3 more rows, then BO.


Assembly

Sew left shoulder seam, including side of neckband. Set in sleeves. Sew sleeve and side seams.

Optional Ribbon Tie

Beg and end at center front, thread ribbon through eyelet row of empire waistband.

Designed by Melissa Leapman exclusively for Knit 'N Style.



Shape Shoulders

Work both sides at once with separate balls of yarn, and BO 4 (4, 4, 5, 5) sts at beg of next 4 rows, then BO 4 (5, 6, 6, 6) sts at beg of next 2 rows.

FRONT

Work same as Back until piece meas approx 19 (19%, 20, 20%, 20%)" from CO, end after WSR.

Shape Neck

Work across first 21 (22, 23, 24, 25) sts, join second ball of yarn and BO middle 13 sts, work across to end row. Work both sides at once with separate balls of yarn, and BO 4 sts each neck edge once, BO 2 sts each neck edge once, then dec 1 st each neck edge every row twice, then EOR once - 12 (13, 14, 15, 16) sts rem each side. Cont even, if necessary, until piece meas approx 23 (23%, 24, 24%, 24%)" from CO, end after WSR.

Shape Shoulders

Work same as for Back.

SLEEVES

With one strand each of A and B held tog, CO 69 (69, 72, 72, 72) sts. Purl 8 rows, inc 12 (12, 13, 13, 13) sts evenly spaced along last row - 81 (81, 85, 85, 85) sts. Beg St st and work fully-fashioned decs each side (see Designer Notes) on next row then every 8 rows 6 (6, 11, 11, 6) times, every 10 rows 4

2 CROCHET Empire Wast Pullover

Continued from page 25



SIZES

- Pullover is sized to fit Women's Small (Medium, Large, X-Large, XX-Large).

FINISHED MEASUREMENTS

- Bust 35 (38, 41, 44, 47)"
- Length 24 (24 1/2, 25, 25 1/2, 25 1/2)"
- Upper Arm 13 (13, 13 1/2, 13 1/2, 14)"

MATERIALS

- 7 (8, 9, 10, 11) 100g (208 yd) balls

Ornaghi Filati / Aurora Yarns *Lana D'Irlanda* (100% superwash wool) color #742 (A)

- 8 (9, 10, 11, 12) 25g (191 yd) balls

Ornaghi Filati / Aurora Yarns *Sox* (60% cupro, 40% polyester) color #109 (B)

- Size I US crochet hook OR SIZE TO OBTAIN GAUGE

- 59" ribbon for tie (optional)

GAUGE

- Each 6-st repeat = 1 1/4" across in Lace Pattern
- 14 sts x 10 rows = 4" in Solid Hdc Pattern

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

DESIGNER NOTES

- Throughout instructions, one strand each of A and B are held tog.
- Throughout instructions, each hdc, dec hdc, and turning-ch-2 counts as 1 st.
- To increase 1 st each side, ch 2 to turn; skip first st, 2 hdc into next st; hdc into each st across until 2 sts rem, ending row with 2 hdc into next st, hdc into top of turning-ch-2. Ch 2, turn.
- To decrease 1 st each side, ch 2 to turn; skip first st, work dec hdc to combine next 2 sts; hdc into each st across until 3 st rem, ending row with dec hdc to combine next 2 sts, hdc into top of turning-ch-2. Ch 2, turn.
- To decrease 2 sts each side, ch 2 to turn; skip first st, (work dec hdc to combine next 2 sts) twice; hdc into each st across until 5 sts rem, ending row with (dec hdc to combine next 2 sts) twice, hdc into top of turning-ch-2. Ch 2, turn.

LACE PATTERN

Foundation Row (RS): 5 Dc into 6th ch from hook, *skip next 2 ch, dc into next ch, skip next 2 ch, 5 dc into next ch. Rep from * across, end row with skip next 2 ch, dc into last ch. Ch 5, turn.

Row 1 (WS): Skip first dc, *5-dc dec into next 5 dc, ch 2, dc into next dc, ch 2. Rep from * across, end row with 5-dc dec into next 5 dc, ch 2, dc into third ch of turning-ch. Ch 3, turn.

Row 2: Skip first dc and ch-2 sp, *5 dc into



next 5-dc dec, skip next ch-2 sp, dc into next dc. Rep from * across, end row with 5 dc into next 5-dc dec, skip next 2 ch, dc into third ch of turning-ch. Ch 5, turn.

Rep Rows 1 & 2 for Lace patt.

SOLID HDC PATTERN

Foundation Row (RS): Hdc into third ch from hook and into each ch across. Ch 2, turn.

Patt Row: Skip first hdc, *hdc into next hdc. Rep from * across, end row with hdc into top of turning-ch-2. Ch 2, turn.

Rep Patt row for Solid Hdc patt.

STITCH GLOSSARY

5-dc dec holding back last loop, work dc into next 5 sts, yarn over and draw it through all 6 loops on hook.

dec hdc (decrease half double crochet) yarn over hook, insert hook into next st and pull up a loop (3 loops are on your hook); yarn over hook, insert hook into next st and pull up a loop; yarn over hook and draw loop through all 5 loops on hook.

BACK

With one strand each of A and B held tog, ch 81 (87, 93, 99, 105). Beg Lace Patt, and work even until piece meas approx 13 1/2" (14, 14 1/2, 15, 15)" from beg, end after WSR. Ch 2, turn. **Next Row (RS):** Skip first dc, work 60 (64, 70, 76, 82) hdc evenly spaced across row - 61 (65, 71, 77, 83) sts. Cont even in Solid Hdc Patt until piece measures approx 17" from beg, end after WSR. Do not ch 2. Turn.

Shape Armpholes

Next Row (RS): Slip st into first 5 (5, 6, 7, 8) sts, ch 2. Hdc into next st and into each st across until 4 (4, 5, 6, 7) sts rem. Ch 2, turn, leaving rest of row unworked. **Next Row:** Slip st into first 4 (4, 4, 4, 5) sts, ch 2. Hdc into next st and into each st across until 3 (3, 3, 3, 4) sts rem. Ch 2, turn, leaving rest of row unworked.

Dec 1 st each side every row 2 (3, 4, 6, 6) times - 43 (45, 47, 47, 49) sts rem. Cont even until piece meas approx 23 (23 1/2, 24, 24 1/2)"

24 1/2)" from beg, end after WSR. Ch 2, turn.

Shape Neck

Next Row (RS): Work across first 10 (11, 12, 12, 13) sts, ch 2, turn, leaving rest of row unworked. **Next Row (WS):** Dec 1 st at neck edge - 9 (10, 11, 11, 12) sts rem this side. Cont even until this side meas approx 24 (24 1/2, 25, 25 1/2, 25 1/2)" from beg. Fasten off.

For second side of neck, skip the middle 23 sts, and with RS facing, attach yarn with a slip st to next st and ch 2. Work across to end row. Complete same as first side.

FRONT

Work same as Back until piece meas approx 19 (19 1/2, 20, 20 1/2, 20 1/2)" from beg, end after WSR. Ch 2, turn.

Shape Neck

Next Row (RS): Work across first 16 (17, 18, 18, 19) sts, ch 2, turn, leaving rest of row unworked. Dec 1 st at neck edge every row 5 times, then EOR row twice - 9 (10, 11, 11, 12) sts rem this side. Cont even until this side measures approx 24 (24 1/2, 25, 25 1/2, 25 1/2)" from beg. Fasten off.


For second side of neck, with RS facing, skip the middle 11 sts, and attach yarn with a slip st to next st and ch 2. Work across to end row. Complete same as first side.

SLEEVES

With one strand of A and B held tog, ch 64 (66, 68, 68, 68). Beg Solid Hdc Patt, and dec 1 st each side every 4 rows 6 (6, 9, 9, 6) times, then every 6 rows 3 (3, 1, 1, 3) times - 45 (45, 47, 47, 49) sts rem. Cont even until piece measures approx 18 1/2" from beg, end after WSR. Do not ch 2. Turn.

Shape Cap

Next Row (RS): Slip st into first 5 (5, 6, 7, 8) sts, ch 2. Hdc into next st and into each st



across until 4 (4, 5, 6, 7) sts rem. Ch 2, turn, leaving rest of row unworked. Dec 1 st each side EOR 0 (1, 2, 4, 6) times, then every row 9 (8, 7, 4, 2) times - 19 sts rem. Do not ch 2. Turn. Slip st into first 3 sts, ch 2. Hdc into next st and into each st across until 2 sts rem. Do not ch 2. Turn. Slip st into first 4 sts, ch 2. Hdc into next st and into each st across until 3 sts rem - 9 sts rem. Fasten off.

FINISHING

Sew Front to Back at shoulder seams.

Neck Edging

With RS facing, join one strand each of A and B held tog with a slip st to left shoulder seam and ch 1. Work one rnd sc around neck opening. Join with slip st to first sc. Fasten off.

Assembly

Set in sleeves. Sew sleeve and side seams.

Sleeve Edging

With RS facing, attach yarn with a slip st to sleeve seam and ch 1. Complete same as neck edging.

Lower Edging

With RS facing, attach yarn with a slip st to

lower left side seam and ch 1. Complete same as neck edging.

Optional Tie - Crocheted Chain

With one strand each of A and B held tog, make a chain approx 59" long. Next Row: Slip st into each ch across. Fasten off.

Optional Tie - Ribbon

Beg and end at center front, thread tie through at empire waist.

Designed by Melissa Leapman exclusively for Knit 'N Style.

3 Britney Top with Purse

Continued from page 42



SIZES

- Close-fitting sleeveless top is sized to fit Women's X-Small (Small, Medium, Large).

FINISHED MEASUREMENTS

- Bust 32 (34, 36, 40")
- Length 16 (16½, 18, 19")

MATERIALS

- 6 (6, 7, 8) 50g (113 yd) balls S.R. Kertzer *lrise* (85% rayon, 15% metallized polyester) color #9 Silver Lining
- Size 3 US (3.25mm) 16" circular needles OR SIZE TO OBTAIN GAUGE
- Size 3 US (3.25mm) 24" circular needles OR SIZE TO OBTAIN GAUGE
- 1 set, Size 3 US (3.25mm) double pointed needles OR SIZE TO OBTAIN GAUGE
- stitch markers, small stitch holders
- Purse Only: (1) large snap set, 1 decorative button

GAUGE

• 25 sts x 28 rows = 4" in pat st

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

DESIGNER NOTES

- Work purse first and use as your gauge swatch.
- When working arm and neck shaping, make sure to match each yo with an appropriate dec to keep st count correct. If this cannot be done, work in St st.
- To soften yarn before wearing, manufacturer recommends steam blocking.

1x1 RIB

All rnds: *K1, P1; rep from * around.

PROJECT 3A: TOP

BODY

With longer circ ndl, CO 196 (210, 224, 252) sts. Join into rnd without twisting sts, pm between first and last st. Work even in 1x1 Rib until Body meas 4" from CO. Referring to Pattern Chart, work 14 (15, 17, 18) repeats of the 14-st Openwork pat until Body meas 9 (9,



10, 10½") from CO, end with an even-numbered rnd.

Divide for Front and Back


Size Small Only: Move marker 3 sts to the left. All sizes: Place second marker 98 (105, 112, 126) sts after first marker. **Next rnd:** Work in est pat to 5 (5, 6, 7) sts before end-of-rnd marker, BO next 10 (11, 12, 14) sts for left underarm, work to 5 (5, 6, 7) sts before next marker. Place sts just worked on stitch holder for Front, BO 10 (11, 12, 14) sts for right underarm, work to end of rnd - 88 (94, 100, 112) sts each for Front and Back. Work back and forth in rows from this point.

BACK

Working in est pat, dec 1 st each end every RSR 7 (9, 10, 12) times - 74 (76, 80, 88) sts. Work even until armhole meas 7 (7½, 8, 8½") above bound-off underarm sts, end after WSR.

KEY											
□	= K on RS, P on WS										
■	= P on RS, K on WS										
□	= yo										
□	= K2tog										
□	= ssk										

PATTERN CHART (14 st, 40 row rep)



off underarm sts.

Shape Shoulders

BO at each arm edge 5 (5, 5, 6) sts twice, then 4 (4, 4, 5) sts once.

FINISHING

Join Front to Back at shoulder seams.

Collar

With RS facing, join yarn at Back neck. With 16" circ ndl, K across sts of Back neck dec 8 sts evenly, pick up and K18 sts along left neck edge, K across sts of Front neck dec 8 sts evenly, pick up and K18 sts along right neck edge - 96 (102, 110, 114) sts. Join in rnd without twisting sts, pm between first and last st. Work even in 1x1 Rib for 2". BO loosely in rib.

Arm Bands

With RS facing and using 16" circ ndl, join yarn at center of bound-off underarm sts. Pick up and K1 st in each bound-off underarm st, and 3 sts for every 4 rows around entire armhole. Adjust amount of sts if necessary so total amount is divisible by 2. Join in rnd

without twisting sts, pm between first and last st. Work even in 1x1 Rib for 6 rnds. BO all sts loosely in rib.

PROJECT 3B: PURSE

With dpns, CO 56 sts. Join into rnd without twisting sts, pm between first and last st. Knit 2 rnds. Referring to Pattern Chart, work 4 repeats of the 14-st Openwork pattern for 40 rnds.

Begin Flap

Next rnd: K4 sts and sl to stitch holder, BO next 20 sts, K4 sts and sl to second stitch holder, K to end of rnd. Work back and forth in rows from this point. Next row: SI 1 pwise wif, K to end of row. Rep last row 7 times more. Shape End

Row 1 (RS): SI 1, K2tog, K to last 3 sts, K2tog, K1. Row 2: SI 1, K to end of row. Rep Rows 1-2 5 times more - 16 sts. BO all sts.

I-Cord Shoulder Strap

SI 4 sts from one stitch holder to dpn. Join yarn. *K4, sl sts back to LH ndl. Rep from * until strap meas 36", or desired length. Sew last row of cord to 4 sts on rem stitch holder

using Kitchener St.

Assembly


Flatten purse. Sew bottom (cast on) edge to close. Sew snap set to inside flap and front of purse. Sew button to outside of flap.

Designed by Diane Zangl exclusively for Knit 'N Style.



4 Transparent Beauty

Continued from page 43



SIZES

• Cardigan is sized to fit Women's Small (Medium, Large, X-Large, XX-Large). FINISHED MEASUREMENTS

- Bust 36 (40, 44, 48, 52)"
- Length 20 (21 1/2, 23, 24 1/2)"
- Upper Arm 12 (13, 14, 15, 16)"

MATERIALS

- 1, 100g (1375 yd) skein **Ornaghi Filati / Aurora Yarns Merino Oro** (100% washable merino wool) color #110
- Size 7 US (4.5mm) needles OR SIZE TO OBTAIN GAUGE
- Sulky Solvy or Tear-Easy Stabilizer or 2" wide clear shipping tape
- sewing thread or Aleene's Flexible Stretchable Fabric Glue, trim/braid/ribbon of your choice
- 1 Aurora Yarns button

GAUGE

- 20 sts x 28 rows = 4" in St st

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.



BACK

CO 90 (100, 110, 120, 130) sts. Work in St st until piece meas 13 (14, 15, 16, 17)" from CO.

Shape Armhole

At beg of next 2 rows, BO 5 (6, 8, 9, 11) sts. Cont in St st dec 1 st at each edge every RSR 4 (6, 7, 9, 10) times. Work even until armhole meas 7 (7 1/2, 8, 8 1/2, 9)". Next RSR: K across 20 (22, 24, 26, 28) sts and place them on a stitch holder. BO center 32 sts, K to end of row and place these sts on holder.

FRONTS

CO 45 (50, 55, 60, 65) sts. Work in St st until piece meas 13 (14, 15, 16, 17)" from CO edge.

Shape Armhole and Neck

At armhole edge, BO 5 (6, 8, 9, 11) sts, work across row. Next row: BO 8 sts at neck edge.

Shape armhole as for Back, dec 1 st at armhole edge every RSR 4 (6, 7, 9, 10) times,

while at the same time, dec 1 st at neck edge every RSR 8 times - 20 (22, 24, 26, 28) sts. Work even until Front meas same as Back to shoulder.

Block Fronts and Back to correct measurements. Join Fronts to Back at shoulders using 3-Ndl BO method.

SLEEVE

Pick and K60 (66, 70, 76, 80) sts evenly around armhole. Purl to shoulder seam then P8 more sts. *SI 1 st pwise, move yarn to back, sl st back to LH ndl (wrap made). Turn work. SI first st, K15. Wrap next st and turn work. SI first st, K16. Rep from *, inc number of sts K or P by 1 every row until 5 (6, 8, 9, 11) sts rem at end end. Work all the way to the end on these last 2 rows.

Shape Sleeve

Work in St st, dec 1 st at each edge every 10 (8, 8, 6, 6) rows 12 (14, 15, 17, 18) times - 36 (38, 40, 42, 44) sts rem. Work even until sleeve meas 17 (17, 18, 18, 18") from underarm or desired length. BO all sts.

FINISHING

Block sleeves to correct measurements. Sew side and sleeve seam.

Apply Trim/Edging

The method for attaching the trim will very depending on the type of trim chosen. If the trim will show stitching or has uneven edges, use the glue method. If the trim is even and can be sewn through, sew it by hand or machine. Stabilize all edges first. After garment is blocked, use clear shipping tape or a water soluble stabilizer from the fabric store to keep all garment edges the exact finished measurements. Attach the stabilizer to the WS of the garment. To sew trim on garment,

DESIGNER NOTES


- Gauge is extremely open and loose for this yarn. After knitting, steam or wet block each piece to correct dimensions before sewing pieces together.
- Sleeves are picked up from the shoulders and knit down to the cuff, using short rows.

pin trim around all edges, hand or machine stitch along both edges, remove stabilizer. To glue trim on garment, apply glue generously to WS of trim, attach to edge, allow to dry then remove stabilizer.

Button Closure

Sew button to left front neck edge. Make a yarn loop and attach to right front neck edge.

Designed by Lorna Miser exclusively for Aurora Yarns.



5 Black Orchid Camisole

Continued from page 44



SIZES

- Camisole is sized to fit Small (Medium, Large)

FINISHED MEASUREMENTS

- Bust 36 (38, 40)"
- Length 21 (22, 24)"
- Armhole 16 (17, 18)"

MATERIALS

- 2 (3, 3) (232 yd) skeins **The Great Adirondack Yarn Co Bamboo Silk** (51% silk, 49% bamboo viscose) color Black Orchid
- 1, (75 yd) skein **The Great Adirondack Yarn Co Dangles** (70% rayon, 30% pvc) color Black Orchid

- 1, (75 yd) skein **The Great Adirondack Yarn Co Firecracker** (46% polyester, 23% nylon, 22% acrylic) color Bluebell
- 1, (75 yd) skein **The Great Adirondack Yarn Co Metallic Tweed** (75% rayon, 25% metallic polyester) color Black Orchid
- Size 6 US (4.25mm) 16" circular needles OR SIZE TO OBTAIN GAUGE
- Size 6 US (4.25mm) 24" circular needles OR SIZE TO OBTAIN GAUGE
- stitch holder, stitch markers, Size G US crochet hook
- GAUGE**
- 20 sts = 4" in St st
- TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

We are unable to print the pattern for the camisole due to the length of the detailed instructions for each size of this project. We apologize for the inconvenience.

Other designs can be purchased from Jane Elliott, Not Just Plain Jane Knits, through her web site www.picturetrail.com/njpk02.

Yarn kit available from **The Great Adirondack Yarn Co** includes Black Orchid Camisole pattern. Go to www.dknitting.com for a local yarn shop near you that carries yarn and kits from **The Great Adirondack Yarn Co** as they do not sell direct.



A free download for the Black Orchid Camisole is available in 3 sizes from the Knit 'N Style website or by mail.

INTERNET

Go to www.knitnstyle.com and from the left sidebar select Free Patterns/Downloads.

MAIL

Please send a self-addressed stamped envelope and size required to
Knit 'N Style • Issue 152, Project 5
7 Waterloo Rd
Stanhope NJ 07874

6 Evening Surprise Shawl

Continued from page 45



FINISHED MEASUREMENTS

- Width 80" (Left-Right)
- Height 29" (Top-Bottom)

MATERIALS

- 2, (150 yd) skeins **The Great Adirondack Yarn Co Hot Surprise** color Black Orchid (A)
- 1, (225 yd) skeins **The Great Adirondack Yarn Co Surprise** color Deep Blue Sea (B)
- 1, (100 yd) skein **The Great Adirondack Yarn Co Pandora** color Black Orchid (C)

- 2, (75 yd) skeins **The Great Adirondack Yarn Co Dangles** color Black Orchid (D)
- 2, (75 yd) skeins **The Great Adirondack Yarn Co Firecracker** color Bluebell (E)
- 1, (35 yd) skein **The Great Adirondack Yarn Co Charmeuse** color Deep Blue Sea (F)
- Size 10.5 US (6.5mm) 29" circular needles OR SIZE TO OBTAIN GAUGE
- Size J US crochet hook
- GAUGE**
- 10 sts = 4" in Garter St
- TO SAVE TIME, TAKE TIME TO CHECK GAUGE.



7 Holy Moly Bolero

Continued from page 46



SIZES

- Bolero is sized to fit Women's Small (Medium, Large, X-Large).

FINISHED MEASUREMENTS

- Bust 34½ (39, 44, 48½)"
- Length 16 (16½, 17, 17½)"
- Upper Arm 14 (15, 16, 17")

MATERIALS

- 7 (8, 9, 10) 50g (109 yd) skeins Knit One, Crochet Too Merino Gold (94% merino wool, 6% metallic) color #120 Ivory
- Size 7 US (4.5mm) needles OR SIZE TO OBTAIN GAUGE
- stitch holders, (1) large button

GAUGE

• 15 sts x 27 rows = 4" in Eyelet Pattern
TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

EYELET PAT (multiple of odd number of sts)

Row 1 (RS): * K2, yo twice; rep from * across, end K1.

Row 2: * P1 tog with first yo, purl next yo with next st; rep from * across, end P1.

Row 3: K1, * yo twice, K2; rep from * across.

Row 4: P1, * P next st with first yo, P next yo with next st; rep from * across.
Rep Rows 1-4 for Eyelet Pat.

BACK

CO 65 (73, 83, 91) sts. Beg Eyelet Pat, and work even until piece meas 5½" from CO, end after WSR.

- When using colors C and D (held tog as 1 strand) ribbons, and smooth yarns in the Surprises fiber, designer suggests to work [K1, yo] for a row then drop the yarn overs on the next row.
- Wind all yarns into 2 equal balls. Use one for each half of the shawl.

SHAWL

With color A, CO 1 st.

Beg Row 1 and all odd rows. M1 at beg of row.

Row 1: With A, K across.

Row 2 & 4: With A, K across.

Rows 5 - 8: With B, K across.

Row 9: With C, M1, *K1, yo; rep from * across.

Row 10: With C, K across dropping all yarnovers.

Rows 11 - 16: With A, K 6 rows.

Row 17: With D & E held tog as 1 strand, M1, *K1, yo; rep from * across.

Row 18: With D & E held tog as 1 strand, K across dropping all yarnovers.

Rows 19 and 20: With D & E, K across.

Rows 21 - 24: With B, K across.

Rows 25 & 26: With C, rep Rows 9 - 10. Rep Rows 11 - 26, following all incs and decs. Note: As designer changed yarns on every odd row, she suggests leaving a long tail for fringe. (More fringe will be added later).

FINISHING

With Color F, weave Chormeuse from top to the bottom thru rows approx 4" apart, evenly spaced across shawl.

Fringe the Shawl

With multiple strands of 2-3 different fibers, cut into lengths of 30". Fold in half to make a loop. Insert crochet hook through last stitch at shawl hem edge, pull fringe loop through knit stitch. With crochet hook, pull fringe tails through loop and tighten. Rep from * across hem, adding fringe for each knitted row. Trim ends as needed.

Designed by Patti Subik exclusively for The Great Adirondack Yarn Co.



Shape Armhole

BO 5 (6, 7, 8) sts at beg of next 2 rows, dec 1 st each side every 2½ (2, 1½, 1½)" 7 (8, 9, 10) times, working Eyelet pat on new sts as they appear - 45 (49, 53, 57) sts. Work even until Sleeve meas 17 (17, 17½, 18)" from CO, end after WSR.

Shape Armhole and Sleeve Cap

BO 5 (6, 7, 8) sts at beg of next 2 rows, dec 1 st each side every 5 rows 4 times, then EOR 4 (5, 6, 7) times. BO 2 sts beg of next 4 rows. BO 9 rem sts.

FINISHING

Join Fronts to Back at shoulder seams using 3-Needle Bind Off method. Sew side seams. Edge Band

Note: Band is attached as you go by attaching to bottom edge with P1 in each CO st and by attaching to shaped front edges eyelet with P1 in eyelet at edge side of rows. CO 13 sts. Beg at left side seam and start Welt Pattern as follows: Row 1 (RS): P1, sl 1, P1 in st at CO (bottom) edge of garment, pss0; turn. Row 2: Sl 1, yarn to back, K12. Rows 3 & 5: Sl 1, K11, sl 1, P1 in next st at CO edge, pss0; turn. Rows 4 & 6: Sl 1, P12. Row 7: Sl 1, P11, sl 1, P1 in next st at CO edge, pss0; turn. Row 8: Rep Row 2. Rep Rows 3 - 8 until ready to work in Right Front corner eyelet space (see "Turn Bottom Edge Corner" photo).

Pattern Placement Note

End before corner space with a rep of Row 6 so corner begins with Rows 7 and 8. If not ending with Row 6, "fudge" a bit to make the pattern work. To do this, unravel a few rows back on the band, and either pick up a few more or a few less sts on CO edge to be ready to work Row 7 in corner eyelet.



Turn Bottom Edge Corner

(see Turn Bottom Edge Corner photo) Work Rows 7 and 8 in corner eyelet.

Row 3 (Short Row): sl 1, k2, yarn fwd, sl 1, yb, turn; sl 1, p3, turn; sl 1, K5, yarn fwd, sl 1, yarn back, turn; sl 1, p6, turn; sl 1, K8, yarn fwd, sl 1, yarn back, turn; sl 1, p9, turn; sl 1, K to last st, sl 1, p1 in corner eyelet, pss0. **Row 4:** sl 1, p12. Work Rows 7 and 8 in corner eyelet. [Rep Row 3 (Short Row), and then work Row 4. Work Rows 7 and 8 in corner eyelet.] 2 times. From this point on, "attach" twice in each eyelet along shaped front edge. Work Row 3 (Short Row) in first eyelet row on side of Front, and then work Row 4. Work Rows 7 and 8 in same eyelet row. Beg with Row 3 of Welt Pattern, cont attaching along shaped edge of Right Front to neck corner eyelet, ending with Row 6. See Pattern Placement Note above and adjust if needed.

Turn Top Edge Corner

Work as for Bottom Edge Corner working buttonhole as follows in 3rd welt of corner (see Turn Top Edge



TURN TOP EDGE CORNER

TURN BOTTOM EDGE CORNER

8 Parisienne Sweater

Continued from page 47

DESIGNER NOTES

• Pullover is worked hold 2 strands of Parisienne together throughout.

BACK

With 2 strands of Parisienne held tog and larger needles, CO 86 (92, 98) sts. Purl 3 rows. **Next row (RS):** K1, *yo, sl1, K1, pss0; rep from *, end K1. Rep last 4 rows once more. Purl 3 rows. **Next row (RS):** Change to St st



SIZES

- Pullover is sized to fit Women's Small (Medium, Large).

FINISHED MEASUREMENTS

- Bust 43 (46, 49)"
- Length 23 (24, 24 1/2)"
- Upper Arm 17 1/2 (18 1/2, 19 1/2)"

MATERIALS

- 6 (7, 8) 25g (238 yds) skeins **Colinette / Unique Kolors Parisienne** (70% kid mohair, 30% polyamide) color #4 Storm

and omitting buttonhole. Cont around until the left side seam (the beg) is reached, end with a rep of Row 6. See Pattern Placement Note and adjust if needed. BO all sts.

Assembly

To complete Band, sew BO edge to CO edge. Sew button opposite buttonhole. Set in top of Sleeves at armhole edge. Sew underarm Sleeve seams. Weave in all ends.

Designed by Helene Rush exclusively for Knit One, Crochet Too.



- Size 9 US (5.5mm) 16" circular needles (for neck)
- Size 10.5 US (6.5mm) needles OR SIZE TO OBTAIN GAUGE
- 1, Size 10.5 US (6.5mm) double pointed or straight needle (for 3-Needle BO)
- (3) stitch holders, stitch marker, yarn needle GAUGE
- 16 sts x 20 rows = 4" in St st with larger needles and yarn doubled

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.



and work even until piece meas $14\frac{1}{2}$ (15, $15\frac{1}{2}$)" from CO, end after WSR.

Shape Armhole

At beg of next two rows, BO 5 (5, 7) sts. **Next row (RS):** Dec 1 st at beg and end of row (2 sts dec'd). Purl 1 row. Rep last 2 rows 5 (6, 4) more times - 64 (68, 74) sts rem. **Next row (RS):** *K1, P1; rep from * to end. Purl 1 row. Rep last 2 rows until piece meas 23 (24, $24\frac{1}{2}$)" from CO. Break yarn and place all sts on holder.

FRONT

Work as for Back until piece meas 20 (21, $21\frac{1}{2}$)" from CO, end after WSR.

Shape Neck

Next row: *K1, P1; rep from * 11 (12, 13) times, K1 (0, 0); join new ball of yarn and BO center 14 (16, 16) sts; *K1, P1; rep from * 11 (12, 13) times, K1 (0, 0) - 25 (26, 29) sts rem each shoulder.

Right Shoulder

Purl 1 row. **Next row (RS):** BO 2 sts, work to end in patt as est. Purl 1 row. Dec 1 st at neck edge 4 times - 19 (20, 23) sts rem. Cont in patt until piece meas 23 (24, $24\frac{1}{2}$)" from CO. Break yarn and place rem sts on holder.

Left Shoulder


Rep as for Right Shoulder, reversing all shapings.

SLEEVES

With 2 strands of *Parisienne* held tog and larger needles, CO 53 (56, 59) sts and work 11 pattern rows as for Back. **Inc row (RS):** Change to St st and inc 1 st at beg and end of row. Work 5 rows even in St st. Rep last 6 rows, 8 more times - 71 (74, 77) sts. Cont in St st until piece meas 13 (14, $14\frac{1}{2}$)" from CO, end after WSR.

Shape Cap

At beg of next two rows, BO 5 (5, 7) sts. **Dec row (RS):** Dec 1 st at beg and end of row. Purl 1 row. Rep last 2 rows 4 (6, 5) more times - 51 (50, 51) sts rem. Work Dec row every row, 11 more times - 29 (28, 29) sts rem. At beg of next 4 rows, BO 3 sts. BO rem 17 (16, 17) sts.



FINISHING

SI 19 (20, 23) sts from stitch holder of Front right shoulder to larger needles. SI 19 (20, 23) sts of Back right shoulder from stitch holder to larger needles. Join Front to Back at right shoulder seam using 3-needle BO method. Rep for left shoulder seam. 26 (28, 28) sts on stitch holder for Back neck.


Neck Band

With smaller circ needle, yarn doubled, and RS facing, beg at right Back shoulder, K across 26 (28, 28) sts from stitch holder of Back; pick up and K16 (14, 17) sts down left Front to neck, pick up and K14 (16, 16) sts across Front neck, and pick up and K16 (14, 16) sts up right Front to shoulder - 72 (72, 78) sts. PM and join for working in the round. Purl 1 round. Knit 1 round. **Next rnd:** *YO, sl1, K1, pso; rep from * to end. Knit 1 row. Purl 1 row. BO all sts loosely in purl.

Assembly

Set in sleeves. Sew side seams and underarms. Weave in ends. Block, if desired.

Designed by Barbara Lagos of Frou Frou Yarn Shop in Berwyn, PA exclusively for Colinette / Unique Colours.



9 Cable-Knit Cardi

Continued from page 48

BACK

CO 64 (72, 78, 86, 92) sts. Purl 1 row. Establish patt as foll: **Row 1 (RS):** K1, P0 (4, 7, 11, 14), *work Row 1 of Lace Panel Chart, P2; rep from * 2 times, work Row 1 of Lace Panel Chart once more, P0 (4, 7, 11, 14), K1. **Row 2: P1, K0 (4, 7, 11, 14), work Row 2 of Lace Panel Chart, *K2, work Row 2 of Lace Panel Chart; rep from * 2 times, K0 (4, 7, 11, 14), P1.** Cont in patt as set, maintaining selvage sts at beg and end of row until piece meas 13" from CO, end after WSR.

Shape Armhole

Dec 1 st at beg and end of every RSR, 3 times - 58 (66, 72, 80, 86) sts rem. Cont in patt as set until piece meas 20 (20%, 21, 22, 22)" from CO, end after WSR.



SIZES

- Cardigan is sized to fit Women's Small (Medium, Large, X-Large, XX-Large)

FINISHED MEASUREMENTS

- Chest (closed) 35 1/2 (40, 43 1/2, 48, 51 1/2)"
- Length 21 1/2 (22, 22 1/2, 23 1/2, 23 1/2)"
- Upper Arm 16 (17, 18 1/2, 20, 20)"

MATERIALS

- 9 (10, 11, 11, 13) 100g (132 yd) skeins *Ornaghi Filati / Aurora Yarns Tibet* (55% wool, 40% acrylic, 5% viscose) color #753
- Size 10.5 US 29" circular needle OR SIZE TO OBTAIN GAUGE

ADDITIONAL SUPPLIES

- Size E/4 US crochet hook, yarn needle, (2) 1/2" snaps, matching sewing thread, sewing needle

GAUGE

- 14 sts x 17 rows = 4" in Lace Panel pattern TO SAVE TIME, TAKE TIME TO CHECK GAUGE.



Shape Neck and Shoulder

Next Row (RS): Work 14 (18, 21, 25, 27) sts in patt as set, join new ball of yarn and BO 30 (30, 30, 30, 32) sts, and work to end in patt. **Right Shoulder:** Work 1 WS row. **Next Row:** BO 2 sts, work to end in patt. Repeat these 2 rows once more. **(WS):** BO 5 (7, 9, 11, 12) sts, work to end in patt. Work 1 RS row. **(WS):** BO rem 5 (7, 8, 10, 11) sts. Work left shoulder, rev all shapings.

RIGHT FRONT

CO 48 (52, 55, 59, 62) sts. Purl 1 row. Establish patt as foll: **Row 1 (RS):** K1, *work Row 1 of Lace Panel Chart, P2; rep from * once, work Row 1 of Lace Panel Chart once more, P0 (4, 7, 11, 14), K1. **Row 2: P1, K0 (4, 7, 11, 14) sts, work Row 2 of Lace Panel Chart, *K2, work Row 2 of Lace Panel Chart; rep from * once, P1.** Cont in patt, maintaining selvage sts at beg and end of row, and work as for Back until piece meas 13" from CO, end after WSR.

Shape Armhole

Dec 1 st at beg of every RSR 3 times - 45 (49, 52, 80, 86) sts. Work 1 WSR in patt as est. **Dec Row:** K1, dec 1 st, work to end in patt. Work 2 rows even. Rep these 3 rows 3 more times *while at the same time*, when piece meas 20% (22, 21%, 22%, 22%)" from CO, beg shaping shoulder. At beg of next WSR, BO 5 (7, 9, 11, 12) sts, work to end in patt. At beg of foll WSR, BO 5 (7, 8, 10, 11) sts.

LEFT FRONT

CO 48 (52, 55, 59, 62) sts. Purl 1 row. Establish patt as foll: **Row 1 (RS):** K1, P0 (4, 7, 11, 14), *work Row 1 of Lace Panel Chart, P2; rep from * once, work Row 1 of Lace Panel Chart once more, K1. **Row 2: P1, work Row 2 of Lace Panel Chart, *K2, work Row 2 of Lace P Chart; rep from * once, K0 (4, 7, 11, 14), P1.** Cont in patt, maintaining selvage sts at beg and end of row, and work as for Back until piece meas 18 (18%, 19, 20, 20)" from CO, end after RSR. Shape Neck and Shoulders as for Right Front, rev all shapings.

SLEEVES

CO 34 (34, 38, 38, 38) sts. Purl 1 row. Establish patt as foll: **Row 1 (RS):** K1, P9 (9, 11, 11, 11), work Row 1 of Lace Panel Chart, P9 (9, 11, 11, 11), K1. **Row 2: P1, K9 (9, 11, 11, 11), work Row 2 of Lace Panel Chart, K9 (9, 11, 11, 11), K1.** Maintaining selvage sts at beg and end of row and incorporating new sts into rev St st patt, work sleeve incs as foll: **Inc Row (RS):** K1, M1, work to last st in patt, M1, K1. Work 5 (3, 3, 3) rows even. Rep these 6 (4, 4, 4, 4) rows 7 (0, 0, 8, 8) more times. **Next row (RS):** K1, M1, work to last st in patt, M1, K1. Work 7 (5, 5, 5) rows

even. Rep these 8 (6, 6, 6, 6) rows 3 (12, 12, 7, 7) times - 58 (62, 66, 72, 72) sts. Work until piece meas 20 (20, 20, 20%, 20%)" from CO, end after WSR. At beg of next 4 rows, BO 3 sts. BO 46 (50, 54, 60, 60) sts.

FINISHING

Block pieces to measurements given on schematic. Sew shoulder seams. Set in sleeves. Sew side and sleeve seams.

Collar

With WS facing and beg at Left Front Neck Edge, pick up and K31 sts across BO edge, pick up and K11 sts to Left Shoulder, pick up and K4 sts from Left Shoulder to Back Neck, pick up and K30 across Back Neck, pick up and K4 sts from Back Neck to Right Shoulder, pick up and K11 sts from Right Shoulder to Right Front Neck BO, and pick up and K31 sts across Front Neck BO edge - 122 sts for all sizes. **Set-up row (WS):** K2, P2, K2, purl to last 6 sts, K2, P2, K2. **Next row:** P2, K2, P2, *work Row 1 of Lace Panel Chart, P2; rep from * 5 times, work Row 1 of Lace Panel Chart, P2, K2, P2. Cont in patt as est until piece meas 9 1/2" from pick up row. BO in patt. Do not cut yarn. With size E crochet hook, slip-stitch in corner of collar and work 1 row Crab st (rev sc) in each BO st across row. Fasten off.

Sleeve Edging

With size E crochet hook, slip stitch in CO of sleeve at seam. Ch 1 and work 1 row Crab st (rev sc) in each CO st around cuff. Join with slip-stitch and fasten off.

Front Bands and Body Cuff Edging

With size E crochet hook, slip-stitch at Right Front Neck Edge. Ch 1 and work 1 row Crab st (rev sc), working a st in 3 of every 4 sts along Right Front Band Edge. Work 3 Crab st in corner of right Front at bottom edge. Work 3 Crab st in corner at lower Right Front. Work 1 Crab st in each CO st across Right Front, Back, and Left Front CO edge. Work 3 Crab st in corner of Left Front, as for Right Front. Cont up Left Front band, as for Right Front band. Fasten off.


Weave in all ends.

Snap Placement

Cross right Front over left Front (fabric should overlap approximately 3 1/2"). With sewing thread and needle, sew the 2 sets of snaps on each side of first Lace Panel, approximately 2" apart.

Designed by Cynthia Yanok exclusively for Hither & Yarn.

Chart(s) for Project 9 can be found on page 130.



10 Wrapped in Luxury

Continued from page 49



SIZES

- Top is sized to fit Women's Small (Medium, Large).

FINISHED MEASUREMENTS

- Bust 35 (38, 41)"
- Length 26 (27, 28)"
- Upper Arm 15 (16½, 18)"

MATERIALS

- 10 (11, 12) 50g (96 yd) skeins **Erdal Yarns Bella** (43% polyester, 57% acrylic) color #020 Grey (A)
- 2 (3, 3) 50g (71 yd) skeins **Erdal Yarns Lotus** (50% nylon, 25% wool, 25% acrylic) color #458 Grey (B)
- 3 (3, 3) 50g (154 yd) skeins **Erdal Yarns Lattice Metallic** (88% polyester acrylic, 12% Lurex) color #1012 Grey (C)
- Size 8 US (5mm) needles
- Size 10 US (6mm) needles OR SIZE TO OBTAIN GAUGE
- Size 11 US (8mm) needles
- Size F US crochet hook, yarn needle, (6) ¼" buttons

GAUGE

- 16 sts x 18 rows = 4" in St st with Size 10 needles with *Bella*

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

DESIGNER NOTES

- Garment is constructed with Back, Fronts, and Sleeves made as separate pieces and then assembled.
- The scarf is picked up from the left Front and worked around the body.

COLOR SEQUENCE FOR BANDS OF BODY AND SLEEVES

Note: Band is worked entirely in Garter Stitch. With A, K 5 rows. *Change to C and K 2 rows. Change to B and K 2 rows. Change to A and K 2 rows. Rep from * 4 more times. Change to A and K 4 rows.

BACK

With A and smallest ndls, CO 70 (76, 82) sts. Follow Color Sequence as written above. **Next Row (WS):** Changing to gauge ndls and cont with A, K 1 row. **(RS):** Purl 1 row. Cont in rev St st until piece meas 17" from CO, end after WSR. **Shape Armhole**

Dec Row (RS): SSK, purl to last 2 sts, K2tog - 2 sts dec'd. Knit 1 row. Rep these 2 rows 19 (21, 24) more times - 30 (32, 32) sts rem. BO all sts.

LEFT FRONT

With A and smallest ndls, CO 29 (31, 33) sts. Follow Color Sequence as for Back. **Next Row (WS):** Changing to gauge ndls and cont with



A, K 1 row. **(RS):** Purl 1 row. Cont in rev St st until piece meas 17" from CO, end after WSR.

Shape Armhole

Next Row (RS): SSK, purl to end. **(WS):** K 1 row. Rep these two rows 19 (21, 24) more times - 9 (8) sts rem. BO all sts.

RIGHT FRONT

With A and gauge ndls, CO 41 (45, 49) sts. Follow Color Sequence as for Back. **Next Row (WS):** Changing to gauge ndls and cont with A, K 1 row. **(RS):** Purl 1 row. Cont in rev St st until piece meas 17" from CO, end after WSR. **Shape Armhole**

Next Row (RS): Purl to last 2 sts, K2tog. **(WS):** Knit 1 row. Rep these 2 rows 19 (21, 24) more times - 21 (23, 24) sts rem. BO all sts.

SLEEVES

With A and smallest ndls, CO 60 (66, 72) sts. Follow Color Sequence as for Body. **(WS):** Changing to gauge ndls and cont with A, K 1 row. **(RS):** Purl 1 row. Cont in rev St st until piece meas 2½ (3½, 5½)", end after WSR. **Dec Row:** K2tog, purl to last 2 sts, SSK - 2 sts dec'd. **(WS):** Knit 1 row. Rep these two rows 19 (21, 24) more times. BO rem 20 (22, 22) sts.

FINISHING




Assembly

With C and crochet hook, join sleeves to body with sc and RS facing. Join underarm and side seams in the same fashion.

Button Loops

With B and crochet hook, beg at lower right hand corner of right Front, sc 1 row to right Front neck edge, making 8 chain st button loops evenly spaced along edge. Cont working sc around neck, down left Front, and around hem edge to lower right hand corner of right Front. With B and crochet hook, work 1 row Crab st (rev sc) around garment, being sure to work behind button loops when working up right Front. Fasten off.

Sew buttons onto Left Front. Weave in all ends.



OPTIONAL SCARF

With gauge ndls and B, pick up and K80 (83, 85) sts from neckline to hem of left Front. K 1 row (WS). Work 2 rows rev St st. Change to A, cont in rev St st until piece meas 9" from CO, end after WSR. Change to largest ndls and C, cont in rev St st for 2". *Change to A and work 2 rows rev St st. Change to C and work 2 rows rev St st. Rep these 4 rows, changing yarns every two rows, until piece meas 18" from CO. Change to A and K 4 rows in Garter st. Cont in Garter st, work foll stripe sequence: with C, work 4 rows; with A, work 2 rows; with C, work 6 rows; with A, work 8 rows; with C, work 6 rows; with A,

work 8 rows. Scarf should meas 24" from CO, end after RSR.

Shape scarf

At beg of next WS row and cont with A, BO 2 sts, and knit to end. Knit 1 row. AT THE SAME TIME, cont in Garter st, work foll stripe sequence: with A, work 6 rows; with C, work 4 rows; with A, work 2 rows; with C, work 4 rows; with A, work 4 rows; *with C, work 4 rows; with A, work 2 rows, rep from * 9 times. BO rem 0 (3, 5) sts.

Tassel

Cut 7 strands of A and 7 strands of B, each approx. 22" long. Fold all 14 strands in half over a crochet hook and use hook to attach

fringe through point of scarf by pulling hook approx. 3" through BO edge of scarf and inserting other end of tassel through opening. Pull Tassel tight.

Scarf Loops

With C and crochet hook, join yarn on left Front RS side seam at waistline. Ch a 2" loop and attach to seam. Fasten off. With A and crochet hook, join yarn to left shoulder seam (approx. 4" from neckline). Ch a 6" loop and attach on inside of neckline. Thread scarf through loops.

Designed by Jutta Zuloaga exclusively for Erdal Yarns.

11 Ruffled Wrap

Continued from page 51



FINISHED MEASUREMENTS

- Width: 76"
- Length: 20"

MATERIALS

- 4, 2 oz (88 yd) skeins Prism Yarns Velvet (100% nylon) color Cabernet (A)
- 6, 2 oz (45 yd) skeins Prism Yarns Fern (100% nylon) color Cabernet (B)
- Size 10 US (6mm) 32" circular needles OR SIZE TO OBTAIN GAUGE
- Size 13 US (9mm) 32" circular needles
- Size 15 US (10mm) 32" circular needles

GAUGE

- 13 sts x 22 rows = 4" in St st on Size 10 US (6mm) ndls

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

DESIGNER NOTES

- Wrap is worked in one piece from bottom hem edge to neck line.
- Ruffles are picked up and worked later along the bound off, cast on and selvedge edges.
- It is critical that the cast on edge be loose, since it becomes the curved bottom edge. CO over 2 big needles if you know that your cast on edge is usually tight. However, the Bound Off edges should be firm.

BODY

With largest size circular ndl and A, CO 176 sts very loosely (see Designer Notes). Change to gauge ndl and working back and forth in rows, beg Garter St. K 4 rows.

Work Indian Cross inserts (multiple of 8 sts)

Row 1: K1, *K1 wrapping yarn 4 times around ndl; rep * across, end K1. **Row 2:** *sl 8 sts wyib, dropping all extra wraps (forming 8 long sts on RH ndl). Insert LH ndl into the first 4 of these 8 long sts and pass them over the 2nd 4 sts. Return all sts to LH ndl and K8 in the crossed order. Rep from * across row.

Shape Body

K 4 rows. Change to St st and in 1 st ea end of the ndl every 4 rows 8 times - 194 sts. Piece should meas approx 8" from CO. **Next row:** K36, *pm, K24; rep from * 4 more times; pm, K38.

Shape for Shoulders

On next row and then every 4 rows, ssk after first 3 markers and K2 tog before last 3 markers a total of 4 times, while at the same time, BO 4 sts beg next 12 rows. **Next row:** BO 2 sts beg every row and work decs EOR as est. Remove markers as they are reached, and eliminate dec in center section as sts have been eliminated. When all markers have been removed - approx 17" from beg (measured holding upright to allow for downward stretch), BO rem sts firmly for neckline.

RUFFLE

With smallest size circ ndl, RS facing and B, beg at right neck line edge, pick up and K40 sts down right Front band edge, pick up and K350 sts evenly along CO (the hem) edge, and pick up and K40 sts up left Front band



edge. Change to medium size circ ndl and K 1 row. **Ruffle Row 1:** *K3, yo; rep from * across, end K1. **Ruffle Row 2:** K. Rep last 2 rows once more. BO all sts with largest size ndl.

FINISHING

With smallest circular ndl, RS facing and B, pick up and K230 sts evenly along neck edge (BO edge). Change to medium size circular ndl and K 1 row. Work three sets of Ruffle Rows 1-2. BO all sts with largest size ndl.


Designed by Laura Bryant exclusively for Prism Yarns.

12 Wrap Collar Pullover

Continued from page 52

BACK

With smaller ndls, CO 82 (90, 98, 106) sts. Work in K2, P2 rib for 2", end after WSR and inc 0 (0, 0, 2) sts evenly across last row - 82 (90, 98, 108) sts. **Next row (RS):** Change to larger ndls and work in St st until piece from CO meas 16 (16 1/2, 16 1/2, 17)", end after WSR.



SIZES

- Pullover is sized to fit Women's Small (Medium, Large, X-Large)

FINISHED MEASUREMENTS

- Bust 36 (40, 43 1/2, 48)"
- Length 24 (25, 25 1/2, 26)"
- Upper Arm 16 (17, 18, 19")

MATERIALS

- 14 (15, 15, 16) 50g (92 yd) skeins Berroco Pure Merino (100% extra fine merino wool) color #8615

- Size 8 US (5mm) needles
- Size 8 US (5mm) 32" circular needle
- Size 9 US (5.5mm) needles OR SIZE TO OBTAIN GAUGE

ADDITIONAL SUPPLIES

- (4) buttons (for embellishment)

GAUGE

- 18 sts x 24 rows = 4" in St st with larger needles

TO SAVE TIME, TAKE TIME TO CHECK GAUGE



Shape Armhole

Next row (RS): BO off 4 sts at beg of next 2 rows, then BO 2 sts at beg of next 4 rows - 66 (74, 82, 92) sts. Work even until armhole meas 7 (7½, 8, 8½)", end after WSR.

Shape Neck and Shoulder

Next row (RS): K20 (24, 28, 32), join a 2nd ball of yarn and BO center 26 (26, 26, 28) sts, and K to end of row. Working both sides at the same time, BO from each neck edge 3 sts twice - 14 (18, 22, 26) sts each shoulder. Work even until armhole meas 8 (8½, 9, 9½)". BO off at shoulder edge 7 (9, 11, 13) sts twice.

FRONT

Work as for Back until piece from CO meas 9 (9½, 10)", end after WSR.

Shape Neck and Armhole

Next row (RS): K28 (32, 36, 41), join a 2nd ball of yarn and BO center 26 sts, K28 (32, 36, 41). Dec 1 st at neck edge every 6 rows 6 times;

while at the same time, when piece from CO meas 16 (16½, 16½, 17)", work armhole shaping as given for Back - 14 (18, 22, 26) sts after all decs. Work even until armhole meas same as Back to shoulder. Shape shoulders as for Back.

SLEEVES

With smaller ndls, CO 42 (42, 42, 46) sts. Work in K2, P2 rib for 2½", end after WSR. Next row (RS): Change to larger ndls and a K row; beg St st, inc 1 st at each end of 7th and every foll 6 rows 12 (13, 13, 14) times - 68 (70, 74, 76) sts. Work even in St st until piece from CO meas 17½ (18, 18, 18½)", end after WSR. Shape Sleeve Cap

BO 4 sts at beg of next 2 rows. Dec 1 st at each end of next and EOR 3 times - 52 (54, 56, 60) sts. BO rem sts.

FINISHING

Block pieces to finished measurements. Sew Front to Back at shoulders. Sew in sleeves. Sew side and sleeve seams.

Collar

With smaller circular ndl and RS facing, pick up and K83 (85, 87, 89) sts evenly along right Front neck edge, pick up and K40 sts across Back neck, pick up and K83 (85, 87, 89) sts evenly along left Front neck edge - 206 (210, 214, 218) sts. Work in K2, P2 rib until collar meas 6". BO all sts in rib. Sew sides of collar in position as shown in photo, with left side overlapping in front of right side.

Embellishment

Sew 1 button to each of the lower corners of collar and the rem 2 buttons approx 6" above first as shown in photo.

Designed by Sandi Prosser exclusively for Knit 'N Style.

13 Martha Wrap Around Cardigan

Continued from page 53

DESIGNER NOTES

- To decrease at the beg of RS rows: Beg row with K1, ssk.
- To decrease at the end of RS rows: Work to last 3 sts, end K2tog, K1.

YARN-OVER CABLE PATTERN




Row 1 (RS): P2, *sl1 kwise, K2, with the LH ndl, lift the sl st over the first 2 sts on RH ndl, P2; rep from *.

Row 2: K2, *P1, yo, P1, K2; rep from *.

Row 3: P2, *K3, P2; rep from *.

Row 4: K2, *P3, K2; rep from *.

Rep Rows 1-4 to form the YO Cable Pat.



SIZES

- Sweater is sized to fit Women's X-Small (Small, Medium, Large).

FINISHED MEASUREMENTS

- Bust 36½ (38½, 40%, 42½)"
- Length 19 (20, 21, 22)"
- Upper Arm 12½ (13, 13½, 14)"

MATERIALS

- 3 (3, 4, 4) 113g (330 yd) skeins The Schaefer Yarn Co Martha (80% lambswool, 10% cashmere, 10% dehaired angora)
- Size 8 US (5mm) needles OR SIZE TO OBTAIN GAUGE
- small stitch holders

GAUGE

- 20 sts x 26 rows = 4" in St st
TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

BACK

CO 92 (97, 102, 107) sts. Work YO Cable Pat beg with Row 4 (a WSR) for 13 rows. Change to St st, *while at the same time*, dec 1 st at each end every 4 rows 5 times - 82 (87, 92, 97) sts. Work even for 2 (6, 10, 14) rows. **Next RSR:** Beg inc 1 st at each end every 6 rows 5 times - 92 (97, 102, 107) sts. Work even until the piece meas 11 (11½, 12, 12½)", end after WSR.

Shape Armhole

BO 4 (4, 5, 5) sts at the beg of the next 2 rows. BO 4 (4, 4, 5) sts at the beg of the next 2 rows - 76 (81, 84, 87) sts. Dec 1 st at each end of every RSR 3 (4, 4, 4) times - 70 (73, 76, 79) sts. Work even until armhole meas 7 (7½, 8, 8½)", end after WSR.

Shape Neck

K across 19 (20, 21, 22) sts, join new ball of yarn and BO center 32 (33, 34, 35) sts. K to end of row. Cont working both shoulders at the same time with separate balls of yarn. Dec 1 st at each RS neck edge twice - 17 (18, 19, 20) sts rem. Place shoulder sts on stitch holder.

LEFT FRONT

CO 57 (62, 67, 72) sts. Work border as for Back. **Next row (RS):** Beg St st and work across 51 (56, 61, 66) sts. Place the next 6 sts on a stitch holder for the Front band. Cont even in St st, dec 1 st at beg of RSR (side edge) every 4 rows 5 times *while at the same time*, dec 1 st at the end of the row for neck shaping every 6 rows 6 (3, 0, 0) times, then every 4 rows 17 (23, 29, 32) times. Once the side decs are completed, work even at side edge for 2 (6, 10, 14) rows while continuing neck shaping. On next RSR, beg inc at the beg of the row every 6 rows 5 times. Work even on the side edge, while continuing the neck edge decs, until the piece meas 11 (11½, 12, 12½)", end after WSR.

Shape Armhole

BO 4 (4, 5, 5) sts at the beg of the next row. Work 1 row even. BO 4 (4, 4, 5) sts at the beg of the next row. Dec 1 st at the beg of every RSR 3 (4, 4, 4) times. Cont to dec at neck edge until 17 (18, 19, 20) sts rem, then work even until the Front is same length as Back to shoulder. Place sts on stitch holder.

RIGHT FRONT

CO 57 (62, 67, 72) sts. Work border as for Back. **Next row:** Work across the first 6 sts in YO Cable Pat. Place 6 sts just worked on a stitch holder for the Front Band. Beg St st and work next 51 (56, 61, 66) sts. Dec 1 st at end of RSR every 4 rows 5 times *while at the same time*, dec 1 st at the beg of the row for neck shaping every 6 rows 6 (3, 0, 0) times, then every 4 rows 17 (23, 29, 32) times. Once the side dec are completed, work even at end of RSR for 2 (6, 10, 14) rows while continuing neck shaping. **Next RSR:** Beg inc at the end of this and every 6

rows 5 times. Work even on the side edge, while cont the neck edge dec, until the piece meas 11 (11½, 12, 12½)", end after RSR.

Shape Armhole

BO 4 (4, 5, 5) sts at the beg of the next row. Work 1 row even. BO 4 (4, 4, 5) sts at the beg of the next row. Dec 1 st at the end of every RSR 3 (4, 4, 4) times. Cont to dec at neck edge until 17 (18, 19, 20) sts rem, then work even until the Front is same length as Back to shoulder. Place sts on stitch holder.

SLEEVES

CO 37 (37, 42, 42) sts. Work border as for Back.

Shape Sleeve

Change to St st *while at the same time*, inc 1 st at the beg and end of every 6 rows 3 (4, 7, 6) times, and then every 4 rows 10 (10, 6, 8) times - 63 (65, 68, 70) sts. Work even until sleeve meas 12½ (13, 13½, 14)" from CO, or desired length to underarm, end after RSR.

Shape Sleeve Cap

BO 4 (4, 5, 5) sts at the beg of the next 2 rows. BO 4 (4, 4, 5) sts at the beg of the next 2 rows. Dec 1 st at the beg and end of every 4 rows 0 (3, 5, 6) times, then EOR 15 (13, 11, 10) times - 17 (17, 18, 18) sts. BO all sts loosely.

FINISHING

Join Fronts to Back at shoulders using 3-Ndl BO method. Sew side seams. Sew sleeve seams, then set in sleeves.

Left Front Band

Place 6 sts from stitch holder on ndl ready to work a RSR. Rejoin yarn on RS, work across the 6 sts in YO Cable Pat and then CO 1 st at Body edge of band to finish the pattern. Work border strip until it reaches to shoulder when slightly stretched. Cont band until it fits one half way across Back neck. Place sts on stitch holder.

Right Front Band

Place 6 sts from stitch holder on ndl ready to work a WSR. Rejoin yarn on WS, work across the 6 sts in pattern and then CO 1 st at Body edge of band to finish the pattern. Complete as for left Front band.




Assembly

Sew bands to Front edges and to Back neck. Graft Left Front band sts tog with right Front band.

Ties

Make two 3-stitch l-cords 7" in length and two 3-stitch l-cords 5" in length. Attach a 5" l-cord to the inside of the right seam in line with the last side decrease. Attach other 5" l-cord to the front edge of the left front in line with the last side decrease. Attach a 7" l-cord to the outside of the left seam in line with the last side decrease. Attach second 7" l-cord to the front edge of the right front in line with the last side decrease.

Designed by Sandy Beadle exclusively for The Schaefer Yarn Co.



14 Cabled Cardigan

Continued from page 54



SIZES

- Cardigan is sized to fit Women's Small (Medium, Large).

FINISHED MEASUREMENTS

- Bust 39 (43, 47")
- Length 33 (34, 34½")
- Upper Arm 15½ (16, 17")

MATERIALS

- 14 (15, 16) 100g (123 yd) skeins Plymouth Yarn Galway Chunky (100% wool) color #702
- Size 9 US (5.5mm) needles
- Size 10 US (6mm) needles OR SIZE TO OBTAIN GAUGE
- cable needle, (7) buttons, stitch markers

GAUGE

- 13.5 sts x 24 rows = 4" in Garter st with larger needles

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

STITCH GLOSSARY

C4F sl next 2 sts to cn, hold in front, K2, K2 from cn

T3F sl next 2 sts to cn, hold in front, K1, K2 from cn

T3B sl next st to cn, hold to back, K2, K1 from cn

CABLE PANEL (16 st panel)

Row 1 (RS): K16.

Row 2: P2, K2, P4, K4, P2.

Row 3: K6, C4F, K6.

Row 4: Rep Row 2.

Row 5: T3F, K2, T3B, T3F, K2, T3B.

Row 6: K1, (P2, K2) 3 times, P2, K1.

Row 7: P1, T3F, T3B, K2, T3F, T3B, P1.

Row 8: K2, P4, K4, P4, K2.

Row 9: K2, C4F, K4, C4F, K2.

Row 10: Rep Row 8.

Row 11: Knit.

Row 12: Rep Row 8.

Row 13: Rep Row 9.

Row 14: Rep Row 8.

Row 15: K1, T3B, T3F, K2, T3B, T3F, K1.

Row 16: Rep Row 6.

Row 17: (T3B, K2, T3F) twice.

Row 18: Rep Row 2.

Row 19: Rep Row 3.

Row 20: Rep Row 2.


Rep Rows 1-20 to form Cable Panel.

BACK

With larger ndls, CO 82 (90, 98) sts. **Row 1 (RS):** K2, *P2, K2; rep from * across. **Row 2:** P2, *K2, P2; rep from * across. Rep Rows 1-2 to est 2x2 rib until work from CO meas 5½", end after WSR and dec 2 (4, 6) sts evenly across last row - 80 (86, 92) sts.

Establish Cable Panels

Row 1 (RS): K17 (19, 21) sts, *pm, work Row



Shape Armhole

Keeping in est pat, BO 5 (6, 7) sts beg next row. Work 1 row even in pat, then dec 1 st at beg of next and EOR 4 (4, 5) times in total - 27 (29, 30) sts. Work 1 row even in pat.

Shape Front Neck

Next row: Work armhole dec, pat to last 2 sts, work 2tog (neck edge). Cont to dec 1 st at neck edge only on foll 4th rows 9 (9, 10) times more - 16 (18, 18) sts. Work even in pat until armhole meas 9½ (10, 10½)", end after WSR.

Shape Shoulder

BO 8 (9, 9) sts beg next row, work 1 row even in pat, then BO rem 8 (9, 9) sts.

RIGHT FRONT

Work from ** to ** as for Left Front.

Establish Cable Panels

Row 1 (RS): K6 (7, 8) sts, pm, work Row 1 of Cable Panel across next 16 sts, pm, K17 (19, 21) sts. **Row 2:** K17 (19, 21) sts, slm, work Row 2 of Cable Panel across next 16 sts, slm, K6 (7, 8) sts. Cable Panel pat is now est. Cont in Garter st for first 6 (7, 8) sts and last 17 (19, 21) sts, working Cable Panel rows until piece from CO meas 10", end after WSR. **Shape Body**

Keeping in est pat, dec 1 st at end of next row and foll 20th row twice more - 36 (39, 42) sts. Cont even in pat until work from CO meas 23½ (24, 24)" end after WSR.

Shape Armhole

Keeping in est pat, BO 5 (6, 7) sts beg next row. Dec 1 st at end of next and EOR 4 (4, 5) times in total - 27 (29, 30) sts. Work 1 row even in pat.

Shape Front Neck

Next row: Work 2tog (neck edge), pat to last 2 sts, work 2tog. Cont to dec 1 st at neck edge only on foll 4th rows 9 (9, 10) times more - 16 (18, 18) sts. Work even in pat until armhole meas 9½ (10, 10½)", end after RSR.

Shape Shoulder

BO 8 (9, 9) sts beg next row, work 1 row even in pat, then BO rem 8 (9, 9) sts.

SLEEVES

With larger needles, beg at cuff, CO 38 (42, 42) sts. Work in 2x2 rib as for Back until piece meas 8", end after WSR and dec 0 (1, 0) st in center of last row - 38 (41, 42) sts. PMs at each end of last row. Work in Garter st until sleeve from marker meas 1½", end after WSR. Inc 1 st each end of next and foll 12 (12, 10) rows until there are 52 (55, 58) sts. Cont even in Garter st until piece from markers meas 14½", end after WSR.

Shape Sleeve Cap

BO 3 sts beg next 2 rows. Dec 1 st each end of needle on next and foll 4th rows twice more, then EOR until 8 (9, 10) sts rem. BO all sts.

FINISHING

Sew shoulder seams. Sew side and sleeve seams reversing seam halfway down cuff for cuff turn-back. Set in sleeves.

COLLAR

With smaller ndls, CO 1 st.

Row 1: (K1, P1, K1) all in st - 3 sts. **Row 2:**

K3. **Row 3 (RS):** Inc 1 st in first st (neck edge), K across. PM on this row to mark RS. **Row 4:** K. Rep Rows 3-4 8 times more - 12 sts. Inc 1 st at neck edge on foll 4th row 9 times - 21 sts. Work 8 rows even, end after RSR.

Shape Collar

***Row 1 (WS):** K14; turn. Leave rem sts unworked.


Row 2: Knit to end.

Row 3: K10; turn. Leave rem sts unworked.

Row 4: Knit to end.

Row 5: K6; turn. Leave rem sts unworked.

CABLE PANEL (16 st, 20 row rep)



Row 6: Knit to end.

Row 7: Knit across all sts.**

Work 7 rows even.*


Rep from * to ** once more, then from * to ** once. Work 19 rows even. Rep from * to * 3 times. Dec 1 st at neck edge on next and foll 4th row 9 times in total - 12 sts. Dec 1 st at neck edge EOR until 3 sts rem.

Next row: K3. **Next row:** S11, K2tog, pss0. Fasten off.

Fold collar in half lengthwise and mark center of neck edge. Sew neck edge of Collar to cardigan matching center neck marker of Collar to center back neck edge.


Front Band

With smaller ndls, CO 9 sts. **Row 1 (RS):** K2, (P1, K1) 3 times, K1. **Row 2:** (K1, P1) 4 times, K1. Rep last 2 rows until band (when slightly stretched) meas length to fit up left front edge to collar, sewing in place as you knit. PMs for 6 buttons on this band having top button $\frac{1}{4}$ " below first front dec, bottom button $\frac{1}{4}$ " above CO edge and rem 4 buttons evenly spaced between. Cont working band and sewing in place around outer edge of Collar to opposite side to correspond to first button marker. **Buttonhole Row 1**



(RS): Work K1, P1 rib for 4 sts, BO 2 sts, work 1x1 rib for 3 sts. **Buttonhole Row 2:** Work in 1x1 rib, CO 2 sts over bound off sts. Cont working band and buttonholes to end and sew in position as you work. BO in ribbing. Sew on buttons.

Designed by Gayle Bunn exclusively for Knit 'N Style.



15 New Wave Bolero

Continued from page 55

DESIGNER'S NOTE

This sweater is a perfect opportunity to show off a favorite button, and the buttonhole method allows you to make an opening perfectly suited for a button of unusual size or shape. To make the buttonhole, single crochet to about 1" before the neck edge, chain 2 (or 3 or 4), skip a corresponding number of rows along the front edge, and single crochet into the next stitch. Practice on a swatch to see exactly what combination of chains, skipped rows, and distance from the neck edge is right for your button.

BACK

CO 80 (88, 94, 98) sts. Beg St st, inc 1 st each side every 10 rows 5 (5, 6, 6) times - 90 (98, 106, 110) sts. Cont even until piece meas 5", end on RSR.

Establish Lace Insert

Next row (WS): Work 24 (28, 31, 33) sts;



pm; work 31 sts; pm; work 25 (29, 32, 34) sts. **Next row (RSR):** Work even to first marker, slm, work Row 1 of Lace Panel Chart (31 sts), slm, work to end. Cont even and chart until piece meas 9 (9 1/2, 9 1/2, 10 1/2)" from CO, end after WSR.

Shape Armholes

Cont working Chart in center 31 sts while

SIZES

• Cardigan sized to fit Women's X-Small (Small, Medium, Large). **KNITTED MEASUREMENTS**

- Bust 32 (35, 37 1/2, 39)"
- Length 17 (17 3/4, 18 1/4, 19 1/2)"
- Upper Arm 13 1/2 (14 1/2, 15 1/2, 15 1/2)"

MATERIALS

- 4 (4, 5, 5) 4 oz (280 yd) skeins **The Schaefer Yarn Co Miss Priss** (100% merino wool)
- Size 8 US (5mm) needles OR SIZE TO OBTAIN GAUGE
- Size G/6 (4mm) crochet hook

ADDITIONAL SUPPLIES

- 2 stitch markers, yarn needle, (1) 1 1/4" button (sample used **JHB International #71830**), small snap (optional), sewing needle and thread

GAUGE

- 20 sts x 26 rows = 4" in St st
TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

shaping armholes. BO 5 sts at beg of next 2 rows, then BO 2 sts at beg of next 2 (2, 2, 4) rows. Dec 1 st each side on next 4 (5, 8, 7) RSRs - 68 (74, 76, 78) sts. When Chart is complete, cont in St st until piece meas 16 (16½, 17½, 18½)" from CO, end after WSR.

Shape Shoulders

BO 6 sts at beg of next 4 (2, 2, 0) rows and 5 (7, 7, 7) sts at beg of next 2 (4, 4, 6) rows. BO rem 34 (34, 36, 36) sts.

LEFT FRONT

CO 25 (28, 30, 32) sts. Work side shaping as for Back while at the same time CO sts at Front band edge EOR as foll: CO 3 sts 2 times, CO 2 sts 3 times, CO 1 st 7 (7, 8, 10) times. CO 1 st every 4 rows 8 (9, 9, 8) times - 57 (61, 65, 68) sts. Cont even until piece meas same as Back from CO to armhole shaping, end after WSR.

Shape Armhole

BO 5 sts at beg of next row, then BO 2 sts at beg of next 1 (1, 1, 2) RSR(s). BO 1 st at armhole edge 4 (5, 8, 7) times - 46 (49, 50, 52) sts. Cont even until piece meas 13½ (13½, 14½, 15)" from CO, end after RSR.

Shape Neck and Shoulders

BO sts at neck edge as foll: BO 8 sts 2 times, BO 3 sts 3 (3, 2, 3) times, BO 2 sts 2 (2, 4, 3) times - 17 (20, 20, 21) sts while at the same time, when piece meas same as Back from CO to shoulder shaping, work shoulder shaping as for Back.

RIGHT FRONT

Make as for Left Front, reversing all shaping.

SLEEVES

CO 45 (46, 48, 48) sts. Beg St st while at the same time, inc 1 st each end every 8 rows 9 (11, 11, 8) times and every 10 (10, 6, 6) rows 3 (0, 3, 7) times - 69 (72, 76, 78) sts. Cont even until piece meas 16½ (17, 17½, 17½)" from CO, end after WSR.

Shape Sleeve Cap

BO 5 sts at beg of next 2 rows, then BO 3 sts

at beg of next 2 rows. BO 2 sts at beg of next 2 rows. BO 1 st at beg of next 16 (18, 22, 26) rows, then BO 2 sts at beg of next 4 rows. BO 3 sts at beg of next 2 rows. BO rem 19 (20, 20, 18) sts.

FINISHING

Block pieces. Sew side and sleeve seams. Set in sleeves.

Body Edging

With crochet hook and RS facing, join yarn at hem edge between Back and left Front. Sc evenly around lower hem edge of Back and right Front, work 3 sc in corner, sc up right Front band edge (placing buttonhole at right Front neck edge - see Designer's Notes and photo). Cont sc around neckline, down left Front, work 3 sc in corner, and sc across hem edge of left Front to Back side seam. Join round with slip stitch. Sc 1 rnd even, then work 1 rnd rev sc (crab st). Fasten off.

Sleeve Edging

Work 2 rnds sc and 1 rnd rev sc around each sleeve cuff.

Assembly

Weave in ends. Try on sweater and sew button on Left Front opposite buttonhole. If desired, sew snap to inside (WS) of right Front, and on inside (WS) corner of left Front neck.

Designed by Edie Eckman exclusively for Knit 'N Style.

Chart for Project 15 can be found on page 130.

16 King George Pullover

Continued from page 57

STITCH GLOSSARY FOR CHARTS


Left Twist sl next st to cn, hold in front; K1; K1 from cn

M1 insert LH ndl under the bar between 2 sts from front to back and K it tbi

Central Double Inc K into back and then into front of the indicated st and sl them off the LH ndl onto the RH ndl; insert point of LH ndl behind the vertical strand that runs downwards between the 2 sts just made and K into the front of it

1-to-3 Inc (P, yo, P) into next st

7-to-1 Dec Sl next 4 sts wib, drop yarn; "pass the 2nd st on RH ndl over the first st on the RH ndl; slip first st from RH ndl back to LH



SIZES

- Pullover is sized to fit Women's Small (Medium, Large, X-Large).

FINISHED MEASUREMENTS

- Bust 35 (39½, 44, 49)"
- Length 23½"
- Upper Arm 12 (13, 13½, 14)"


MATERIALS

- 14 (15, 16, 17) 50g (105 yd) balls Plymouth Yarn Co King George (45% baby alpaca, 45% merino wool, 10% cashmere) color #1016
- Size 7 US (4.5mm) needles OR SIZE TO OBTAIN GAUGE
- 2 cable ndls, 2 stitch markers

GAUGE

- 20 sts x 29 rows = 4" in rev St st
- Panel A should meas 3½" across
- Panel B should meas 6½" across

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.



ndl; pass the second st on the LH ndl over the first st on the LH ndl ** slip first st from LH ndl back to RH ndl and rep from * to ** twice more; pick up yarn and K the rem st.

2x2 Rib Pattern (mult 4 sts + 2)

Row 1 (RS): *K2, P2; rep from * across, end with K2.

Row 2: *P2, K2; rep from * across, end with P2. Rep Rows 1 - 2 for 2x2 rib.

Rev St st Pattern

Row 1 (RS): Purl across.

Row 2: Knit across.

Rep Rows 1 - 2 for Rev St st.

Cabled Rib Panel (over 26 sts)

See Chart, page 131.

Cable Panel A (over 26 sts)

See Chart, page 131.

Cable Panel B (over 41 sts, inc to 59 sts)

See Chart, page 131.

BACK

CO 98 (106, 122, 138) sts.

Establish Patterns

Work Row 1 of 2x2 Rib over first 6 (10, 18, 26) sts, pm, work Row 1 of Cable Rib Panel over next 26 sts, pm, work Row 1 of 2x2 Rib over middle 34 sts, pm, work Row 1 of Cable Rib Panel over next 26 sts, pm, work Row 1 of 2x2 Rib across to end row. Work even in patts as est until piece meas approx 2" from CO, end after Row 3 of Cable Rib Panel. Next Row (WS): Cont patt as est, and work across first 34 (38, 46, 54) sts, M1, [work across next 4 sts, M1, work across next 6 sts, M1] 3 times, work across 34 (38, 46, 54) sts to end row - 105 (106, 122, 138) sts.

Establish Patterns

Next Row (RS): Work Row 1 of Rev St st over 6 (10, 18, 26) sts, pm, work Row 1 of Cable Panel A over next 26 sts, pm, work Row 1 of Cable Panel B over middle 41 sts, pm, work Row 1 of Cable Panel A over next 26 sts, pm, work Row 1 of Rev St st over 6 (10, 18, 26) sts to end row. Cont patt as est, and inc 1 st each side every 6 (4, 4, 4) rows 2 (4, 4, 4) times, working new sts into Rev St st as they appear. Cont patt as est until piece meas approx 15% (15%, 14%, 14%)" from CO, end after WSR.

Shape Armholes

BO 3 (4, 6, 7) sts at beg of next two rows, then BO 2 (2, 3, 3) sts at beg of next two rows. Dec 1 st each side EOR 3 (6, 7, 1)

times, then every 4 rows 4 (3, 3, 6) times. Cont even until piece meas approx 21 1/4" from CO, end after Row 28 of patt.

Shape Neck

Next Row (RS): Work across first 26 (29, 33, 33) sts; join second ball of yarn and BO middle 33 sts, work across to end row. Work both sides at once with separate balls of yarn, and BO 6 sts each neck edge once, BO 4 sts each neck edge once, then dec 1 st each neck edge every row 4 times - 12 (15, 19, 19) sts rem each side. Work even, if necessary, in patts as est until piece meas approx 22 1/4" from CO, end after WSR.

Shape Shoulders

BO 3 (4, 5, 5) sts at beg of next 6 rows, then BO 3 (3, 4, 4) sts at beg of next 2 rows.

FRONT

Work same as Back.

SLEEVES

CO 54 sts.

Establish Patterns

Work Row 1 of 2x2 Rib over first 14 sts, pm, work Row 1 of Cable Rib Panel over next 26 sts, pm, work Row 1 of Rev St st across to end row. Work even in patts as est until piece meas approx 2" from CO, end after Row 4 of Cable Rib Panel. Next Row (RS): Work Row 1 of Rev St st over first 14 sts, slm, work Row 1 of Cable Panel A over next 26 sts, slm, work Row 1 of 2x2 Rib across to end row.

Shape Sleeves

Cont patts as est, and inc 1 st each side on next row and then every 8 rows 0 (0, 0, 4) times, every 10 rows 0 (0, 4, 10, 7) times, every 12 rows 0 (5, 0, 0) times, then every 16 rows 0 (0, 0, 0) times, working new sts into Rev St st as they appear - 68 (74, 76, 78) sts. Cont even until piece meas approx 18 1/4" from CO.

Shape Cap

BO 3 (4, 6, 7) sts at beg of next two rows, then dec 1 st each side every 4 rows 0 (0, 1, 3) times, dec 1 st each side EOR 12 (14, 16, 14) times, then every row 5 (5, 1, 1) times - 28 sts rem. BO 3 sts at beg of next 4 rows - 16 sts rem. BO all sts.

FINISHING

Sew shoulder seams.

COLLAR

CO 41 sts.

Est Patterns


Row 1 (RS): P15, work Row 1 of Cable Panel A over next 26 sts.

Row 2: Work Row 2 of Cable Panel A over first 26 sts, K15 sts to end row.
Work even in patts as est until piece, when slightly stretched, fits into neck opening. BO in patt.

ASSEMBLY

Seam the CO edge to BO edge of the neck-band. Sew neckband into place, placing seam at center back of the neck. Set in sleeves. Sew sleeve and side seams.

Designed by Melissa Leapman exclusively for Plymouth Yarn Co.



17 Gentry Timeless Cardigan

Continued from page 58



SIZES

- Cardigan is sized to fit Women's Small (Medium, Large, X-Large).

FINISHED MEASUREMENTS

- Bust 36 (40, 45, 49 $\frac{1}{2}$)"
- Length 23 $\frac{1}{2}$ (26, 26, 27)"
- Upper Arm 11 $\frac{1}{2}$ (13 $\frac{1}{2}$, 13 $\frac{1}{2}$, 14 $\frac{1}{2}$)"

MATERIALS

- 10 (11, 12, 14) 50g (105 yd) balls **Skacel Collection Gentry** (60% wool, 25% nylon, 15% metallic) color #07
- Size 7 US (4.5mm) 32" circular needles
- Size 8 US (5mm) needles OR SIZE TO OBTAIN GAUGE
- yarn needle, (3) 3/4" buttons

GAUGE

- 17 sts \times 26 rows = 4" in Stitch patt with larger needles

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

DESIGNER NOTES

- Refer to Charts at www.knitnstyle.com for more information on how to shape fronts and sleeves.

BACK


With larger ndls, CO 78 (87, 96, 105) sts. Knit 1 row (WS). Work Row 1 of Main Body Pattern Chart as foll: K4, yo, K1, K2tog, "yo, K1, K2tog; rep from * to last 5 sts; yo, K1, K2tog, K2. Work Row 2 of Main Body Pattern Chart as written and cont with chart, rep pattern until piece meas 16 $\frac{1}{4}$ (18, 18, 18)" from CO [13 (14, 14, 15) repeats of chart].

Shape Armholes

At beg of next 2 rows, BO 2 sts. At beg of next 6 rows, BO 1 st - 68 (77, 86, 95) sts. Cont with patt as charted until piece meas 7 $\frac{1}{2}$ (9, 9, 10 $\frac{1}{2}$)" - 6 (7, 7, 8) repeats of chart [19 (21, 21, 22) total patt repeats]. BO all sts.

LEFT FRONT

With larger ndls, CO 36 (42, 45, 51) sts. Knit 1 row (WS). Work Row 1 of Main Body Pattern Chart as for Back. Work Row 2 of Main Body Pattern Chart as written and cont



with chart, rep pattern until piece meas 15 (16 $\frac{1}{4}$, 16 $\frac{1}{4}$, 16 $\frac{1}{4}$)" from CO - 12 (13, 13, 13) repeats of chart, after Row 1 of next repeat of Main Body Pattern Chart.

Shape Neck

Next row (WS): At beg of next row, BO 1 st, and work to end. Work 3 more rows in patt as charted. Rep these 4 rows 13 (15, 15, 16) more times *while at the same time* when piece meas 16 $\frac{1}{4}$ (18, 18, 18)" from CO - 13 (14, 14, 15) repeats of chart beg armhole shaping.

Shape Armhole

At beg of next row (RS), BO 3 sts. At beg of foll RSR, BO 2 sts. At beg of foll 3 RSRs, BO 1 st. Cont to work patt as charted, working neck edge decs as above, until armhole meas 7 $\frac{1}{2}$ (9, 9, 10 $\frac{1}{2}$)" - 6 (7, 7, 8) repeats of chart [14 (18, 21, 26) sts rem]. BO all sts loosely.



RIGHT FRONT

With larger ndls, CO 36 (42, 45, 51) sts. Knit 1 row (WS). Work Row 1 of Main Body Pattern Chart as for Back. Work Row 2 of Main Body Pattern Chart as written and cont with chart, rep pattern until piece meas 15 (16 $\frac{1}{4}$, 16 $\frac{1}{4}$, 16 $\frac{1}{4}$)" from CO - 12 (13, 13, 13) repeats of chart. Beg armhole shaping.

Shape Neck

Next row (RS): BO 1 st at beg of row, work to end. Work 3 more rows in patt as charted. Rep these 4 rows 13 (15, 15, 16) more times, *while at the same time*, when piece meas 16 $\frac{1}{4}$ (18, 18, 18)" from CO - 13 (14, 14, 15) repeats of chart, beg armhole shaping.

MAIN BODY PATTERN CHART (8 rows rep)



Shape Armhole

At beg of next row (WS), BO 3 sts. At beg of foll WSR, BO 2 sts. At beg of foll 3 WSRs, BO 1 st. Cont to work patt as charted, working neck edges decs as above, until armhole meas 7 $\frac{1}{2}$ (9, 9, 10 $\frac{1}{2}$)" - 6 (7, 7, 8) repeats of chart [14 (18, 21, 26) sts rem]. BO loosely.

SLEEVES

With larger ndls, CO 33 (39, 39, 45) sts. Knit 1 row (WS). Work Row 1 of Main Body Pattern Chart as for Back. Work Row 2 of Main Body Pattern Chart as written and cont with chart, rep pattern until piece meas 2" from CO [1 repeat of chart, plus 3 Rows].

Shape Sleeve

Inc Row: At beg and end of next row (WS), inc 1 st. Work 11 rows even. Rep these 12 rows 7 (8, 8, 8) more times - 49 (57, 57, 63) sts. Work even until piece meas 16 $\frac{1}{4}$ (18, 18, 19 $\frac{1}{2}$)" from CO - 13 (14, 14, 15) repeats of chart.

Shape Sleeve Cap


At beg of next row (RS), BO 3 sts. At beg of foll row, BO 3 sts. At beg of next 8 rows, BO 2 sts. At beg of next 12 (18, 18, 26) rows, BO 1 st - 15 (17, 17, 15) sts rem. At beg of next 3 rows, BO 3 sts. BO rem 6 (8, 8, 6) sts.

FINISHING

Block pieces. Join Fronts to Back at shoulders. Set in sleeves. Sew side and underarm seams.

Button band & Edging

With RS facing and smaller ndls, beg at lower edge of right Front working up to beg of V-Neck shaping, pick up and K44 (50, 50, 50) sts as foll: *pick up and K2 sts for every 2 rows, skip 1 row; rep from *. Work a y and skip 2 rows. Pick up and K18 sts as foll: *pick up and K8 sts for every 8 rows, yo, skip 2 rows; rep from * once. Pick and K2 sts - 65 (71, 71, 71) sts up Right Front.



Working from V-Neck shaping, pick up and knit 29 (35, 35, 41) sts along Right Front Neck edge; pick up and knit 32 (35, 37, 37) sts from Back; and pick up and knit 29 (35, 35, 41) sts along Left Front Neck edge. [90 (105, 107, 119) sts across Neck Shaping].

Working from V-Neck shaping down to lower edge of Left Front, pick up and knit 2 sts. Pick up and knit 16 sts as foll: *pick up and knit 8

sts for every 8 rows, skip 2 rows; rep from * once. Pick up and knit 44 (50, 50, 50) sts as foll: *pick up and knit 2 sts for every 2 rows, skip 1 row; rep from *. [62 (68, 68, 68) sts] - [217 (243, 238, 260) sts total]. Knit 1 row. BO all sts. Sew on buttons opposite each yo. Weave in ends.

Designed by Angela Juergens exclusively for **Stacel Collection Inc.**


As the shaping charts for Project 17 are too large to print, we are providing them free of charge on our web site.

INTERNET Go to www.knitnstyle.com and from the left sidebar select *Charts to Download*.

MAIL Please send a self-addressed stamped envelope to Knit 'N Style Issue 152
Project 17
7 Waterloo Rd
Stanhope NJ 07874

18 Jazzy Kimono Jacket

Continued from page 59



SIZES

- Jacket is sized to fit Women's Small (Medium, Large X-Large, XX-Large).

FINISHED MEASUREMENTS

- Bust 38 (42, 45½, 49½, 54")
- Length 18 (20, 22, 24, 26")
- Upper Arm 16½ (18½, 20½, 22, 24")

MATERIALS

- 6 (6, 7, 7, 8) 100g (89 yds) balls **Ironstone Yarns Jazzy** (34% mohair, 56% rayon, 6% wool, 4% nylon) color #6
- Size 10 US (6.5mm) 29" circular needles OR SIZE TO OBTAIN GAUGE
- (3) stitch holders, (3) split stitch markers, yarn needle, (3) buttons

GAUGE

- 11 sts x 18 rows = 4" in St st with larger needles
TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

DESIGNER NOTES

- The Fronts and Back of the Jacket are worked back and forth on circular needles to the underarm when the front and back are divided.

BODY

CO 96 (108, 117, 128, 140) sts. Knit 1 row (RS). Cont in Garter st until piece meas 3" from CO, end after WSR. **Next row:** Knit 1 row. Purl 1 row. Cont in St st until piece meas 9 (10, 11, 12, 13)" from CO, end after WSR.

Divide Front/Back

Next row: K20 (22, 23, 25, 27) sts, BO 8 (10, 12, 14, 16) sts, K40 (44, 47, 50, 54) sts, BO 8 (10, 12, 14, 16) sts, and K20 (22, 23, 25, 27). Place first 20 (22, 23, 25, 27) sts and last 20 (22, 23, 25, 27) sts on separate stitch holders for each Front.

BACK

Working on sts for Back only, purl 1 row. Cont even in St st until armhole meas 8 (9, 10, 11, 12)", from underarm BO, end after WSR.

Shape Shoulders

At beg of next 2 rows, BO 14 (15, 16, 17, 18) sts. Place rem 12 (14, 15, 16, 18) sts on stitch holder.



LEFT FRONT

Slip sts from Left Front stitch holder onto ndls. Mark beg of neck decreased by inserting a split stitch marker into the fabric. Purl 1 row. **Next row (RS):** Knit to last 2 sts, K2tog. Work 5 (4, 5, 4, 4) rows even. Rep these 6 (5, 5, 5) rows 4 (6, 6, 7, 8) more times - 14 (15, 16, 17, 18) sts rem. Work even until armhole meas 8 (9, 10, 11, 12)", end after WSR. Knit 1 row. BO all sts.

RIGHT FRONT

Work as for Left Front, rev all shapings.

SLEEVES

Sew shoulder seams using an unplied strand of mohair from **Jazzy**.

Left Sleeve

With RS facing and beg at selavage sts of left armhole, pick up and K46 (52, 56, 62, 68) sts around armhole. Do not pick up sts along the bound off edge of the body underarm. Working back and forth in rows, purl 1 row (WS). Cont in St st until sleeve meas 1½ (1½, 2, 2½, 3)" from pick up row. Place split stitch markers in fabric at this length, to mark for finishing. Work even until sleeve meas 5½ (6, 6½, 7½, 8)" from pick up row, end after WSR. Cuff

Knit 2 rows. Cont in Garter st until sleeve meas 8½ (9, 9½, 10½, 11)" from pick up row. BO all sts.

Repeat from pick up row for Right Sleeve.

FINISHING

With mohair strand of unplied *Jazzy* yarn, sew underarm seam closed by folding the upper portion of sleeve in towards the body, using the split stitch markers as a guide. Sew remainder of sleeve seams.

Shawl Collar

With RS facing and beg at lower Right edge of jacket, pick up and K46 (51, 56, 61, 66) sts evenly along Front edge between hem and shoulder seam; pick up and K14 (16, 18, 18, 20) sts from Back neck stitch holder; and pick up and K46 (51, 56, 61, 66) sts down left Front, working from shoulder seam to hem - 106 (118, 130, 140, 152) sts. Work 6 rows in Garter st.


Buttonholes

Mark placement of buttons by evenly spacing them along the left Front between marker and midpoint of bottom cuff. Mark placement of buttonholes to correspond on right Front. **Next row:** *work to buttonhole placement, K2tog, yo; rep from * 2 more times and work to end. Work 6 more rows in Garter st. BO all sts loosely.

Assembly

Using a finer weight yarn of similar color, reinforce buttonholes. Sew buttons onto left Front. Weave in ends.

Designed by Debra Ann Miller exclusively for **Ironstone Yarns**.



19 Cozy Coat

Continued from page 60



SIZES

- Coat is sized to fit Women's Small (Medium, Large, X-Large).

KNITTED MEASUREMENTS

- Chest 38 (43, 47, 51")
- Length 23½ (24, 26½, 27")
- Upper Arm 18 (19, 20, 20")

MATERIALS

- 9 (11, 12, 13) 50g (120 yd) skeins *Conjoined Creations Bandstand* (100% SOYSILK® Chenille) color Rolling Stones
- 9 (11, 12, 13) 50g (120 yd) skeins *Conjoined Creations Bandstand* (100% SOYSILK® Chenille) color Doors
- Size 10 US (6mm) 32" circular needles OR SIZE TO OBTAIN GAUGE
- Size H (5mm) crochet hook, (1) size 10 double pointed or straight needle (to work 3-needle Bind Off), 5 stitch holders, stitch marker, yarn needle, (3) buttons

GAUGE

- 14 sts × 21 rows = 4" in Candle Flame St with yarn doubled

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

DESIGNER NOTES

- Garment is worked with 1 strand of *Rolling Stones* and 1 strand of *Doors* held tog throughout.

STITCH GLOSSARY

Right Twist (RT) K2tog, leave sts on LH ndl, K first st again and slide both sts from LH ndl

SEED STITCH (multiple of 2 sts)

Row 1: *K1, P1 repeat to end.

Row 2: *P1, K1; repeat from * to end.

Rep Rows 1-2 to form Seed st.

CANDLE FLAME STITCH (multiple of 4 sts + 2)

Row 1 (RS): K2, *P2, K2 rep from * to end.

Row 2: *P2, K2; rep from *, end P2.

Row 3: RT, *P2, RT, rep from * to end.

Row 4: *P2, K2; rep from *, end P2.


Row 5: P2, *K2, P2, rep from * to end.

Row 6: *K2, P2; rep from *, end K2.

Row 7: P2, *RT, P2, rep from * to end.

Row 8: *K2, P2; rep from *, end K2.

Rep Rows 1-8 to form Candle Flame St.



BACK

With 1 strand of *Rolling Stones* and 1 strand of *Doors* held tog, CO 68 (76, 84, 92) sts. **Next row (RS):** K1, *K1, P1; rep from *, end K1. Cont in Seed St, maintaining selvage sts on both sides of patt st, until piece meas 2" from CO end after WSR. **Next row (RS):** K1, work Row 1 of Candle Flame St to last st, K1. Cont in Candle Flame St until piece meas 13½ (13½, 15, 15") from CO, end after WSR.

Shape Armhole

At beg of next 2 rows, BO 6 (6, 6, 8) sts - 56 (64, 72, 76) sts. Work even in patt until armhole meas 8½ (9½, 10½, 11") end after WSR.


Shape Neck

Next row (RS): Work across 19 (23, 25, 27) sts in patt, attach strands from new balls of yarn and BO 18 (18, 22, 22) sts, and work to end in patt. **Right Shoulder:** Work 1 WSR. **Next row (RS):** BO 5 sts, work to end in patt. Work 1 WSR. BO 3 sts, work to end in patt. Work 1 WSR. Slide rem 11 (15, 17, 19) sts to stitch holder. Work Left Shoulder in the same fashion, rev all shapings.

RIGHT FRONT

With 1 strand of *Rolling Stones* and 1 strand of *Doors* held tog, CO 35 (39, 43, 47) sts. Work Seed St as for Back, maintaining selvage sts on both sides of Seed St section, until piece meas 2" from CO, end after WSR. **Next row (RS):**

CANDLE FLAME STITCH (4 st, 8 row rep)




SEED STITCH (2 st rep)



K1, work Seed St over first 8 sts, pm, and work Row 1 of Candle Flame St across row to last st, K1. Cont in patt as set, maintaining Seed St plus selvage st over first 9 sts of every RSR, until piece meas 13½ (13½, 15, 15") from CO, end after RSR.

Shape Armhole

At beg of next WS row, BO 6 (6, 6, 8) sts - 29 (33, 37, 39) sts. Cont in Candle Flame St until piece meas 15½ (16, 17½, 18") from CO, end after WSR. Remove marker.



Shape Neck

Dec Row (RS): K1, work Seed st over 7 sts, pm, P2tog, work to end in patt as est. Work 1 WSR. Rep these 2 rows, dec 1 st after marker every RSR 5 (5, 7, 9) more times. **Next row (RS):** Work Dec Row. Work 3 rows even. Rep these 4 rows 3 more times - 19 (23, 25, 27) sts. **Next row (RS):** Work 8 sts in patt as est, sl rem 11 (15, 17, 19) sts onto stitch holder. Cont in Seed st as est, until band meas 5 (5%, 6, 6") from stitch holder. Place rem 8 sts on a second stitch holder.

LEFT FRONT

With 1 strand of *Rolling Stones* and 1 strand of *Doors* held tog, CO 41 (45, 49, 53) sts. Work as for Right Front until piece meas 2" from CO, end after WSR. **Next row:** K1, work Row 1 of Candle Flame St across first 27 (31, 35, 39) sts, pm, and cont Seed st as est, to end of row. Work in patt as est until piece meas 13 1/2 (13%, 15, 15) from CO, end after WSR.

Shape Armhole

At beg of next RSR, BO 6 (6, 8) - 35 (39, 43, 45) sts. Cont in patt as est until piece meas 15% (16, 17%, 18%) from CO, end after RSR. **Next row (WS):** BO 6 sts, work to end in patt - 29 (33, 37, 39) sts. Remove marker.

Shape Neck

Dec Row (RS): Work in Candle Flame St

across 18 (22, 26, 28) sts, P2tog, pm and work Seed st as est. Work 1 WSR. Rep these 2 rows, dec 1 st before marker every RSR 5 (5, 7, 9) more times. **Next row (RS):** Work Dec Row. Work 3 rows even. Rep these 4 rows 3 more times - 19 (23, 25, 27) sts. Cut yarn. **Next row (RS):** SI 11 (15, 17, 19) sts onto stitch holder. Rejoin yarn and work to end of row in patt. Cont in Seed st as est, until band meas 5 (5%, 6, 6") from holder. Place rem 8 sts on a second stitch holder.

SLEEVES

With 1 strand of *Rolling Stones* and 1 strand of *Doors* held tog, CO 32 (36, 40, 44) sts. Work Seed St as for Left Front, until piece meas 2", end after WSR. **Next row (RS):** K1, work Row 1 of Candle Flame St to last st, K1, Cont in patt as est, until piece meas 2 1/4" from CO, end after WSR. **Inc row (RS):** K1, inc 1, work next row of Candle Flame St to last st, inc 1, K1 - 2 sts inc'd. Work 3 rows even. Rep these 4 rows 15 (15, 15, 13) more times, incorporating new sts into patt as they become available - 64 (68, 72, 72) sts. Work even until piece meas 20% (21, 22, 23) from CO. BO all sts loosely in pattern.

FINISHING

Beg with Right Shoulder, sl sts from Back Right Shoulder to one ndl and sts from Right

Front Shoulder to a second ndl, with WS facing. Working with a third Size 10 US needle, join shoulders using 3-Needle Bind off technique. Rep for Left Shoulder. Set in Sleeves. Sew side seams and sleeve seams.

Collar

SI 8 sts from Left Front Collar Band to one ndl and 8 sts from Right Front Collar Band to a second ndl. Working with a third Size 10 US ndl, join bands tog using 3-Needle Bind off technique, binding off sts in patt. Sew bands to Back neck.

Buttons

Working with Left Front, meas and mark 2" from band edge at base of V-neck shaping for first button placement. Place next 2 buttons 2"-3" apart from first button, working down toward hem. Place Right Front next to buttons and mark selvage sts above and below button. With Size H crochet hook, single strand of chenille and with RS facing, insert crochet hook into stitch below first button. Attach yarn and ch4. Make a SI st into the marked st above the button, pull yarn through st and fasten off. Rep for other two buttons. Sew buttons. Weave in all ends.

Designed by Kate Lemmers exclusively for Conjoined Creations.

20 Sonoma

Continued from page 61



SIZES

• Pullover is sized to fit Women's X-Small (Small, Medium, Large, X-Large).

FINISHED MEASUREMENTS

• Bust 32 (26, 40, 44, 48")
• Length 23 1/2 (23 1/2, 24, 24, 25")
• Upper Arm 12 (12, 13, 14, 15")


MATERIALS

• 10 (10, 12, 14, 15) 50g (100 yd) hanks **Berroco Softwist** (59% rayon, 41% wool) color #9423 Kale (MC)
• 1, 50g (80 yd) hank **Berroco Trilogy** (40% nylon, 32% wool, 28% cotton) color #7620 Perthshire Green (A)
• 1, 50g (41 yd) hank **Berroco Chinchilla Bulky** (100% rayon) color #5571 (B)
• 1, 25g (85 yd) hank **Berroco Metallic FX** (85% rayon, 15% metallic) color #2003 Gold/Black (C)
• Size 8 US (5mm) needles
• Size 10 US (6mm) needles OR SIZE TO OBTAIN GAUGE
• (2) 1/4" metal snaps, pins or tailors chalk to mark sewing line (see schematic)

GAUGE

• 20 sts x 28 rows = 4" in St st with MC and smaller needles

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.



BACK

With smaller ndls, CO 82 (92, 102, 112, 122) sts. Work even in St st for 4", end after WSR.

Shape Body

Dec Row (RS): K1, K2 tog, K to last 3 sts, ssk, K1 - 80 (90, 100, 110, 120) sts. Rep Dec Row every 1" 4 times more - 72 (82, 92, 102, 112) sts. Work even until piece meas 10" from CO, end after WSR. **Inc Row (RS):** K1, M1, K to last st, M1, K1 - 74 (84, 94, 104, 114) sts. Rep Inc Row every 1" 4 times more - 82 (92, 102, 112, 122) sts. Work even until piece meas 15" from CO, end after WSR.

Shape Armholes

BO 3 (5, 6, 8, 10) sts at beg of the next 2 rows - 76 (82, 90, 96, 102) sts. Rep Dec Row as before every RSR 3 (6, 7, 8, 8) times - 60 (60, 66, 70, 76) sts. Work even until armholes meas 7% (7%, 8, 8%, 9%), end after WSR.

Shape Shoulders

BO 4 (4, 5, 5, 6) sts at beg of the next 2 rows, then 4 (4, 5, 6, 7) sts at beg of the next 4 rows. BO rem 36 sts.

FRONT

Work same as Back until armholes meas 5 (5, 5%, 6, 6%), end after WSR - 60 (60, 66, 70, 76) sts.

Shape Neck

Next Row (RS): K22 (22, 25, 27, 30), join a new ball of yarn and BO center 16 sts, K to end. Working both sides at once, dec 1 st at each neck edge EVERY row 5 times, then every RSR 5 times - 12 (12, 15, 17, 20) sts each side. Work even until armholes meas 7% (7%, 8, 8%, 9%), end after WSR.

Shape Shoulders

BO 4 (4, 5, 5, 6) sts at each armhole edge once, then 4 (4, 5, 6, 7) sts twice.

SLEEVES

With smaller ndls, CO 42 sts. Work even in St st for 1", end after WSR. Inc 1 st each end of next row, then every 2 (2, 1%, 1%, 1%) 8 (8, 11, 13, 16) times more - 60 (60, 66, 70, 76) sts. Work even until sleeve meas 18" from CO, end after WSR.

Shape Sleeve Cap

BO 3 (5, 6, 8, 10) sts at beg of the next 2 rows - 54 (50, 54, 54, 56) sts. Dec 1 st each side every 4 rows 0 (2, 3, 5, 7) times, then every RSR 16 (12, 10, 6, 2) times, end after WSR. BO 2 sts at beg of the next 4 rows. BO rem 14 (14, 20, 24, 30) sts.

FRONT TRIM BAND


With larger ndls and using A, CO 105 (105, 112, 119, 126) sts. **Row 1 (WS):** With A, K. **Row 2 (RS):** With B, K. **Row 3:** With B, P. **Rows 4 - 7:** With C, K. **Rows 8 - 9:** With A, K. **Row 10 (RS):** With B, K. **Row 11:** With B, P. **Rows 12 - 13:** With C, K. **Rows 14 - 15:** With A, K. Rep Rows 10 - 15 once more, then work even in St st with B for 1 1/2", end after WSR. Work 3 rows in St st with A and C held tog. BO all sts.

FINISHING

Sew shoulder seams. Meas up 9" from lower edge on right side of Front and mark. With

pins or tailor's chalk, make a curved line as shown on schematic ending at right front neck edge. Pin cast-on edge of Front Trim Band along sewing line, then around entire neck edge to right Front neck edge. End of trim band should butt up against edge of itself at right Front neck edge. Use photo as a

guide. Sew band in place. Sew one snap to trim band at left Front neck edge where band overlaps. Sew 2nd snap to end of trim band underneath band at right neck edge to hold in place. Sew in sleeves. Sew side and sleeve seams.



21 Six Rectangle Jacket

Continued from page 62



SIZES

- Jacket is sized to fit Women's Small (Medium, Large).

FINISHED MEASUREMENTS

- Bust 34 (38, 42)"
- Length 22 (23, 24)"
- Upper Arm 14 (15, 16)"

MATERIALS

- 11 (12, 13) 50g (109 yd) balls South West Trading Co Karaoke (50% SILK, 50% wool) color #278 Mermaid Mix
- Size 7 US (4.5mm) needles OR SIZE TO OBTAIN GAUGE
- Size G US (4mm) crochet hook
- yarn needle, split stitch markers

GAUGE

- 20 sts x 40 rows = 4" in Garter St

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

DESIGNER NOTES

- Rectangles are worked on the bias from corner to corner. Count rows to ensure all rectangles are the same length.
- Pattern can be adjusted: Rectangle width is % of total bust size, Rectangle Length is distance from Shoulder to Waist. Sleeve Rectangle Width is equivalent to wrist circumference (depending on preference), and Sleeve Rectangle Length is distance from outer edge of shoulder to wrist, with elbow slightly bent.

RECTANGLE

CO on 3 sts. Knit 1 row (WS).



LEFT FRONT

Make 1 rectangle.

RIGHT FRONT

Make 1 rectangle.

BACK

Make 2 rectangles.

SLEEVES

CO 3 sts. Knit 1 row (WS).

Increase Section

Inc row (RS): K1, M1, K1, M1, K1 - 2 sts inc'd. Knit 1 row. **Inc Row:** K1, M1, knit to last st, M1, K1 - 2 sts inc'd. Knit 1 row. Rep last two rows, inc in this fashion (after first st, before last st) until piece meas 8% (9%, 10%)" from CO, along LH side edge, end after WSR - 85 (95, 105) sts. Insert split stitch marker into fabric on LH side, to mark lower edge of sweater.

Straight section

Next row (RS):

K1, M1,

knit to last 3 sts,

K2tog, K1, Knit 1 row. Rep these 2 rows until rectangle meas 23 (24, 25)" from marked edge, end after WSR. Remove split stitch marker from bottom edge.



Decrease section

Dec row (RS):

K1, ssk,

knit to last 3 sts,

K2tog, K1, - 2 sts dec'd. Knit 1 row. Rep these 2 rows until 3 sts rem. BO all sts. Insert split stitch marker into top edge 3 1/2 (3 1/2, 4)" from BO edge to mark shoulder width.



last st, M1, K1 - 2 sts inc'd. Knit 1 row. Rep last two rows, inc in this fashion (after first st, before last st) until piece meas 14 (15, 16") from CO, along LH side edge, end after WSR - 143 (153, 163) sts. Insert split stitch marker into fabric along LH edge to mark Sleeve Cuff. **Straight Section**

Next row (RS): K1, M1, knit to last 3 sts, K2tog, K1. Knit 1 row. Rep these 2 rows until piece meas 19½ (20½, 21") from marked edge, end after WSR.

Decrease Section

Next Row (RS): K1, ssk, knit to last 3 sts, K2tog, K1 - 2 sts dec'd. Knit 1 row. Rep these 2 rows until 3 sts rem. BO all sts.

FINISHING

Join 2 Back Rectangles tog along center seam (diagonal stripes should form a set of stacked "V's as the two pieces are sewn together). Position Front Rectangles as for Back. Sew shoulder seams, using split stitch markers as a guide, leaving 3½ (3½, 4)" of each rectangle unsewn for neck opening.

Set Sleeves

Fold sleeve in half and sew in place, beg at shoulder.

Assembly

Sew side seams.

Picot Edging

With RS facing and crochet hook, beg at lower edge of Right Front, work 1 row sc from lower edge to neck, working 3 sc in corner st

at neck edge; cont working sc around Right Front Neck edge, across Back Neck, around Left Front Neck edge to corner, working 3 sc in corner st at neck; cont working sc down Left Front, working 3 sc in corner st at lower edge; and cont working sc around bottom edge of jacket, working 3 sc in corner of lower Right Front edge. Join with a slip st to first st. Ch 1 and turn. **Next row (WS):** Work 1 sc in first st, *ch 3, sl st in first ch, work 1 sc in next 3 sts; rep from * to end. Join with a slip st to first st. Fasten off.

Weave in ends.

Designed by Rosalie Peters-Bourque exclusively for South West Trading Co.

22 Knock-A-Round Hoodie

Continued from page 63



SIZES

- Pullover is sized to fit Men's Small (Medium, Large, X-Large).

FINISHED MEASUREMENTS

- Chest 38 (42, 46, 50")
- Length 22 (23, 24, 25½")
- Upper Arm 15½ (16½, 16½, 18")

MATERIALS

- 5 (5, 6, 7) 100g (245 yds) skeins **Harrisville Designs Flax & Wool** (90% wool, 10% flax) color #219 Bluestone
- Size 10.5 US (6.5mm) 16" circular needles (for neck)
- Size 10.5 US (6.5mm) 32" circular needles OR SIZE TO OBTAIN GAUGE
- Size 10.5 US (6.5mm) double pointed needles (I-cord)
- yarn needle, stitch markers, scrap yarn

GAUGE

- 14 sts x 20 rows = 4" in St st in the round
TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

DESIGNER NOTES

- For a nice roll at the bottom edge, try a long tail cast on. Similarly, when binding off for the sleeves, BO extra loosely to ensure a nice curl. Pullover is worked in the round from the hem to the armholes.
- To work Stockinette St in the round, K every rnd.

BODY

With 32" circular needle, CO 114 (126, 138, 150) sts. PM and join for working in the round being careful not to twist sts. Knit 1 round. Cont in St st until piece meas 15½ (16, 16½, 17") from CO.

Establish Armhole Steeks

Next round: K54 (60, 66, 72), place next 6 sts on waste yarn; CO 4 steek sts; K51 (57, 63, 69), place next 6 sts (3 sts from this row and



3 sts from beg of next row) on waste yarn; and CO 4 steek sts and replacing marker between 2 center steek sts; knit to end - 51 (57, 63, 69) sts each for front and back, plus 4 steek sts at each armhole. Knit 2 rounds even.

Establish V-Neck Steek

Next round: K24 (27, 30, 33) sts, pm, place next 3 sts on waste yarn and CO 4 steek sts; pm, knit to end - 24 (27, 30, 33) sts ea for left and right Front shoulders rem, plus 4 steek sts for V-neck opening. Knit 4 (4, 3, 3) rounds even. **Next round:** K to 3 sts before first marker, K2tog, K1, K4 steek sts, K1, ssk, knit to end - 2 sts dec'd. Work 1 round even (no decreases). Rep these two rounds 11 (13, 15, 17) more times - 12 (13, 14, 15) sts ea for left and right front shoulder rem, plus 4 steek sts. Work 4 (4, 3, 0) rounds even, ending last round 2 sts before end of round.

Next round: BO 4 steek sts for left armhole, K12 (13, 14, 15) sts for left

Front, BO 4 steek sts for V-Neck opening, K12 (13, 14, 15) sts for right Front, BO 4 steek sts for right armhole, knit to end. Break yarn.

Shoulder Seam


Beg with left shoulder, slide rem sts from left Front to 1 dpn. Slide 12 (13, 14, 15) sts from left Back to 2nd dpn. With RS facing and beg at neck edge, join Front to Back at shoulders using 3-needle BO method. Rep for right shoulder.

Hood

With RS facing, beg at right shoulder, K across rem 27 (31, 35, 39) sts from Back; and pick up and K4 sts from left shoulder seam. Turn. **Next row (WS):** P31 (35, 39, 43); pick up and K4 sts from right shoulder seam - 35 (39, 43, 47) sts. Work St st until piece meas 14 (15, 15½, 16½") from pick up row, end after WSR. **Next row:** K15 (17, 19, 21) sts, K2tog, K1, ssk, knit to end - 2 sts dec'd. Work 1 WSR. Rep last 2 rows. BO rem sts using 3-needle BO method.

SLEEVES

Secure armhole steek sts with sewing machine or single crochet. Cut open steek sts. With 16" circular needle, beg at shoulder seam, with RS facing, pick up and K20 (23, 23, 24) sts; K across 3 sts held for underarm, pm, knit across rem 3 sts held and remove waste yarn; pick up and K20 (23, 23, 24) sts to shoulder seam - 46 (50, 50, 54) sts. Knit 1 round. Cont in St st until sleeve meas 8" from pick up. **Dec Rnd:** K to 3 sts before



marker, ssk, K1, slm, K1, K2tog, knit to end - 2 sts dec'd. Work 5 rnds even. Rep these 6 rounds 8 (9, 9, 10) more times, switching to dpns when it becomes necessary - 28 (30, 30, 32) sts rem. Work even until sleeve meas 17 (18, 19, 20)" from pick up. BO all sts loosely. Rep for second sleeve.

FINISHING

Secure V-neck steek sts with sewing machine or single crochet. Cut open steek sts. With 32" circular ndl, beg at right front edge of V-neck opening, pick up and K24 (28, 32, 36) sts up right Front to shoulder seam, pick up and K150 (160, 165, 175) sts around hood opening, and pick up and K24 (28, 32, 36) sts down left Front - 198 (216, 229, 247) sts. Break yarn.

23 All Buttoned Up Vest

Continued from page 64



SIZES

- Vest is sized to fit Women's Small (Medium, Large, X-Large).

FINISHED MEASUREMENTS

- Bust 34 (36, 38, 40)"
- Length 16½ (17, 18, 19)"

MATERIALS

- 6 (6, 7, 7) 50g (125 yds) balls Plymouth Yarn Co Baby Alpaca DK (100% superfine baby alpaca) color #2050
- Size 3 US (3.25mm) 32" (80cm) circular needle
- Size 3 US (3.25mm) needles
- Size 5 US (3.75mm) needles OR SIZE TO OBTAIN GAUGE
- Size E US (3.25) crochet hook, (12) buttons, stitch holder

GAUGE

- 24 sts x 32 rows = 4" in St st with larger needles

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

BACK

With smaller ndls, CO 93 (97, 103, 109) sts. Work in Twisted Rib as foll:

Row 1 (RS): K1-tbl, *P1, K1-tbl; rep from * to end of row.

Row 2: P1-tbl, *K1, P1-tbl; rep from * to end of row.

Rep Rows 1-2 until piece from CO meas 3", dec 1 st at center of last row - 92 (98, 104, 110) sts. Change to larger ndls and work 10 rows in St st, end after WSR.

Establish Eyelets

Next Row (RS): K10 (3, 6, 9), *yo, ssk, K8; rep from * to last 12 (5, 8, 11) sts, yo, ssk, K10 (3, 6, 9). **Next row:** Purl.

Shape Back

Cont in St st, inc 1 st at each end of 7th and

I-Cord Edging

Slide 3 sts held for V-neck opening to 1 dpn and remove waste yarn. Join yarn and K 1 row. Slide sts back to LH ndl. **Next row:** Kf&b across - 6 sts. Slide sts back to LH ndl. **Next row:** K5, ssk with last st and 1 st from pickup around neck edge. Pass sts back to LH ndl, and cont as est for 1 (1, 1½, 1¾)".

Buttonhole Row

K2, BO 2 sts, K1, join last st to edge as above and slide sts back to LH ndl. **Next row:** K2, CO 2 sts, K1, join last st to edge as above, above and slide sts back to LH ndl. Cont as above, without working buttonhole rows for 1". Rep this patt, working Buttonhole rows every 1", 2 (3, 3, 4) more times. Work I-Cord edging for 1¾", without working buttonhole rows. Cont as est around hood to left shoul-

der seam. Work I-Cord edging as est for 1". Work buttonhole rows as above, spacing them 1" apart 3 (4, 4, 5) times. Work I-Cord edging, without working buttonhole rows, for 1 (1, 1½, 1¾)". BO all sts.

I-Cord Tie

Weave in all ends and secure steek sts. With 2 dpns, CO 4 sts and work I-Cord for 22 (24, 26, 28)". BO all sts and weave I-cord through buttonholes in front.

Designed by Michael del Vecchio exclusively for Knit 'N Style.



then every foll 8 rows 4 times more - 102 (108, 114, 120) sts. Work even until piece from CO meas 9 (9, 9½, 10)", end after WSR.

Shape Armhole

BO 6 sts at beg of next 2 rows. Dec 1 st at each end of next and EOR row 4 times - 80 (86, 92, 98) sts. Work even until armhole meas 7 (7½, 8, 8½)", end after WSR.

Shape Neck and Shoulders

Next row (RS): K24 (27, 30, 33), place center 32 sts on stitch holder for Back neck, join a 2nd ball of yarn and knit to end of row. Working both sides at the same time, BO from each neck edge 4 sts twice - 16 (19, 22, 25) sts each shoulder. Work even until armhole meas 7½ (8, 8½, 9)", end after WSR. BO rem sts each side for shoulder.

LEFT FRONT

With smaller ndls, CO 47 (49, 53, 55) sts. Work in Twisted Rib as given for Back until piece from CO meas 3", dec 1 (0, 1, 0) st at center of last row - 46 (49, 52, 55) sts. Change to larger ndls and work 10 rows in St st, end after WSR.

Establish Eyelets

Next row (RS): K10 (3, 6, 9), *yo, ssk, K8; rep from * to last 6 sts, yo, ssk, K4. **Next row:** Purl.

Shape Front

Cont in St st, inc 1 st at beg (side edge) of 7th and foll 8 rows 4 times more - 51 (53, 57, 60) sts. Work even until piece from CO meas 8 (8, 8½, 9)", end after WSR.

Shape Neck and Armhole

Next row (RS): Dec 1 st at end (neck edge) of next and EOR 4 (0, 0, 0) times, then every 3 rows 19 (22, 23, 23) times while at the same time, when work meas 9 (9, 9½, 10)", shape armhole as given for Back - 16 (19, 22, 25) sts rem after all shaping has been made. Work even until armhole meas 7½ (8, 8½, 9)", end after RSR. BO off all sts.

RIGHT FRONT

With smaller ndls, CO 47 (49, 53, 55) sts. Work in Twisted Rib as given for Back until piece from beg meas 3", dec 1 (0, 1, 0) st at center of last row - 46 (49, 52, 55) sts. Change to larger ndls and work 10 rows in St st, end after WSR.

Establish Eyelets

Next row (RS): K4, *yo, ssk, K8; rep from * to last 12 (5, 8, 11) sts, yo, ssk, K10 (3, 6, 9). **Next row:** Purl.

Shape Front

Cont as given for Left Front, reversing all shaping for front, neck and armhole.

FINISHING

Block pieces to finished measurements. Sew shoulder seams.

Sleeve Edging

With smaller ndls and RS facing, pick up and K117 sts evenly around armhole edge. Work 6 rows in Twisted Rib as given for Back. BO all sts in Twisted Rib. Sew side and sleeve edging seam.

Neck Edging

With smaller ndls and RS facing, beg at right Front hem edge, pick up and K56 sts up right Front band edge to neck shaping, pick up and K62 sts from neck shaping to shoulder,

pick up and K49 sts (incl sts from stitch holder) across Back neck, pick up and K62 sts from left Front shoulder to neck shaping, pick up and K56 sts from neck shaping down right Front button loop band edge to hem - 287 sts. Work 2 rows in Twisted Rib as given for Back. BO all sts in Twisted Rib.

I-cord Tie


With 2 dpn, CO 3 sts. Work I-cord for 42 (42, 46, 46") BO. Beg with right Front, weave cord through eyelet holes across right Front, Back and left Front. Secure each end with a simple overhand knot. Use photo for a guide.

Button Loops (make 12)

With crochet hook, ch 7. **Row 1:** 1 sc in 2nd ch from hook. 1 sc in each ch to end. Fasten off.

Attach Loops

Sew 5 button loops to outer edge of right Front band edge spaced evenly between them and v-neck line. Sew remaining 7 button loops to outer edge of right Front neck edge spaced evenly between shoulder seam and



beg of v-neck line. Sew buttons to correspond to button loops.

Designed by Sandi Prosser exclusively for Knit 'N Style.



24 Urban Silk Lace Stole

Continued from page 65



FINISHED MEASUREMENTS

- approximately 16" wide x 72" long

MATERIALS

- 7, 50g (92 yd) balls Skacel Collection *Urban Silk* (80% silk, 20% cotton) color #11
- Size 8 US (5mm) needles OR SIZE TO OBTAIN GAUGE
- yarn needle

GAUGE

- 16.5 sts x 21.5 rows = 4" in ZigZag Eyelet Pattern

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

DESIGNER NOTES

- ZigZag Eyelet Pattern is worked along the borders of the wrap and between the Lacy Panels of the center section.
- Work "chain-1" as foll: slip a stitch from RH needle to LH needle, then knit into this st again.
- Work "BO" as foll: Bind off 1 st by pulling previously worked st over the most recently worked st and off the needle.

WRAP

Outer Border

CO 66 sts. **Foundation row (WS):** SI 1 st pwise wyif, *K2, P1; rep from * to last 2 sts, K2. **Next row (RS):** Beg with Row 1 of ZigZag Eyelet Pattern, work Rows 1-4, 3 times through (12 rows). Work Rows 1-2 of Pattern once more.

Lower Inner Border

Next row (RS): Beg with Row 1 of Lower



Inner Border Chart, work Rows 1-2 one time through (2 rows).

Main Section

Next row (RS): Beg with Row 1 of Main Area Chart, rep Rows 1-4 of chart until piece meas 63" from CO, slightly stretched. Work Row 1 of Main Area Chart once more.

Upper Inner Border

Next row (WS): Beg with Row 1 of Upper Inner Border Chart, work Rows 1-2 one time through (2 rows).

Ending Outer Border

Next row (WS): Work Row 4 of ZigZag Eyelet Pattern once through. Rep Rows 1-4, 3 times through, as for beginning. Work Rows 1-2 of Pattern once more.

FINISHING

BO all sts loosely as foll: SI 1 pwise wyif, P1, BO, *K2tog, BO, chain-1, P1, BO; rep from *

until 1 st remains on LH ndl and 1 st remains on RH ndl. To fasten off, cut yarn, leaving a 6" tail and bring yarn end through last st on LH ndl, then through rem loop on RH ndl. Pull yarn end slightly to secure. Weave in all ends.

BLOCKING

Fill container with cool water and a small amount of mild detergent or shampoo. Mix thoroughly. Gently submerge wrap into water and soak at least 30 minutes. Drain container and remove wrap, gently pressing out the majority of the water. Refill container with water at same temperature and rinse scarf gently until water runs clear. Repeat if necessary, to be sure all soap is out. Drain container and remove wrap, gently pressing out the majority water, as before. Fold wrap into a small rectangle and place between two towels. Roll towels up and put pressure on wrap-towel bundle to remove excess moisture. Repeat, if desired. DO NOT RUB. Place the still-damp wrap on flat surface and lightly finger block or pin out to finished measurements to open up the lace pattern while still preserving the texture. Let dry thoroughly before removing from surface.

Designed by Jackie Erickson-Schweitzer exclusively for The Skacel Collection Inc.

Chart(s) for Project 24 can be found on page 132.

25 Diamond Moss Stitch Vest

Continued from page 66



SIZES

- Vest is sized to fit Women's Small (Medium, Large).

FINISHED MEASUREMENTS

- Chest 35½ (40, 44½)"
- Length 29½"

MATERIALS

- 5 (5, 5) 100g (205 yd) balls **Dark Horse Yarn LLC Fantasy** (50% nylon, 50% acrylic) color #14 French Blue
- Size 6 US (4.25mm) 24" circular needles
- Size 8 US (5mm) 24" circular needles OR SIZE TO OBTAIN GAUGE
- 2 stitch holders, 3 stitch markers, yarn needle

GAUGE

- 18 sts x 24 rows = 4" in St St

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

DESIGNER NOTES

- Back and Front are worked back and forth in rows on circular needles to easily accommodate the large number of stitches.

BACK

With smaller ndls, CO 80 (90, 100) sts. Beg 1x1 rib as foll: **Row 1:** *K1, P1; rep from * to end. Rep Row 1 until piece meas 5" from CO, end after WSR. Change to larger ndls and knit 1 row. **Next row (WS):** Purl.

Establish Pattern

Work Row 1 of Diamond Moss St chart as foll: K4 (3, 2), *K5, P1, K6; rep from * 6 (7, 8) times, end K4 (3, 2). Cont working St st over first 4 (3, 2) sts; next row of Chart, rep patt 6 (7, 8) times across row, and working St st over last 4 (3, 2) sts until piece meas 21" from CO, end after WSR.

Shape Armpholes

At beg of next 2 rows, BO 5 sts - 70 (80, 90) sts. Cont in patt as est until piece meas 28½" from CO, end after WSR.

Shape Neck

Next row (RS): Work 25 sts in patt as est, join new ball of yarn and BO 20 (30, 40) sts, and work to end in patt. Place first 25 sts on stitch holder for Right Shoulder.

Left Shoulder

Working on sts for Left Shoulder only, work 1 WSR in patt. **Next row (RS):** BO 3 sts, work to end in patt. Work 1 WSR. **Next row (RS):** BO 2 sts, work to end in patt. Work 1 WSR. Rep these 2 rows 1 time more - 18 sts rem.

Shape Left Shoulder

Next row (WS): At beg of next row, BO 6 sts. Work 1 RSR in patt. Rep these 2 rows 1 time more. BO rem 6 sts.

Right Shoulder

Work as for Left Shoulder, rev all shaping.



FRONT

Work as for Back until piece meas 12" from CO, end after WSR.

Shape Neck

Next row (RS): Work 40 (45, 50) sts across Left Front and place rem sts on stitch holder for Right Front.

Left Shoulder

Work 1 WSR. **Next row (RS):** Work in patt to last 2 sts, K2tog. Work 1 WSR.

Shape Neck and Left Shoulder

Size Small Only: Dec row (RS): K2tog, work to end in patt. Work 5 rows in patt as est. Rep these 6 rows 6 more times - 32 sts rem. Work Dec row. Work 3 rows even. Rep these 4 rows 13 more times - 18 sts rem.

Size Medium Only: K2tog, work to end in patt. Work 3 rows in patt as est. Rep these 4 rows 24 more times - 18 sts rem.

Size Large Only: K2tog, work to end in patt. Work 3 rows in patt as est. Rep these 4 rows 21 times. Work Dec row. Work 1 WS row. Rep these 2 rows 8 more times - 18 sts rem.

All Sizes: AT SAME TIME when piece meas 21" from CO, BO 5 sts at beg of next WSR. Work even until piece meas 28½" from CO, end after RSR. At beg of next row (WS), BO 6 sts. Work 1 RSR. Rep these 2 rows 1 time more. BO rem 6 sts.

Shape Neck and Right Shoulder

Re-attach yarn at Right Front and work as for Left Front, rev all shaping.

FINISHING

Sew shoulder and side seams.

Neck Band


With smaller ndls and RS facing, beg at right shoulder seam, pick up and K40 (50, 60) sts across Back neckline. Pick up and K100 sts down Left Front, pm, M1, pm, pick up and K100 sts up Right Front - 241 (251, 261) sts. PM to indicate start of rnd. Work 1x1 Rib as foll: **Rnd 1:** *K1, P1; rep from * to first marker, sl1, K1, sl1, *K1, P1; rep from * to end of rnd. **Rnd 2:** Work in patt as est to 2 sts before first marker, K1, sl1, pss0, sl1, K1, sl1, K2tog.

work to end in patt as set. **Rnd 3:** Work in patt as set to 2 sts before first marker, P2tog, sl1, K1, sl1, P2tog, work to end in patt as est. Rep Rnds 2 & 3 until neckband meas 2" from pick up. BO all sts loosely in patt.


Armhole Bands

With smaller ndls and RS facing, beg at shoulder seam, pick up and 100 sts around armhole. PM to indicate start of rnd. Work 1x1 Rib as foll: **Rnd 1:** *K1, P1; rep from * to end. Rep Rnd 1 until Armhole Band meas 2" from pick up. BO all sts loosely in ribbing. Weave in all ends.

Designed by Leslie Wilson exclusively for **Dark Horse Yarn LLC.**



DIAMOND MOSS ST CHART (12 st, 20 row rep)



KEY

- = K on RS, P on WS
- = P on RS, K on WS

26 Color Block Kimono Jacket

Continued from page 67



SIZES

- Jacket is sized to fit Women's X-Small (Small, Medium, Large, X-Large).

FINISHED MEASUREMENTS

- Bust 35½ (39½, 43½, 47½)"
- Length 21½ (22½, 23½, 24)"
- Upper Arm 16½ (18½, 20, 21)"

MATERIALS

- 5 (7, 8, 9) 50g (130 yds) balls **Twilleys / S R Kertzer Freedom Spirit** (100% wool) color #502 Fire (A)
- 4 (5, 6, 7) 50g (130 yds) **Twilleys / S R Kertzer Freedom Spirit** (100% wool) color #506 Air (B)
- Size 5 US (3.75mm) needles
- Size 6 US (4mm) needles OR SIZE TO OBTAIN GAUGE
- row counter, 2 small stitch holders

GAUGE

- 22 sts x 28 rows = 4" in St st with larger needles

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

DESIGNER NOTES

- The color pattern is worked with the Intarsia method. As you switch from one color to the other, you must twist the 2 yarns together otherwise there will be holes in your work. For K rows twist clockwise and P rows twist counterclockwise.

BACK

With smaller ndls and A, CO 99 (110, 121, 132) sts. **Moss St Hem Row (RS):** K1 (0, 1, 0), *P1, K1, rep from * across. Rep this row until 12 (12, 14, 14) rows have been worked, end after WSR.

Establish Color Pattern

Change to larger ndls. Beg St st and Intarsia as foll: **Row 1:** With A K9 (10, 11, 12), *with B K9 (10, 11, 12), with A K9 (10, 11, 12); rep from * across. The color patt has now been est. Cont in patt, for 5 rows more.

Row 7 (RS): With B K9 (10, 11, 12), *with A K9 (10, 11, 12), with B K9 (10, 11, 12); rep from * across.

Cont in patt, for 11 (11, 13, 13) rows more. **Row 19 (19, 21, 21) (RS):** With A K9 (10, 11, 12), *with B K9 (10, 11, 12), with A K9 (10, 11, 12); rep from * across. The patt has now been set. Cont in patt, for 57 (63, 55, 59) rows more. **Row 77 (83, 77, 81) (RS):** With B K9 (10, 11, 12), *with A K9 (10, 11, 12), with B K9 (10, 11, 12); rep from * to end. Cont in patt, for 11 (11, 13, 13) rows more.

Shape Armholes

Row 89 (95, 91, 95) (RS): With A, BO 4 (5, 6, 7) sts, K4, *with B K9 (10, 11, 12), with A K9



(10, 11, 12); rep from * to end. Color patt has now been est. Cont in color patt while shaping as foll: BO 4 (5, 6, 7) sts at beg of next row, work in patt across. **Next Row (RS):** K2tog, work in patt until 2 sts rem, skip. **Next Row (WS):** P2tog-tbl, work in patt until 2 sts rem, P2tog. Rep the last 2 rows again. **Row 95 (101, 97, 101) (RS):** With A K2tog, K until there are 18 (20, 22, 24) sts on RH ndl, with B K18 (20, 22, 24); with A K9 (10, 11, 12), with B K18 (20, 22, 24), with A K17 (19, 21, 23), skip -8 (90, 99, 108) sts. Cont working even in color patt, without further shaping, for 11 (11, 13, 13) rows more.

Row 107 (113, 111, 115) (RS): With A K9 (10, 11, 12), *with B K9 (10, 11, 12), with A K9 (10, 11, 12); rep from * across. Cont in patt, for 11 (11, 13, 13) rows more. **Row 119 (125, 125, 129) (RS):** With A K9 (10, 11, 12), with B K18 (20, 22, 24), with A K18 (20, 22, 24); with B K9 (10, 11, 12), with A K18 (20, 22, 24), with B K18 (20, 22, 24). Cont in patt, for 11 (11, 13, 13) rows more.

Row 143 (149, 153, 157) (RS): BO all sts. **LEFT FRONT**

With smaller ndls and A, CO 54 (60, 66, 72) sts. **Moss St Hem Row 1 (RS):** *P1, K1; rep from * across.

Hem Row 2: *K1, P1; rep from * across. Rep these 2 rows until 12 (12, 14, 14) rows have been worked, end after WSR.

Establish Color Pattern

Change to larger ndls. Beg St st and Intarsia as foll: **Row 1:** With B K9 (10, 11, 12), *with A K9 (10, 11, 12), with B K9 (10, 11, 12); rep from * until 9 (10, 11, 12) sts rem. Place these sts on a stitch holder for the Front band edge - 45 (50, 55, 60) sts rem. The patt has now been est. Cont in patt, for 5 rows more.

Row 7 (RS): With A K9 (10, 11, 12), *with B K9 (10, 11, 12), with A K9 (10, 11, 12), rep from * across. Cont in patt, for 11 (11, 13, 13) rows more.

from * to end.

Cont in patt, for 11 (11, 13, 13) rows more.

Row 19 (19, 21, 21) (RS): With B K9 (10, 11, 12), *with A K9 (10, 11, 12), with B K9 (10, 11, 12); rep from * to end. The patt has now been set. Cont in patt, for 57 (63, 55, 59) rows more.

Row 77 (83, 77, 81) (RS): With A K9 (10, 11, 12), with B K9 (10, 11, 12), with A K9 (10, 11, 12); rep from * across. Cont in patt for 11 (11, 13, 13) rows more.

Shape Armholes

Row 89 (95, 91, 95) (RS): With B BO 4 (5, 6, 7) sts, K4, *with A K9 (10, 11, 12), with B K9 (10, 11, 12); rep from * across - 41 (45, 49, 53) sts rem. Color patt has now been est. Work 1 row even. **Next Row (WS):** K2tog, work across in color patt. **Next Row (WS):** Cont even in patt until 2 sts rem, P2tog. Rep the last 2 rows again. **Row 95 (101, 97, 101) (RS):** With B K2tog, K until there are 18 (20, 22, 24) sts on RH ndl, with A K to end - 36 (40, 44, 48) sts rem. Cont in color patt without further shaping, for 11 (11, 13, 13) rows more.

Row 107 (113, 111, 115) (RS): *With B K9 (10, 11, 12), with A K9 (10, 11, 12); rep from * across. Cont in patt for 11 (11, 13, 13) rows more. **Row 119 (125, 125, 129) (RS):** *With A K9 (10, 11, 12), with B K9 (10, 11, 12), with A K9 (10, 11, 12); with B K to end. Cont in patt for 10 (10, 12, 12) rows more. **Shape Neck:**

Row 130 (136, 138, 142) (WS): BO 7 (8, 9, 10) sts at beg of row, cont in patt across - 29 (32, 35, 38) sts rem. **Row 131 (137, 139, 143) (RS):** *With A K18 (20, 22, 24), with B K to end. The patt has now been est. **Row 132 (138, 140, 144) (WS):** BO 6 (6, 4, 4) sts at beg of row, cont in patt across - 23 (26, 31, 34) sts rem. Keep color patt correct, dec 1 st at neck edge on next 4 (4, 6, 6) rows. **Row 137 (143, 147, 151):** Work 1 row even. **Row 138 (144, 148, 152):** Work 1 Dec row at neck edge - 18 (21, 24, 27) sts rem. Work 4 rows even without further shaping. **Row 143 (149, 153, 157) (RS):** BO all sts.

RIGHT FRONT

With smaller ndls and A, CO 54 (60, 66, 72) sts. **Moss St Hem Row 1 (RS):** *P1, K1; rep from * until 0 (1, 0, 1) st rem, K0 (1, 0, 1). **Hem Row 2:** K0 (1, 0, 1), *P1, K1; rep from * until 0 (1, 0, 1) st rem, PO (1, 0, 1). Rep these 2 rows until 12 (12, 14, 14) rows have been worked, end after WSR. **Next row (RS):** With A PO (1, 0, 1), *K1, P1; rep from * until 9 (10, 11, 12) sts have been worked in Moss St. Place these sts on a stitch holder for the Front band edge.

Establish Color Pattern

Change to larger ndls. Work the rem 45 (50, 55, 60) sts in St st as foll: With B K9 (10, 11, 12), *with A K9 (10, 11, 12), with B K9 (10, 11, 12); rep from * across. The patt has now been est. Cont in patt, for a total of 6 rows. **Row 7 (RS):** With A K9 (10, 11, 12), *with B K9 (10, 11, 12), with A K9 (10, 11, 12); rep from * across. Cont in patt, for 11 (11, 13, 13) rows more.

13) rows more. **Row 19 (19, 21, 21) (RS):** With B K9 (10, 11, 12), *with A K9 (10, 11, 12), with B K9 (10, 11, 12); rep from * across. The patt has now been est. Cont in color patt, for 57 (63, 55, 59) rows more. **Row 77 (83, 77, 81) (RS):** With A K9 (10, 11, 12), *with B K9 (10, 11, 12), with A K9 (10, 11, 12); rep from * to end. Cont in patt for 11 (11, 13, 13) rows more.

Shape Armholes

Row 89 (95, 91, 95) (RS): With B K9 (10, 11, 12), *with A K9 (10, 11, 12), with B K9 (10, 11, 12); rep from * across. Color patt has now been est. **Next Row (WS):** BO 4 (5, 6, 7) sts, cont in patt across - 41 (45, 49, 53) sts. **Next Row (RS):** Pat until 2 sts rem, skp. **Next Row (WS):** P2tog-tbl, work in color patt across. Rep the last 2 rows again. **Row 95 (101, 97, 101) (RS):** With A K18 (20, 22, 24), with B K17 (19, 21, 23), skp - 36 (40, 44, 48) sts rem. Cont in patt, without further shaping, for 11 (11, 13, 13) rows more. **Row 107 (113, 111, 115) (RS):** *With A K9 (10, 11, 12), with B K9 (10, 11, 12); rep from * to end. Cont in patt for 11 (11, 13, 13) rows more. **Row 119 (125, 125, 129) (RS):** *With B K9 (10, 11, 12), with A K9 (10, 11, 12); rep from * across. Cont in patt, for 11 (11, 13, 13) rows more.

Shape Neck

Row 131 (137, 139, 143) (RS): With B, BO 7 (8, 9, 10) sts at beg of row, K until there are 11 (12, 13, 14) sts on the RH ndl, with A K to end - 29 (32, 35, 38) sts rem. The patt has now been est. Work 1 row even.

Row 133 (139, 141, 145) (RS): BO 6 (6, 4, 4) sts at beg of row, work in patt across - 23 (26, 31, 34) sts rem. Keep color patt correct, dec 1 st at neck edge on next 4 (4, 6, 6) rows.

Row 138 (144, 148, 152): Work 1 row even. **Row 139 (145, 149, 153):** Work 1 Dec row at neck edge - 18 (21, 24, 27) sts rem. Work 3 rows even without further shaping. **Row 143 (149, 153, 157) (RS):** BO all sts.

LEFT SLEEVE

With smaller ndls and A, CO on 90 (100, 110, 120) sts. **Moss St Hem Row 1 (RS):** *K1; P1; rep from * across. **Hem Row 2:** *P1, K1; rep from * across. Rep these 2 rows until 12 (12, 14, 14) rows have been worked, end after WSR.

Establish Color Pattern

Change to larger ndls. Beg St st and Intarsia as foll: **Row 1:** *With A K9 (10, 11, 12), with B K9 (10, 11, 12); rep from * across. The patt has now been est. Cont in patt for a total of 6 rows. **Row 7 (RS):** *With B K9 (10, 11, 12), with A K9 (10, 11, 12); rep from * across. Cont in patt for 11 (11, 13, 13) rows more.

Row 19 (19, 21, 21) (RS): *With A K9 (10, 11, 12), with B K9 (10, 11, 12); rep from * to end. The patt has now been est. Cont in patt for 57 (63, 55, 59) rows more. **Row 77 (83, 77, 81) (RS):** *With B K9 (10, 11, 12), with A K9 (10, 11, 12); rep from * across. Cont in patt for 11 (11, 13, 13) rows more.

Shape Armholes

Row 89 (95, 91, 95) (RS): With A BO 4 (5, 6,

7) sts, K4, *with B K9 (10, 11, 12), with A K9 (10, 11, 12); rep from * across. Patt has now been est. BO 4 (5, 6, 7) sts at beg of next row, cont in color patt to end. **Next Row (RS):** K2tog, cont in patt until 2 sts rem, skp. **Next Row (WS):** P2tog-tbl, cont in patt until 2 sts rem, P2tog. Rep last 2 dec rows until 72 (80, 88, 96) sts rem. BO all sts.

RIGHT SLEEVE

With smaller ndls and A, CO 90 (100, 110, 120) sts. **Moss St Hem Row 1 (RS):** *K1, P1; rep from * across.

Hem Row 2: *P1, K1; rep from * across. Rep these 2 rows until 12 (12, 14, 14) rows have been worked, end after WSR.

Establish Color Pattern

Change to larger ndls. Beg St st and Intarsia as foll: **Row 1:** *With B K9 (10, 11, 12), with A K9 (10, 11, 12); rep from * across. The patt has now been est. Cont in patt for a total of 6 rows.

Row 7 (RS): *With A K9 (10, 11, 12), with B K9 (10, 11, 12); rep from * across. Cont in patt for 11 (11, 13, 13) rows more. **Shape Armholes**

Row 89 (95, 91, 95) (RS): With B BO 4 (5, 6, 7) sts, K4, *with A K9 (10, 11, 12), with B K9 (10, 11, 12); rep from * across. Patt has now been est. BO 4 (5, 6, 7) sts at beg of next row, cont in patt to end. **Next Row (RS):** K2tog, cont in patt until 2 sts rem, skp. **Next Row (WS):** P2tog-tbl, cont in patt until 2 sts rem, P2tog. Rep last 2 dec rows until 72 (80, 88, 96) sts rem. BO all sts.

FINISHING

Join Fronts to Back at the shoulder seams.

Left Front Band Edge

Sl 9 (10, 11, 12) sts from stitch holder onto smaller ndls and with RS facing, join yarn A. Continue in Moss st patt as est until border, when slightly stretched, fits up Left Front opening edge to neck shaping, sewing in place as you go along, end after WSR. Break yarn and leave these sts on a stitch holder.

Right Front Band Edge

Sl 9 (10, 11, 12) sts from stitch holder onto smaller ndls and with WS facing, join yarn A. Continue in Moss st patt as est until border, when slightly stretched, fits up right Front opening edge to neck shaping, sewing in place as you go along, end after WSR. DO NOT break yarn and leave stitches on ndl.

Neck Band

With RS facing, cont with A and working Moss st over 9 (10, 11, 12) sts from right Front band edge (on smaller ndls); then pick up and K22 (23, 24, 25) sts up right side of neck, pick up and K45 (48, 51, 54) sts from Back and pick up and K22 (23, 24, 25) sts down left side of neck; then work Moss st from 9 (10,

11, 12) sts from left front border stitch holder - 107 (114, 121, 128) sts. Work in Moss st for a total of 12 (12, 14, 14) rows. With WS facing, BO all sts in Moss st.

Cord Trim for Back

With smaller double pointed ndls, CO 4 sts and K one row. *Without turning, slide the sts (left to right) to the opposite end of the ndl. Take the yarn across the back of the work and K4; rep from * until the cord is the desired length. Cut yarn and thread tail through the 4 sts to fasten off. Position the cord at the pattern intersection of Row 95 (101, 97, 101), from armhole to armhole, sewing in place as you go along.

Cord Trim for Fronts (make 2)

Work and position a 4 st l-cord as above, from armhole to the beginning of the border. Continue to work cord for an additional 16" (so that cord may be used as a tie closure).

Assembly

Join side seams. Sew sleeve seams. Set in sleeves. Weave in all ends.



27 Swing Jacket & Trumpet Skirt

Continued from page 68

PROJECT 27A: SWING JACKET



SIZES

- Jacket is sized to fit Women's Small Medium, Large, X-Large).

FINISHED MEASUREMENTS

- Lower circum (high hip) 36 (38, 40, 42")
- Length 19 (20, 21, 21")
- Upper Arm 20 (22, 24, 24")

MATERIALS

- 9 (10, 11, 12) 50g (82 yd) balls **Caron International Bliss** (60% acrylic, 40% nylon) color #0003 Ruby Red (MC)
- 1, 50g (160 yd) ball **Caron International Fabulous** (100% nylon) color #0005 Bubble Gum (CC)
- Size 10 US (6mm) 30" circular needles OR SIZE TO OBTAIN GAUGE
- Size 11 US (8mm) needles (for collar)
- Size 13 US (9mm) needles (for collar)
- Size 15 US (10mm) needles (for collar)
- Size 17 US (12.75mm) needles (for collar)
- stitch markers, yarn needle (6) 1" buttons
- Optional:** (6) $\frac{3}{8}$ " Bone or plastic rings (for buttons)

GAUGE

- 14 sts x 16 rows = 4" in Double Moss St with Size 10 US ndls

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

DESIGNER NOTES

- Garment is worked in one piece, beginning at lower Back edge (see schematic), working across shoulders and ending at lower Fronts. Circular needle is used for Body to accommodate large number of sts; work back and forth in rows.
- Fronts may be worked at the same time with separate balls of yarn, or each may be worked separately.
- If Left Front is worked first, it will be easier to space buttonholes evenly on right Front. If working both Fronts at the same time, fold piece at shoulder edge after completing Neck shaping; measure length of Back from neck shaping to lower edge of Back. This will give the length to be worked while working buttonholes.
- Shaping of Collar is accomplished by working with progressively larger needles; using circular needles may make working Collar easier.

DOUBLE MOSS STITCH (multiple of 4 sts + 2)

Row 1 (RS): K2, * P2, K2; rep from * across.

Row 2 & 4: Knit the knit sts and purl the purl sts as they face you.

Row 3: P2, * K2, P2; rep from * across.

Rep Rows 1 - 4 for Double Moss st.



BACK

Using circular ndl and MC, CO on 61 (65, 69, 73) sts. **Next row (RS):** Beg 1x1 Rib; work even until piece meas 1" from CO, inc 1 st on last (WS) row - 62 (66, 70, 74) sts. **Next row (RS):** Change to Double Moss st; work even until piece meas 4 (4 $\frac{1}{2}$, 5, 5 $\frac{1}{2}$)" from CO, end after WSR.

Shape Sides

Next row (RS): Working inc sts into pattern as they become available, inc 1 st each side this row, then every 4 rows once - 66 (70, 74, 78) sts. **Next RSR:** Inc 1 st each side EOR 5 times, end after a WSR - 76 (80, 84, 88) sts. **Next RSR:** Inc 1 st each side every row 6 times, end after a WSR - 88 (92, 96, 100) sts.

SLEEVE

Next row (RS): Working inc sts in pattern as they become available, CO 2 sts at beg next 8 rows - 104 (108, 112, 116) sts; CO 3 sts beg next 4 rows - 116 (120, 124, 128) sts; CO 4 sts beg next 2 rows - 124 (128, 132, 136) sts; CO 5 sts beg next 2 rows - 134 (138, 142, 146) sts; then CO 6 sts beg next 4 rows, end after a WSR - 158 (162, 166, 170) sts; pm at center of next (RS) row. Do NOT move marker up each row; it will be used to measure length to Back neck.

Establish Sleeve Edging

Next row (RS): Work 3 sts in Garter st, work across in Double Moss to last 3 sts, work in Garter st to end. Keeping first and last 3 sts in Garter st, work even as est until piece meas 4 $\frac{1}{2}$ (5, 5 $\frac{1}{2}$, 5 $\frac{3}{4}$)" from marked row, end after WSR; pm each side of center 22 sts for neck.

Divide for Neck

Next row (RS): Work across to first marker; join a second ball of yarn and bind off center 22 sts, work to end - 68 (70, 72, 74) sts rem each side.

FRONTS

Working both sides at the same time, work even until piece meas $\frac{3}{4}$ " from neck bind off, end after WSR; pm for shoulder - lower edge

of sleeve meas 5 (5 $\frac{1}{2}$, 6, 6")*. Work even until piece meas 2" from shoulder marker, end after WSR.

Shape Neck

Next row (RS): At each neck edge, inc 1 st this row, then EOR once - 70 (72, 74, 76) sts each side, end after WSR. **Next row (RS):** At each neck edge, CO 3 sts once. Work 1 WSR. **Next row (RS):** CO 9 sts once - 82 (84, 86, 88) sts each side. Work 1 WSR.

From this point, Fronts may be worked at the same time (as given below), or each Front may be worked separately. Read the following instructions carefully - through the beginning of Sleeve Shaping - before proceeding: neck shaping and first buttonhole happen at approximately the same time as the beginning of Sleeve shaping on smaller sizes.

Establish Front Bands

Next row (RS): At each neck edge, work 3 sts in Garter st for Front bands. Work even, maintaining 3 sts for Front bands in Garter st, remaining sts in Double Moss st; *while at the same time*, when piece meas $\frac{3}{4}$ " from upper edge of Front band, end after RSR.

Buttonholes

Next row (WS): Work a buttonhole on right Front band as foll: K1, [yo, k2tog] for button hole, work to end. Work 5 more buttonholes, evenly spaced, on right Front band, approximately every 3".

SLEEVE

After neck shaping is completed, work even until lower edge of Sleeve meas 10 (11, 12, 12 $\frac{1}{2}$), end after WSR. **Next row (RS):** At each sleeve edge, BO 6 sts twice, BO 5 sts once, BO 4 sts once, BO 3 sts twice, then BO 2 sts 4 times - 47 (49, 51, 53) sts rem each side, incl 3 sts at center Fronts in Garter st for bands.

Shape Sides

Dec 1 st at each end of the ndl every row 6 times, dec 1 st at each end every 4 rows once - 34 (36, 38, 40) sts rem each Front after completing all shaping. Work even in pattern as est (3 sts at each center Front in Garter st) until piece meas same as Back to rib, end after WSR.

Next row (RS): Change to 1 x 1 rib; work even until rib measures 1". BO all sts in rib.

COLLAR

With RS facing, using circ ndl (size US 10) and 1 strand each MC and CC, beg at center right Front, pick up and K57 sts around neck shaping, ending at center left Front. **Next row (WS):** Beg 3 x 3 rib, begin and end P3. Work even for 3 rows.

Change to size US 11 ndls; work even for 4 rows. Change to size US 13 ndls; work even for 4 rows. Change to size US 15 ndls; work even for 4 rows. Change to size US 17 ndls; work even until Collar measures 8" from pick-up row. BO all sts in rib.

Work even in St st until piece meas 5 (6, 7") from CO, end after WSR. **Next row (RS):** K1, *K2tog, yo; rep from * 15 more times, knit to end. Purl 1 row. Work even until piece meas 9 (10, 11") from CO, end after WSR. **Next row (RS):** K1, *K2tog, yo; rep from * 23 more times, knit to end. Work even until piece meas 13 (14, 15") from CO, end after WSR. **Next row (RS):** K1, *K2tog, yo; rep from * 16 times, knit to end. Work even until piece meas 15 (16, 18") from CO, end after RSR.

Shape Armhole

At beg of next row (WS), BO 9 (11, 13) sts, purl to end. Knit 1 row. At beg of next row (WS), dec 1 st, purl to end. Knit 1 row. Rep these two rows 2 more times. At beg of next row (WS), BO 2 (2, 3) sts, purl to end. Knit 1 row. Rep these 2 rows 1 more time - 48 (52, 56) sts. Work even until piece meas 20 (22, 24") from CO, end after RSR. BO all sts.

RIGHT FRONT

With *Kid Slique*, CO 48 (52, 56) sts. Purl 1 row (WS). Cont in St st until piece meas 2 (2 1/2, 3") from CO, end after RSR.

Shape Armhole

At beg of next row (WS), CO 2 (2, 3) sts and purl to end. Knit 1 row. Rep these 2 rows 1 more time. At beg of next row (WS), CO 1 st. Knit 1 row. Rep these 2 rows 2 more times. At beg of next row (WS), CO 9 (11, 13) sts - 64 (68, 78) sts.

Work even in St st until piece meas 5 (6, 7") from CO, end after WSR. **Next row (RS):** K1, *K2tog, yo; rep from * 15 more times, knit to end. Purl 1 row. Work even until piece meas 6 (7, 7") from CO, end after RSR.

Shape Neck

At beg of next row (WS), BO 3 sts once, purl to end. Knit 1 row. At beg of next row (WS),

BO 2 sts, purl to end. Knit 1 row. Rep these 2 rows 1 more time. At beg of next row (WS), BO 1 st, purl to end. Knit 1 row. Rep these 2 rows 2 (2, 3) more times - 54 (58, 67) sts. Work even until piece meas 9 (11, 11") from CO, end after WSR. **Next row (RS):** K1, *K2tog, yo; rep from *, end K1 (1, 0) sts. Work even until piece meas 10 (12, 12") from CO, end after WSR. BO all sts.

LEFT FRONT

Work as for Right Front, rev all shapings.

SLEEVES

With *Kid Slique*, CO 7 sts. Knit 1 row (RS). At beg of next row (WS), CO 7 sts, purl to end. Knit 1 row. Cont in St st, rep these 2 rows 6 more times - 56 (56, 56) sts. Work even until piece meas 5 1/2 (5 1/2, 6 1/2") from CO, end after RSR.

Shape Sleeve Cap


At beg of next row (WS), CO 2 sts. Knit 1 row. Rep these 2 rows 2 times more. At beg of next row (WS), inc 1 st, purl to end. Knit 1 row. Rep these 2 rows 3 (4, 5) more times - 64

(65, 66) sts. Work even for 1 1/2 (1, 1/2"). At beg of next row (RS), K1, *K2tog, yo; rep from *, knit to end. Work even for 1 1/2 (1, 1/2"). At beg of next row (WS), dec 1 st, purl to end. Knit 1 row. Rep these 2 rows 3 (4, 5) more times. At beg of next row (WS), BO 2 sts. Knit 1 row. Rep these 2 rows 2 times more. Work even for 1 1/2 (2, 2 1/2") end after RSR. At beg of next row, BO 7 sts, purl to end. Knit 1 row. Rep these 2 rows 6 more times. BO rem 7 sts.

FINISHING

Sew shoulder seams tog. Sew sleeves and side seams. Thread yarn needle with Artemis ribbon and starting at the top of each yarn over, weave the silk ribbon in and out of each yo. Cont in this fashion to bottom edge, go around hem and reverse direction, going back up the garment. Gather ribbon to desired length and tie ribbon in a bow. Rep for all other eyelet rows. Weave in all ends.

Designed by *Melissa Matthay* exclusively for Knit 'N Style.



29 An Aran Christmas for Him & Her

Continued from page 70



FINISHED MEASUREMENTS

- 8" wide at heel x 20" long

MATERIALS

- 1, 250g (370 yd) hank *Wool Around the World Woolpax 10 ply* (100% pure New Zealand wool) color Natural
- Size 8 US (5mm) 16" circular needles OR SIZE TO OBTAIN GAUGE
- Size 9 US (5.5mm) 16" circular needles
- 1 set Size 8 US (5mm) double pointed needles
- Size H US crochet hook

GAUGE

- 20 sts x 28 rows = 4" in St st on smaller needles

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

DESIGNER NOTES

- Each stocking requires one hank of *Wool Around the World Woolpax 10 ply*.

STITCH GLOSSARY

CB Sl 1 st to cn, hold in back, K2, K1 from cn.
CF Sl 2 sts to cn, hold in front, K1, K2 from cn.
CBP Sl 1 st to cn, hold in back, K2, P1 from cn.
CFP Sl 2 sts to cn, hold in front, P1, K2 from cn.
CSB Sl 3 sts to cn, hold in back, K2, place last st on cn back on LH ndl and pur it, K2 from cn.

BORDER PATTERN A (11 st rep)

- Rnd 1: Purl.
- Rnd 2: Knit.
- Rnd 3: (K1, yo) twice, (K2tog) 4 times, yo, K1, yo; rep from *.
- Rnd 4: Knit.

Rep Rnds 1-4 for Border Pattern A.

CABLE PANEL B (15 st panel)

- Rnd 1: P1, K13, P1.
- Rnd 2: P1, CFP, K2, (yo, ssk) twice, K1, CBP, P1.
- Rnd 3: P2, K11, P2.
- Rnd 4: P2, CFP, K2, yo, ssk, K1, CBP, P2.
- Rnd 5: P3, K9, P3.
- Rnd 6: P3, CFP, K3, CBP, P3.
- Rnd 7: P4, K7, P4.
- Rnd 8: P4, CFP, K1, CBP, P4.
- Rnd 9: P5, K5, P5.
- Rnd 10: P5, C5B, P5.

Rnd 11: P5, K5, P5.
Rnd 12: P4, CB, K1, CF, P4.
Rnd 13: P4, K7, P4.
Rnd 14: P3, CB, K1, yo, ssk, CF, P3.
Rnd 15: P3, K9, P3.
Rnd 16: P2, CB, K1, (yo, ssk) twice, CF, P2.
Rnd 17: P2, K11, P2.
Rnd 18: P1, CB, K1, (yo, ssk) 3 times, CF, P1.
Rep Rnds 1-18 for Cable Panel B.

BORDER PATTERN C (7 st rep)

Rnd 1: *K2tog, (K1, M1) twice, K1, ssk; rep from *.
Rnd 2: Knit.
Rep Rnds 1-2 for Border Pattern C.

CABLE PANEL D (15 st panel)

Rnd 1: P1, K2, P9, K2, P1.
Rnd 2: P1, CFP, K7, CFP, P1.
Rnd 3: P2, K2, P7, K2, P2.
Rnd 4: P2, CFP, K5, CFP, P2.
Rnd 5: P3, K2, P5, K2, P3.
Rnd 6: P3, CFP, K3, CFP, P3.
Rnd 7: P4, K2, P3, K2, P4.
Rnd 8: P4, CFP, K1, CFP, P4.
Rnd 9: P5, K2, P1, K2, P5.
Rnd 10: P5, C5B, P5.
Rnd 11: P5, K2, P1, K2, P5.
Rnd 12: P4, CB, K1, CF, P4.
Rnd 13: P4, K2, P3, K2, P4.
Rnd 14: P3, CB, K3, CF, P3.
Rnd 15: P3, K2, P5, K2, P3.
Rnd 16: P2, CB, K5, CF, P2.
Rnd 17: P2, K2, P7, K2, P2.
Rnd 18: P1, CB, K7, CF, P1.
Rep Rnds 1-18 for Cable Panel D.

PROJECT 29A: HER'S

With larger circular ndl, CO very loosely 77 sts. Being careful not to twist, join into round, pm to indicate beg of rnd. Work Border Pattern A for 16 rnds.

Turning Rnds

Next Rnd: K1, rotate work on ndl with WS facing outside of tube and yarn is attached to first st on LH ndl point, sl 1, slm. **Next Rnd:** K23, K2tog, (K24, K2tog) twice - 74 sts. Change to smaller circular ndls. K 1 rnd.

Body of Stocking

Rnd 1: (K11, yo, Row 1 of Cable Panel B, K11) twice. **Rnds 2-59:** Cont in patt as now est, working successive rows of Cable Panel B. **Rnd 60:** Work 27 sts in patt as est, K2tog, K16, K2tog, work 27 sts in patt as est - 72 sts. **Rnd 61-69:** Cont in patt as est, working successive rows of Cable Panel B. **Rnd 70:** K8,

K2tog, K1, patt 15, K1, ssk, K14, K2tog, K1, patt 15, K1, ssk, K8 - 68sts. **Rnd 71-79:** Cont in patt as est, working successive rows of Cable Panel B. **Rnd 80:** K7, K2tog, K1, work 15 sts of cable patt, K1, ssk, K12, K2tog, K1, work 15 sts of cable patt, K1, ssk, K7 - 64 sts. **Rnd 81-84:** Cont in patt as est, working successive rows of Cable Panel B. (Make note of last row of cable pattern worked.)

Heel Flap

Next Rnd: Separate for heel: Remove marker, K9, turn. Sl 1, P17.; turn. Working back and forth in rows on these 18 sts only:

Row 1: Sl 1, K17.

Row 2: Sl 1, P17.

Rep Rows 1-2 5 times more (13 rows total) in heel flap.

Turn Heel

Row 1: K11, ssk, K1, turn.

Row 2: Sl 1, P5, P2tog, P1, turn.

Row 3: Sl 1, K6, ssk, K1, turn.

Row 4: Sl 1, P7, P2tog, P1, turn.

Row 5: Sl 1, K8, ssk, K1, turn.

Row 6: Sl 1, P9, P2tog, P1, turn.

Next row: K6, pm for beg of rnd.

Heel Gusset

Rnd 85: K6, pick up and K7 sts along side of heel flap, work 15 sts of next row of Cable Panel B, K16, work 15 sts of next row of Cable Panel B, pick up and K7 sts along side of heel flap, K6.

Rnd 86: Dec rnd: K to 3 sts before cable panel, K2tog, K1, work 15 sts of Cable Panel B, K16, work 15 sts of Cable Panel B, K1, ssk, K to end.

Rnd 87: Work even in patt as est.

Rep the Dec Rnd EOR to 62 sts.

Foot

Work even in patt as est until foot meas 6" from row of picked up sts along heel flap, ending after an even-numbered rnd.

Next rnd: M1, work in pattern to end - 63 sts.

Shape Toe

Dec as foll, changing to dpns as needed:

Rnd 1: (K7, K2tog) 7 times - 56 sts.

Rnd 2, 4, 6, 8: K.

Rnd 3: (K6, K2tog) 7 times - 49 sts.

Rnd 5: (K5, K2tog) 7 times - 42 sts.

Rnd 7: (K4, K2tog) 7 times - 35 sts.

Rnd 9: (K3, K2tog) 7 times - 28sts.

Rnd 10: (K2, K2tog) 7 times - 21 sts.

Rnd 11: (K1, K2tog) 7 times - 14 sts.

Rnd 12: (K2tog) 7 times - 7 sts.

Cut yarn leaving a 6" tail. Gather off and secure.

FINISHING

With crochet hook, work a chain 5" long. Loop through fold at top of stocking. Knot in place between stocking and border. Weave in all ends. Block.

PROJECT 29B: HIS

With larger circular ndl, CO very loosely 77 sts. Being careful not to twist, join into round, pm for beg of rnd. Purl 1 rnd. Change to smaller circular ndl, work Border Pattern C for 16 rnds.

Turning Rnds

Next Rnd: K1, rotate work on ndl so that WS of work faces outside of tube and yarn is attached to first st on LH ndl point, sl 1, slm. **Next Rnd:** K23, K2tog, (K24, K2tog) twice - 74 sts. Knit 1 rnd.

Body of Stocking

Substituting Cable Panel D, follow directions for HER'S beg at **.

Designed exclusively by Georgia Druen for Knit 'N Style.



Chart(s) for Project 29 can be found on page 133.

30 Bubblegum Baby Set

Continued from page 71



SIZES

- Sweater is sized to fit a Baby of 9 (18, 36) months.

FINISHED MEASUREMENTS

- Chest 24 (26, 28)"
- Length 12 (14, 16)"

MATERIALS

- 1 (2, 2) 100g (170 yd) skeins **Lion Brand Vanna's Choice** (100% acrylic) color #108 Dusty Rose (A)
- 1 (2, 2) 100g (170 yd) skeins **Lion Brand Vanna's Choice** (100% acrylic) color #170 Pea Green (B)
- 1 (2, 2) 100g (170 yd) skeins **Lion Brand Vanna's Choice** (100% acrylic) color #174 Olive (C)
- Size 9 US (5.5mm) needles OR SIZE TO OBTAIN GAUGE
- yarn needle, stitch holders, (4) $\frac{1}{4}$ " buttons

GAUGE

- 16 sts \times 22 rows = 4" in Garter st
TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

DESIGNER NOTES

- Sweater is constructed in one piece from Back hem edge, up over the shoulders at the neck and then separately for each Front.

STRIPE SEQUENCE

Rows 1-2: K 2 rows with A.

Rows 3-4: K 2 rows with B.

Rows 5-6: K 2 rows with C.

Rep Rows 1-6 for the Stripe pattern.

PROJECT 30A: HAT

With A, CO 60 (66, 70) sts. Work in Stripe Pattern until piece meas 6 $\frac{1}{2}$ (7 $\frac{1}{2}$, 8) $\frac{1}{2}$ " from CO.



Next Row: K2tog across row - 30 (33, 35) sts.

Next Row: Knit.

Next Row: K2tog across, end K0 (1, 1) - 15 (17, 18) sts.

Cut yarn leaving 12" tail. Thread tail into large-eyed blunt needle and thread through rem sts, pull tightly to secure.

FINISHING

Sew seam. Weave in ends.

PROJECT 30B: SWEATER

BACK

With A, CO 45 (49, 53) sts. Work in Stripe Pattern until piece meas 4 (4 $\frac{1}{2}$, 5) $\frac{1}{2}$ " from CO, end with WSR.

Shape Sleeves

Inc 1 st at each end of every RSR 18 (20, 22) times - 81 (89, 97) sts. Piece should measure approx 9 (10, 11) $\frac{1}{2}$ " from CO.

Shape Cuffs

CO 8 (8, 10) sts at end of next 2 rows - 97 (105, 117) sts. Work even in Garter st and Stripe pattern for 3 (4, 5)", end after WSR.

Shape Back Neck

Next Row (RS): K40 (44, 49) sts and slip

them onto a holder for Right Front. BO next 17 (19, 19) sts and K rem 40 (44, 49) sts for Left Front.

LEFT FRONT

Work even in Garter st for next 4 rows. Inc 1 st at neck edge on every RSR 3 (3, 4) times - 43 (47, 53) sts. **Next Row:** CO 2 sts at neck edge - 45 (49, 55) sts. Work even for 1 row. **Next Row:** CO 6 sts at neck edge - 51 (55, 61) sts. Work even until cuff meas 6 (7, 8)". BO 8 (8, 10) cuff sts - 43 (47, 51) sts. Dec 1 st at side edge on every RSR 18 (20, 22) times - 25 (27, 29) sts. Work even until Left Front is same length as Back. BO all sts.

Place Buttons


Mark for first button about $\frac{1}{2}$ " below neck edge and last button about $\frac{1}{2}$ " above lower edge. Evenly space rem buttons between first and last.

RIGHT FRONT

Rejoin yarn to Right Front sts at neck edge. Work as for Left Front, rev all shaping and working buttonholes (opposite buttons) as foll: K to last 4 sts of row, work (K2tog, yo, yo) for buttonhole, K2 (Front opening edge).

FINISHING

Sew side and underarm seams. Fold cuff back. Sew on buttons. Weave in ends.



31 Snowflake Sweater

Continued from page 72

DESIGNER NOTES

- Pullover is worked in St st in the round (knit every round).

BODY

With MC and circular ndls, CO 98 (112, 126) sts. PM and join for working in the round, being careful not to twist sts. **Rnd 1:** *K1, P1; rep from * to end. Cont in patt as set until piece meas 1 $\frac{1}{2}$ " from CO. **Next rnd:** *K14, inc 1; rep from * to end - 112 (126, 140) sts. **Next rnd:** Knit. Cont in St st until piece meas



SIZES

- Pullover is sized to fit Toddler's 2T-4T (4T-5T, 6X).

FINISHED MEASUREMENTS

- Chest 22 $\frac{1}{2}$ (25, 28)"
- Length 10 $\frac{1}{2}$ (11, 13 $\frac{1}{2}$)"
- Upper Arm 8 $\frac{1}{2}$ (11 $\frac{1}{2}$, 14)"

MATERIALS

- 1, 450 yd skein **Farmhouse Yarns Bo Peep** *Not Just for Socks* (75% Merino, 25% Nylon) color Poppy (small) or Shamrock (medium/large) (MC)

- 1, 100 yd skein **Farmhouse Yarns Trixie's Loopy Mohair** (90% Kid Mohair, 10% Nylon) (CC) color Natural
- Size 4 US (3.5mm) 24" circular needles OR SIZE TO OBTAIN GAUGE
- 1 set Size 4 US (3.5mm) double pointed needles OR SIZE TO OBTAIN GAUGE
- (3) 3" stitch holders, (1) large stitch holder, yarn needle for weaving in ends, (2) stitch markers

GAUGE

• 20 sts \times 28 rows = 4" in St st

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.



5 (5, 7)" from CO.

Beg Snowflake Pattern

Size Small Only: Work Rnd 1 of Snowflake Chart, rep 14-st chart 8 times across round. Cont with chart, working through Round 14 once - piece meas 7" from CO.

Size Medium (Large): Work Rnd 1 of Checker Band Chart, rep 14-st chart 9 (10) times across round. Cont with chart, working through Round 3 once. With MC, knit 2 rnds.

Next rnd: Work Rnd 1 of Snowflake Chart, rep 14-st chart 9 (10) times across rnd. Cont with chart, working through Rnd 14 once. With MC, knit 2 rnds. Work Rnds 1-3 of Checker Band Chart as above. With MC, knit 1 rnd - piece meas 8 1/2 (10)" from CO.

Divide Front & Back

Next rnd: K56 (63, 70) sts. Place these sts on large stitch holder for Front.

BACK

Working back and forth in rows on ndl over rem 56 (63, 70) sts, knit 1 RSR. Purl 1 row. Cont in St st until piece meas 11 1/2 (13 1/2, 15 1/2)" from CO, end after WSR. **Next row (RS):** K18 (21, 23) sts, BO center 20 (21, 24) sts, and knit rem 18 (21, 23) sts. Place first 18 (21, 23) sts on one small stitch holder and second 18 (21, 23) sts on second small stitch holder for shoulders.

FRONT

SI stitches from stitch holder onto working ndl. With WS facing, join yarn and purl 1 row. Working back and forth in rows, cont in

St st until piece meas 9 (11, 13)" from CO, end after WSR.

Shape neck

Next row (RS): K21 (24, 27) sts, attach new ball of yarn and BO center 14 (15, 16) sts, and knit rem 21 (24, 27) sts. **Right Shoulder (WS):** Purl 1 row. **Next row (RS):** SK, knit to end 1 st dec'd. Purl 1 row. Rep these 2 rows 2 (2, 3) more times. Place rem 18 (21, 23) sts on small stitch holder. **Left Shoulder:** Work as for Right Shoulder rev all shapings.

Join shoulders

Using 3-needle Bind Off method, join Front to Back at shoulders.

SLEEVES

With MC and dpns, beg at underarm, pick up and K42 (56, 70) sts around armhole. Divide sts evenly across 3 needles. PM and knit 1 round.

Size Small Only: Work Rnd 1 of Snowflake Chart, rep 14-st chart 3 times across rnd. Cont with chart, working through Rnd 14 once - piece meas 2" from pickup.

Size Medium (Large): Work Rnd 1 of Checker Band Chart, rep 14-st chart 4 (5) times across rnd. Cont with chart, working through Rnd 3 once. With MC, knit 2 rnds. **Next rnd:** Work Rnd 1 of Snowflake Chart, rep 14-st chart 4 (5) times across rnd. Cont with chart, working through Rnd 14 once. With MC, knit 2 rnds. Work Rnds 1-3 of Checker Band Chart

as above. With MC, knit 1 rnd - piece meas 3 1/2" from pick up.

Shape sleeve

Dec round: K2tog, knit to 2 sts before marker, SSK. Knit 2 rnds. Rep these 3 rnds 6 (7, 12) more times - 28 (40, 44) sts rem.


Shape sleeve cuff

Next rnd: Dec 2 (10, 10) sts evenly around - 26 (30, 34) sts rem. **Next rnd:** *K1, P1; rep from * to end. Cont in patt as est until piece meas 6 1/2 (8 1/2, 10 1/2)" from pick up. BO loosely in patt.


NECK BAND

With MC and circular ndls, beg at a Left Shoulder seam, pick up and K52 (62, 72) sts evenly around Neck Edge. **Rnd 1:** *K2, P2; rep from * across rnd, end K0 (2, 0). BO loosely in patt. Weave in all ends.

Designed by Carol Martin exclusively for Farmhouse Yarns.



SNOWFLAKE CHART



CHECKER BAND CHART



32 Bobble & Lace Trim Pullover

Continued from page 73

STITCH GLOSSARY

MB (make bobble) K1, yo, K1, yo, K1 in next st; turn. P5, turn. K5, pass 2nd, 3rd, 4th and 5th sts over first st, thus completing bobble.

BACK

With smaller ndls, CO 73 (89, 97, 105, 113) sts. **Row 1 (WS):** K4, MB, *K7, MB; rep from



SIZES

• Sweater is sized to fit Children's 6 month (12 month, 1-2 yr, 3-4 yr, 5-6 yr).

FINISHED MEASUREMENTS

• Chest 19 (23 1/2, 26, 28, 30")

• Length 11 (12, 14, 14 1/2, 15 1/2")

• Upper Arm 10 (10 1/2, 11 1/2, 12 1/2, 14")

MATERIALS

• 2 (2, 3, 3, 4) 100g (238 yd) balls James

Brett / S. R. Kertzer Marble (100% acrylic) color #05

- Size 4 US (3.50mm) needles
- Size 6 US (4.00mm) needles OR SIZE TO OBTAIN GAUGE
- small stitch holders

GAUGE

- 22 sts x 30 rows = 4" in St st with larger needles

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.



FRONT

Work as for Back until piece meas 8½ (9½, 11½, 12, 13) from CO, end after RSR.

Shape Neck and Shoulders

Next row (RS): Work 20 (25, 27, 30, 32) sts, place center 13 (15, 17, 17, 19) sts on a stitch holder, join a 2nd ball of yarn and work to end of row. Working both sides at once, dec 1 st at each neck edge every row 5 times - 15 (20, 22, 25, 27) sts. Cont even until armhole meas same as Back to shoulder. BO rem sts each side for shoulder.

SLEEVES

With smaller ndls, CO 30 (34, 34, 38, 38) sts. Work 7 rows in Garter st (knit every row), noting the first row is a WSR and inc 6 sts evenly across last row - 36 (40, 40, 44, 44) sts.

Establish Main Pattern

Change to larger ndls and beg main patt as foll:

Rows 1, 3, 5 and 7 (RS): Knit.

Rows 2, 4 and 6: Purl.

Row 8: Knit.

Rep rows 1-8 for main pattern st, *WHILE AT THE SAME TIME*, inc 1 st at each end of 5th and every foll 4 (6, 6, 6, 4) rows 8 (8, 11, 12, 15) times - 54 (58, 64, 70, 76) sts.

Continue even until piece meas 6½ (8, 10, 11½, 13) from CO, end after RSR. BO all sts.

Establish Main Pattern

Change to larger ndls and beg main patt as foll:

Rows 1, 3, 5 and 7 (RS): Knit.

Rows 2, 4 and 6: Purl.

Row 8: Knit.

Rep rows 1-8 until piece meas 11 (12, 14, 14½, 15½) from beg of main pattern, end with RS facing.

Shape Neck and Shoulder


BO 15 (20, 22, 25, 27) sts, K23 (25, 27, 27, 29), BO 15 (20, 22, 25, 27) sts. Leave rem sts on stitch holder.

(74, 78, 78, 82) sts. Work 5 rows in Garter st. BO all sts kwise.

Assembly

Sew left shoulder and neckband seams. PMs on Front and Back side edges 5 (5½, 5½, 6½, 7) down from shoulder seams. Sew sleeves in position between markers. Sew side and sleeve seams. Weave in all ends.

Designed by Sandi Prosser exclusively for S.R. Kertzer.



* to last 4 sts, K4. Row 2: Knit. Row 3: K1, yo, K2, ssk, *K2, yo, K1, yo, K2, ssk; rep from * to last 3 sts, K2, yo, K1. **Row 4:** Knit. Rep rows 3 and 4 twice more. **Next row (WS):** K1, K2tog, ssk, *K5, ssk; rep from * to last 3 sts, K2tog, K1 - 53 (65, 71, 77, 83) sts.

Establish Main Pattern

Change to larger ndls and beg main patt as foll:

Rows 1, 3, 5 and 7 (RS): Knit.

Rows 2, 4 and 6: Purl.

Row 8: Knit.

Rep rows 1-8 until piece meas 11 (12, 14, 14½, 15½) from beg of main pattern, end with RS facing.

Shape Neck and Shoulder

BO 15 (20, 22, 25, 27) sts, K23 (25, 27, 27, 29), BO 15 (20, 22, 25, 27) sts. Leave rem sts on stitch holder.

33 Cabled Petal Scarf

Continued from page 74



FINISHED MEASUREMENTS

• 9" wide x 75" long

MATERIALS

• 2, 170g (312 yd) skeins TLC / Coats & Clark Essentials (100% acrylic) color #2332 Linen

• Size 9 US (5.5mm) needles OR SIZE TO OBTAIN GAUGE

• yarn needle

GAUGE

• 23 sts x 22 rows = 4" in pattern

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

STITCH GLOSSARY

Make Petal (MP): Row 1 (RS): Into the same st, kf&b 3 times and knit into front one more



time. Sl st off LH needle - [7 sts made in one st]. **Row 2: P7. Row 3: K7:** with LH ndl, lift 1st, 2nd, 3rd, 4th, 5th, and 6th st over 7th st - [1 st rem].

SCARF

CO 6; MP in first cast on stitch, CO 7 sts; *MP

in next cast on st, CO 7; rep from * 3 more times; MP in last cast on stitch, CO 1 st - [42 sts].

Next row (WS): K3, M1, P14, K2, M1, P4, M1, K2, P14, M1, K3 - [46 sts].

Establish Pattern

Next row: Work Row 1 of pattern chart.

Cont chart working Rows 2-12. Rep these 11 rows until piece meas 75", end after a WSR.

Bind Off Row

BO 1 st, [MP in stitch on RH ndl, BO 7 sts] 7 times, K2. BO rem sts. Weave in all ends.

Designed by Lisa Gentry exclusively for Coats & Clark.

Chart(s) for Project 33 can be found on page 132.

34 WaffleScarf

Continued from page 75



FINISHED MEASUREMENTS

- 13" wide x 50" long

MATERIALS

- 1, 100g (374 yd) skein **Wagtail Yarns 7-Ply Kid Mohair** (100% kid mohair) color Bronze
- Size 6 US (4.25mm) needles OR SIZE TO OBTAIN GAUGE
- Size 13 US (9mm) needles

ADDITIONAL SUPPLIES

- Size C/3 US (3.25mm) crochet hook
- Optional Embellishment: (20) $\frac{1}{2}$ " buttons, sewing needle and thread, scissors

GAUGE

- 12 sts x 16 rows = 4" in Garter st on smaller needles

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

SCARF

With smaller ndl, CO 40 sts.

Rows 1-12: With smaller ndl, knit 12 rows.

Rows 12-18: Change to larger ndl, knit 6 rows.



Rows 19-198: Rep Rows 1-18 eleven more times.

Rows 199-210: Rep Rows 1-12 once more.

BO all sts loosely.

FINISHING

Weave in ends.

Optional Embellishment

Button Loops

With crochet hook, working along bind off edge, *sc into 1st stitch, ch3, skip 1 st, sc in next 2 st. Rep from * across. Fasten off.

Attach Buttons

With RS facing and sewing needle and thread, line up and sew ten buttons across from each of the ten button loops. With RS facing, and sewing needle and thread, line up and sew ten buttons adjacent to each of the ten button loops.

STYLING OPTIONS

- Lay flat around neck for traditional scarf. Buttons are only adornment.
- Making sure not to twist scarf, attach buttons to button holes with both right sides facing. You will have a loop. Wrap the loop around your neck twice for a fluffy, warm cowl.
- Attach buttons to button loops, with both RS facing, after twisting one side of scarf a whole revolution. This will make a tighter loop, and can be worn as a moebius: wrapped around your neck under your coat, or worn around your head and over your chest.

Designed by Kristin Omdahl exclusively for Wagtail Yarns.

35 Cable Me Red

Continued from page 76



FINISHED MEASUREMENTS

- Scarf approx 4 $\frac{1}{2}$ " wide x 72" long
- Hat approx 10" dia at band X 11" tall

MATERIALS

- 6, 50g (110 yd) balls **The Alpaca Yarn Co Classic Alpaca** (100% alpaca) color #2055
- Size 5 US (3.75mm) 24" circular needles OR SIZE TO OBTAIN GAUGE
- 1 set Size 5 US (3.75mm) double pointed needles OR SIZE TO OBTAIN GAUGE
- cable needle, yarn needle, stitch markers

GAUGE

- 23 sts x 28 rows = 4" in St St

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.



PROJECT 35A: HAT

Hat Band

With circular ndls, CO 30 sts. Work Row 1 of Hat Cable Chart (RS). Work Rows 2-20 of Hat Cable Chart. Rep Rows 1-20 6 more times. [Band should meas 20"]. BO all sts. Graft BO edge to CO edge to form hatband.

Hat Body

With circ ndls, pick up and K75 sts evenly around band. PM to indicate beg of rnd. **Inc Rnd:** *K1, M1; rep from * to end of rnd - 150 sts. Work even in St st until piece meas 5" from pick up. **Next rnd:** *K25, pm; rep from * 4 times; end K25.

Shape Crown

Dec Rnd: *K2tog, knit to 2 sts before m, SSK, slm; rep from * to end of rnd - 12 sts dec'd. **Next Rnd:** Knit. Rep these 2 rnds 10 more times, changing to dpns when necessary - 18 sts rem. **Next rnd:** *K2tog; rep from * to end - 9 sts rem.

Fasten Off

Cut yarn leaving an 8" tail. Thread yarn needle and pull tail through rem 9 sts. Weave in ends.

PROJECT 35B: SCARF

With circular ndls, CO 42 sts. Work Row 1 of Scarf Cable Chart (RS). Work Rows 2-20 of Scarf Cable Chart. Rep Rows 1-20 24 more times. Work Rows 1-9 of Scarf Cable Chart once more. BO in pattern. Weave in ends.

FINISHING

BO in pattern. Weave in all ends.

Designed by Rebekah Blankenship exclusively for Knit 'N Style.

Chart(s) for Project 35 can be found on page 134.

DESIGNER NOTE

- Scarf can be folded in half and ends pulled through the loop. For a jaunty look, the modified artist tam should be bloused to the front or to the side.
- The scarf can be lengthened or shortened, if desired, by stopping at any point, ending with Row 9 or Row 20.
- Work the hat band first, grafting the finished ends together. Continue by picking up stitches along the selvedge edge and following pattern from there.



FINISHED MEASUREMENTS

- Width at top 5 1/2"
- Width at bottom 8"
- Depth when closed 6"
- Handle length 38 1/2"

MATERIALS

- 1, 50g (390 yd) skein **Twisted Sisters Zazu** (100% fine merino) color Black (A)
- 1, 50g (102 yd) skein **Twisted Sisters Oasis** (68% rayon, 32% cotton boucle) color HP 47 (B)
- 1 bag **Twisted Sisters Beads** item TS-558AB.02
- Size 10.5 US (6.5mm) needles OR SIZE TO OBTAIN GAUGE

ADDITIONAL SUPPLIES

- Size H US crochet hook, stitch holders, waste yarn, 1 size 10.5 US (6.5 mm) needle (to work 3-Needle BO)

GAUGE

- 16 sts x 20 rows = 4" in St St, holding 1 strand tog of A & B tog (unfeltd)

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

PREPARATION


Wind *Zazu* into two balls of approx. ½ and ¾ of the skein. Transfer one strand of beads onto smaller ball. When pattern calls for two stands of yarn A, use one strand from each ball.

TRANSFERRING BEADS

To transfer pre-strung beads onto yarn, carefully pull one end of thread from hank of beads. Tie it with an overhand knot to the yarn. Slide beads gently, but firmly on to yarn. If you run into a bead that will not transfer over the knit, untie, remove the bead, retie and continue.

CROCHETED PROVISIONAL CAST ON

With smooth waste yarn, make a slip knot and place it on crochet hook. Place hook perpendicular to needle, with working yarn coming up from underneath the needle. *Yarnover hook, pull yarn through loop on hook creating one cast on st on needle, bring yarn between needle and hook and back under needle; rep from * until there are the correct number of sts on the needle. Crochet several more chains with waste yarn and fasten off. Begin to knit Provisional Cast On sts on the needle as directed with garment yarn. When it is time to remove waste yarn, unzip chain by undoing last chain, unravelling waste yarn, and picking up one stitch at a time.



STITCH GLOSSARY

W&T (wrap & turn) Pass yarn between needles (to front if you just knit a stitch, to back if you just purled). Sl next st to RH needle and move yarn (to back if you just knit a stitch, to front if you just purled). Turn work and sl st back to other rnd.

HAND BAG

With crochet hook and waste yarn, CO 75 sts using the crocheted provisional cast on method. With A doubled, K60, sl 15. Turn. Break strands of yarn A.

Establish pattern

With one strand of A (without beads) and one strand of B tog, beg patt: **Row 1 (RS):** K75. **Row 2:** P75.

Row 3: K60, W&T. **Row 4:** P30 sts, W&T. **Row 5:** K29 sts, W&T. **Row 6:** P29 sts, W&T. **Row 7:** K45, picking up wraps and knitting them tog with wrapped st. **Row 8:** P75, picking up wraps and knitting them tog with wrapped st. Break B. Join second strand of yarn A. With A doubled, work 3 rows garter st. **Next row (WS):** K1, *sl 1 bead close to needle, K1 (bead should rem on running thread between 2 sts), K1, rep from * to end of row. Work 2 rows garter st. Rep these 14 rows 4 more times. Work Rows 1-8 one more time. Knit 1 row. **Next row (WS):** K60 sts, sl rem 15 sts onto stitch holder.

FINISHING

Join Side Seams

With RS facing, arrange rem 60 sts (30 each on two needles) with points of needles at bottom (widest area) of bag. Join using 3-Needle BO method, so that seam rests on outside of bag. Do not fasten off last st. Add this st to 15 sts on stitch holder. [16 sts on stitch holder]. Remove waste yarn from provisional cast on and place 15 live sts from CO edge on second stitch holder. Join rem 60 sts using 3-Needle

BO method, as for other side of bag, placing last st on stitch holder, as for first seam. [16 sts on each stitch holder].

Flap

Holding purse with RS of Back facing and edge up, sl 16 sts from stitch holder onto working needle, pick up and K36 sts across top edge of flap with A doubled, and breaking yarn, sl 16 sts from second stitch holder onto working needle. [68 sts]. Rejoin A doubled at beg of row and K68 (WS). Knit 1 more row. **Next row:** K1, *sl 1 bead and K1, K1; rep from * to last st, K1. Work 3 rows Garter st.

Flap Edging

Holding purse with WS of Back facing, *slip crochet hook under the horizontal yarn that occurs when you knitted the sts at beg of Flap. Slip hook through first st on needle, yarnover hook, and draw yarn through loops on hook; rep from * until all sts are bound off.

Front Edging

Holding purse with RS of Front facing and A doubled, pick up and K36 sts. Work 2 rows in Garter st. **Next row (WS):** *Slip crochet hook under horizontal yarn that occurs when you knitted the stitches at beg of edging. Yarnover, pull hook under horizontal yarn, insert hook into first st on needle, yarnover, pull hook out of st, and yarnover, pull hook through loops on needle. Rep from * until all stitches are bound off.

Handle

Turning bag inside out. With 2 strands of A and 1 strand of B, beg 1" below opening edge of bag, pick up and K6 sts from inside of bag (along line created by 3-Needle BO), CO 200 sts, and pick up and K6 sts at same point on opposite side of bag. Turn and BO all sts. **Note:** When binding off first 6 and last 6 sts that are attached to bag, insert needle point through stitch in bag next to st used to pick up first row and pull yarn through this loop as well as st on needle when creating new st so that handle is firmly attached to the bag.

FELTING

Weave in all ends. Adjust all beads so that they are sitting on RS of work and properly placed. Place bag in mesh laundry bag and machine wash in hot water with small amount of soap. It works well to wash with a couple of old t-shirts in the machine but be aware that a small amount of dye may come off in washing and stain other garments. Remove and shape bag, lay out to dry. **Twisted Sisters** do not recommend drying in the dryer as it may damage the beads.

37 Cables & Color

Continued from page 78

PROJECT 37A: CABLES



FINISHED MEASUREMENTS

- approx 10" wide x 9" high

MATERIALS

- 2, 100g (166 yds) balls **Moda Dea / Coats & Clark Washable Wool** (100% Merino wool superwash) color #4413 Ivory
- Size 11 US (8mm) needles OR SIZE TO OBTAIN GAUGE
- 1 sheet **Leisure Arts Exclusively You Mock Croc**, item 28303, color Smooth Tan
- Pair 13" double purse handles **Leisure Arts Exclusively You Mock Croc**, item 28329, color Smooth Tan
- yarn needle, sewing thread & needle, $\frac{1}{4}$ yard lining fabric

GAUGE

- 16 sts x 18 rows = 4" in pattern

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

DESIGNER NOTES

- Handbag is worked holding 2 strands of yarn together as one throughout the project.



STITCH GLOSSARY

T4B (Twist 4 Back) - sl 2 sts to cn, hold in back, K2, P2 from cn.

T4F (Twist 4 Front) - sl 2 sts to cn, hold in front, P2, K2 from cn.

C4F (Cable 4 Front) - sl 2 sts to cn, hold in front, K2, K2 from cn.

FRONT

With 2 strands of yarn held tog, CO 50 sts.

Row 1: P3, K4, *P4, K4; rep from * to last 3

sts, P3. **Rows 2, 4:** K3, P4, *K4, P4; rep from *

to last 3 sts, K3. **Row 3:** P3, C4B, *P4, C4B;

rep from * to last 3 sts, P3. **Rows 5-8:** Rep

Rows 1-4. **Row 9:** P1, *T4B, T4F; rep from *

to last st, P1. **Row 10:** K1, P2, K4, *P4, K4;

rep from * to last 3 sts, P2, K1. **Row 11:** P1,

K2, P4, *C4F, P4; rep from * to last 3 sts, K2, P1. **Row 12:** Rep Row 10. **Row 13:** P1, *T4F, T4B; rep from * to last st, P1. **Rows 14-15:** Rep Rows 2 and 3. **Row 16:** Rep Row 2. Rep Rows 1-16, then rep Rows 1-4 once more. BO all sts loosely in pattern.

BACK

Work as Front.

FINISHING

With yarn and yarn needle, sew Front to Back at bottom seam.

Handbag Lining

Open knitted fabric and position on lining fabric. With dress makers chalk, trace around knitted fabric. Add $\frac{1}{4}$ " seam allowance outside tracing and cut out lining. With WS tog and sewing needle and thread to match fabric lining, stitch lining to knitted fabric, turning raw edge under $\frac{1}{4}$ ". With yarn and yarn needle, sew side seams.

Leather Trim

Cut two 1" wide x 21" long strips of Mock Croc from sheet. Weave each strip through cable pattern at top edge of purse using photo as guide. Sew or glue ends together.

Attach Handles

Sew handles to inside of bag approx 4" from center.

Designed by Lisa Gentry exclusively for **Coats & Clark**.

PROJECT 37B: COLORS



FINISHED MEASUREMENTS

- approx 11 $\frac{1}{4}$ " wide x 12" high

MATERIALS

- 1, 140g (256 yds) skein **Red Heart / Coats & Clark Soft Yarn** (100% acrylic) color #9114 Honey (A)
- 1, 140g (256 yds) skein **Red Heart / Coats & Clark Soft Yarn** (100% acrylic) color #4422 Tangerine (B)
- 1, 140g (256 yds) skein **Red Heart / Coats & Clark Soft Yarn** (100% acrylic) color #9344 Chocolate (C)
- 1, 140g (256 yds) skein **Red Heart / Coats & Clark Soft Yarn** (100% acrylic) color #9275 Paprika (D)
- 1, 140g (256 yds) skein **Red Heart / Coats & Clark Soft Yarn** (100% acrylic) color #9533 Leaf (E)
- 1, 140g (256 yds) skein **Red Heart / Coats & Clark Soft Yarn** (100% acrylic) color #1882 Toast (F)
- Size 8 US (5mm) needles OR SIZE TO OBTAIN GAUGE
- 2 purse handles **UMX item Hw-AT22**, color Red
- Size G crochet hook, yarn needle

GAUGE

- 19 sts x 22 rows = 4" in St st

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.



DESIGNER NOTES

- Front and Back are worked as one piece.

BAG

With A, CO 109 sts. Beg St st and work 2 rows with A. **Next row:** Beg Row 1 of color chart. Rep Rows 1 - 36 for color pattern until piece meas approx 12 $\frac{1}{2}$ " from CO, end after WSR. With A, cont in St st for 2 rows. BO all sts loosely.

HANDLE TABS

With B, CO 7 sts. Beg St st and work until

piece measures 4". BO all sts loosely. Make 3 more tabs.

FINISHING

With RS facing, yarn needle and A, seam selvedges. Align seam in center back or at one side. Seam bottom edge.

Edging

With crochet hook, join A at side seam and work 1 rnd sc. Work 1 rnd rev sc (crab st). Fasten off. Weave in all yarn ends.

Attach Purse Handles

Position a knitted handle tab 1 $\frac{1}{2}$ " from side seam with RS of tab inside bag approx $\frac{1}{2}$ " below crocheted edging. Stitch in place with B and yarn needle. Rep for remaining 3 tabs. Slide free end of secured tab into handle slot so that WS of tab ends face. Stitch to secured end of tab. Rep for remaining 3 tabs.

Designed by Lisa Gentry exclusively for **Coats & Clark**.

Chart(s) for Project 37B can be found on page 133.

38 Icicle Hat & Warmers

Continued from page 79



FINISHED MEASUREMENTS

- Hat circumference: 21"
- Warmers length: 8"
- MATERIALS**
 - 2, 50g (38 yd) skeins Plymouth Yarn Sensation (80% rayon, 20% wool) color #3300 White (MC)
 - 1, 50g (190 yd) ball Plymouth Yarn Flash (100% nylon) color #900 White (CC)
 - Size 7 (4.5mm) double-pointed OR SIZE TO OBTAIN GAUGE
 - Size 7 (4.5mm) 16" circular needles OR SIZE TO OBTAIN GAUGE
 - stitch markers
- GAUGE**
 - 10 sts x 18 rows = 3" in St st with MC

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.



DESIGNER NOTES

- Contrasting yarn is worked with 2 strands held tog throughout entire garment.

1X1 RIB (worked in the rnd)

All rnds: *K1, P1; rep from * around.

PROJECT 38A: HAT

With 2 strands of CC held tog, CO 140 sts. Join in the rnd without twisting, pm between first and last st. Work even in 1x1 Rib for 1". **Next rnd:** K2tog around - 70 sts. Change to MC. Work even in Rev St st until hat meas 8" from CO, dec 1 st on last rnd - 69 sts. BO all sts.

Shape Crown

PM in sts #23, 46, and 69. Bring markers tog at top of hat. Sew 2 bound-off sts at each marker tog at this point to form 3

'loops'. Long edges of loops are left open (see Figure 1).

PROJECT 38B: WARMERS

With dpn and MC, CO 26 sts. Join in the rnd without twisting, pm between first and last st. Work even in Tx1 Rib for 3 rnds. Change to Rev St st and work even for 3 rnds.

Shape Thumb Opening

Work back and forth in rows from this point. Work in Rev St st for 6 rows, inc 1 st at each end of final row. Join and work in rnds from this point. Work even until warmer meas 8" from CO. Change to CC.

Edging

Next rnd: With 2 strands held tog, kf&b of each st - 52 sts. Work even in Rev St st for 4 rnds. BO all sts loosely. Weave in all ends.

Designed by Diane Zangl exclusively for Knit 'N Style.



Figure 1

39 Peppermint Twist Socks

Continued from page 80



SIZES

- Socks are sized to average adult Woman's foot.

MATERIALS

- 1, 100g (465 yd) ball South West Trading Co Tofutseis (50% superwash wool, 25% SOYSLIK®, 22.5% Cotton, 2.5% Chitin) color #731
- 2, Size 2 US (2.75mm) 16" circular needles OR SIZE TO OBTAIN GAUGE
- stitch marker, yarn needle, cable needle

GAUGE

- 32 sts x 44 rows = 4" in Peppermint Twist Pattern Chart

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.



Pattern Chart, working sts 1-32 twice through across rnd. Work Rnds 2-26 of Chart. Rep Rnds 1-26 once. Work rounds 1-19 once more.

HEEL

The heel flap is worked back and forth on the 32 sts on Ndl 1; rem sts on Ndl 2 are held to work for instep.

Row 1: *SI1, K1; rep from * to end.

Row 2 (WS): SI1, purl to last st, K1.

Row 3: SI1, *SI1, K1; rep from * to last 2 sts; K2.

Row 4: SI1, purl to last st, K1.

Rep Rows 1-4, 7 more times. [32 rows worked for heel flap].

Turn Heel

Row 1: K18, SSK, K1, Turn.

Row 2: SI1, P5, P2tog, P1, Turn.

Row 3: SI1, K6, SSK, K1, Turn.

Row 4: SI1, P7, P2tog, P1, Turn.

Row 5: SI1, K8, SSK, K1, Turn.

Row 6: SI1, P9, P2tog, P1, Turn.

Row 7: SI1, K10, SSK, K1, Turn.

Row 8: SI1, P11, P2tog, P1, Turn.

Row 9: SI1, K12, SSK, K1, Turn.

Row 10: SI1, P13, P2tog, P1, Turn.

Row 11: SI1, K14, SSK, K1, Turn.

Row 12: SI1, P15, P2tog, P1, Turn.

Row 13: SI1, K16, SSK, Turn.

Row 14: SI1, P16, P2tog, Turn. [18 sts rem].

Heel Gusset

Ndl 1: Knit across 18 sts from heel turn and pick up and K17 sts along LH side of heel.

Ndl 2: Work across 32 instep sts in patt as est.

Ndl 1: Pick up and K17 sts down RH side of heel flap. Knit to end of Ndl 1.

Ndl 2: Work across sts in patt.

Shape Gusset

Dec Rnd: Ndl 1 - K1, ssk, work to last 3 sts; K2tog, K1. Ndl 2 - Work across 32 sts in patt as est.

Next Rnd: Ndl 1 - Knit; Ndl 2 - Work across 32 sts in patt as est. Rep last 2 rnds until 32 sts rem on Ndl 1 (32 sts on each ndl).

CUFF

CO 64 sts. Divide sts evenly on 2 circ needles (Ndl 1 = 32 sts, Ndl 2 = 32 sts). Join for working in the round, being careful not to twist sts. PM to indicate beg of rnd.

Leg Pattern

Rnd 1: Work Rnd 1 of Peppermint Twist

FOOT

Cont in patt as est, working sts on Ndl 1 in St st and sts on Ndl 2 in patt as est, until Foot meas 2" short of desired length.

TOE

Dec Rnd: *Ndl 1 - K1, SSK, knit to last 3 sts; K2tog, K1. Ndl 2 - K1, ssk, knit to last 3 sts; K2tog, K1. [4 sts dec'd]. Next Rnd: Ndl 1 - Knit; Ndl 2 - Knit.* Rep these 2 rnds until 32

sts rem, [16 each ndl]. Work Dec round every rnd until 20 sts rem, [10 each ndl].

FINISHING

Holding Ndl 1 and Ndl 2 parallel, sew stitches using Kitchener Stitch. Weave in ends.

Designed by Deby Lake exclusively for South West Trading Co.

Chart(s) for Project 39 can be found on page 134.

40 Big Cable Purse

Continued from page 81



FINISHED MEASUREMENTS

- Height: 9"
- Width: 12"
- Depth: 4"

MATERIALS

- 3, 85g (150 yd) skeins **Caron International Simply Soft Tweed** (98% acrylic, 2% rayon) color #0007 Autumn Red
- Size 11 US (6.5mm) needles OR SIZE TO OBTAIN GAUGE
- 2, Size 11 US (6.5mm) double pointed needles (for I-cord)
- cable needle, stitch markers

GAUGE

- Not important

DESIGNER NOTES

- Bag is worked holding 2 strands tog through piece.

SEED ST (worked over 5 sts)

Row 1: *K1, P1; rep from *, end P1.

Row 2: P1, *K1, P1; rep from *, end K1.

Rep Rows 1-2 for Seed st.

CABLE PANEL (12 st panel)

Row 1, 3, 7 (RS): P3, K6, P3.

Rows 2, 4, 6, 8: K3, P6, K3.

Row 5: P3, sl 3 sts to cn, hold in back, K3, K3 sts from cn, P3.

Rep Rows 1-8 for Cable.

MB Make Bobble (worked all in one st)

(K1, P1, K1, P1, K1) in same st - 5 sts, turn.

Row 1: Sl first st, P4.

Row 2: Sl 1, K4.

Rows 3-6: Rep Rows 1-2 twice more.

Row 7: K5.

Row 8: Sl first st over 2nd st, 2nd st over 3rd st, 3rd st over 4th st, 4th st over 5th st [1 st rem].



FRONT

Holding 2 strands tog, CO 39 sts

Row 1 (RS): *Work 5 Seed sts, pm, work Row 1 Cable Panel across 12 sts, pm; rep from *; work 5 Seed sts.

Row 2: *Work 5 seed sts, slm, work Row 2 Cable Panel, slm; rep from *; work 5 Seed sts, Rows 3 - 4: Cont as est for Seed st and Cable Panel.

Row 5: *Work 2 Seed sts, MB, work 2 Seed sts, slm, work Row 5 Cable Panel, slm; rep from *; work 2 Seed sts, MB, work 2 Seed sts.

Row 6 - 7: Rep Rows 2 and 1.

Row 8: Rep Row 2.

Rep Rows 1-8 until piece meas approx 9" from CO or until 5 rows of cable twists have been completed, end after a WSR.

Next row (RS): Purl for ridge.

Bag Bottom

Work 7 rows Seed st for base. **Next row (RS):** Purl for ridge. BO all sts.

BACK

Holding 2 strands tog, CO 39 sts. Work same as Front but do not bind off.

Flap

Work in Seed st for 13 rows, ending WSR.

Bobble Row 1: Next RSR: Work 12 Seed Sts,

MB, work 6 Seed sts, MB, work 6 Seed Sts, MB, work in Seed St to end. Work in Seed St for 3 rows.

Bobble Row 2: Next RSR: Work 15 Seed Sts, MB, work 7 Seed sts, MB, work in Seed St to end. Work in Seed St for 3 rows.

Bobble Row 3: Next RSR: Work 19 Seed Sts, MB, work in Seed St to end. Work in Seed St for 3 rows.

Work Bobble Row 2.

Work in Seed St for 3 rows.

Work Bobble Row 1.

Cont working even in Seed St until flap meas approx 7" from beg of Seed st flap. BO all sts loosely.

JOIN FRONT TO BACK

With RS facing, seam Front to Back at bottom edge.

SIDE PANELS

Holding 2 strands tog, with RS facing, pick up and K7 sts along Bag Bottom right selvedge. Beg Seed st and work until piece meas 9" or same length as Front. BO all sts. Rep for left side.

FINISHING

Set in side panels. Attach to Front and Back. Weave in all ends.

Tassels

Cut (80) 8" pieces of yarn. Fold all strands in half. Wrap "loop" end and secure tightly. Make 2 more tassels. Attach one tassel in each corner at bottom of bag. Attach one tassel in center of bag bottom (see photo for guidance).

Strap

Using 2 strands of yarn, cast on 5 sts. Work two 1.2" lengths (or desired finished length) of 5-st I-cord for strap. Sew both I-cords to right side panel. Twist both I-cords together and secure ends to left side panel, sewing in place.

Designed by Marilyn Losee exclusively for Caron International.

41 Rain Drops

Continued from page 82



FINISHED MEASUREMENTS

Before Felting

- Height 24"
- Width 16 1/2"
- Depth 6 1/2"

After Felting

- Height 12 1/2"
- Width 11 3/8"
- Depth 4 1/4"

MATERIALS

- 3, 100g (220 yd) balls **Universal Yarn** Deluxe Worsted LP (100% wool) color #05
- Size 10.5 US (6.5mm) 29" circular needles OR SIZE TO OBTAIN GAUGE
- 1 set Size 10.5 US (6.5mm) double pointed needles OR SIZE TO OBTAIN GAUGE
- yarn needle, row counter
- GAUGE**
- 16 sts = 4" in St St; GAUGE IS NOT IMPORTANT.

HANDBAG

Bag Bottom

CO 40 sts on circular ndls. Working back and forth in rows, beg St st. Cont even for 30 rows, end after WSR.

Bag Sides

Next row (RS): K40 sts, pick up and K15 sts across short edge, pick up and K40 cast on sts, pick up and K15 sts across short edge - 110 sts. Join into rnd and PM to indicate beg of rnd. Work 110 rnds as foll:

Rnd 1-89: K.

Rnd 90 (RS): K10 sts, BO 20 sts, K35 sts, BO 20 sts, K25 sts.

Rnd 91: K10 sts, CO 20 sts, K35 sts, CO 20 sts, K25 sts.

Rnd 92-110: K.

BO all sts.



EMBELLISHMENTS (RAINDROPS)

Make 3 different size raindrops: Large (make 4), Medium (make 6), Small (make 16).

With dpns, CO 7 sts. Join into rnd being careful not to twist sts. Distribute sts as foll: ndl 1 = 3 sts, ndl 2 = 2 sts, ndl 3 = 2 sts. PM to indicate beg of rnd.

Rnd 1: K.

Rnd 2: (K1, M1) 7 times (ndl 1 = 6 sts, ndl 2 = 4 sts, ndl 3 = 4 sts).

Rnd 3 and all odd rnds: K.

Rnd 4: (K1, M1, K1) 7 times (ndl 1 = 9 sts, ndl 2 = 6 sts, ndl 3 = 6 sts).

Rnd 5 (Size Small Only): BO all sts.

Rnd 6: (K1, M1, K2) 7 times (ndl 1 = 12 sts, ndl 2 = 8 sts, ndl 3 = 8 sts).

Rnd 7 (Size Medium Only): BO all sts.

Rnd 8: (K1, M1, K3) 7 times (ndl 1 = 15 sts, ndl 2 = 10 sts, ndl 3 = 10 sts).


Rnd 9 (Size Large Only): BO all sts.

Thread yarn through yarn needle. Using photo as a guide and threaded yarn needle, sew raindrops on front and back of bag.

FELTING & DRYING

For extra reinforcement, sew the inside edges of each handle before felting. Place handbag inside a lingerie bag or zippered pillow case before placing in washing machine. Using a cold water wash, agitate for approx 10 minutes. If not felted enough after 10 minutes, cont wash cycle, checking frequently. When satisfied with size, return to washer, cold water rinse and spin to remove excess water. Pull and stretch the front and back of bag to reshape. Use plastic bags inside to aid in retaining desired shape. Let air dry completely.

Designed by **Yumiko Alexander** exclusively for **Universal Yarn**.



42 Purl Lace Socks

Continued from page 83

PURL LACE STITCH (multiple of 7 sts)

Note: Pattern stitch is worked in the round.

Rnd 1: Knit.

Rnd 2: Knit.

Rnd 3: *YO, P1, P3tog, P1, YO, K2; rep from * to end.

Rnd 4: Knit.

Rep rows 1-4 for patt.

DESIGNER NOTES

- To graft sts at toe, work as foll: Arrange sts on two dpns, with RS facing. Thread yarn ndl, with enough yarn for approximately 1" per



SIZES

- Socks are sized to average adult Woman's foot.

MATERIALS

- 1, 100g (360 yd) hank **The Alpaca Yarn Co Paca Peds** (20% alpaca, 65% super wash wool, 15% nylon) color #605 Deep Seas

- 1 set of 4 Size 1.5 US (2.25mm) double pointed needles OR SIZE TO OBTAIN GAUGE

- stitch markers, yarn needle

GAUGE

- 32 sts x 40 rows = 4" in stitch pattern, blocked

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

stitch. Working from right to left, insert yarn ndl through first st on front dpn as if to knit, leave st on dpn, and pull yarn through. Insert yarn ndl through first st on back dpn as if to knit, leave st on dpn, and pull yarn through. *Insert yarn ndl through first st on front dpn as if to knit and slide st off dpn; insert yarn ndl through second st on front dpn as if to purl, leave st on ndl, and pull yarn through. Insert yarn ndl through first st on back dpn as if to purl and slide st off dpn; insert yarn ndl through second st on back dpn as if to knit, leave st on dpn, and pull yarn through. Rep from * until all sts are worked. Secure end of yarn inside sock.

- Socks are knitted from the cuff to the toe.

CUFF/LEG

CO 64 sts. Distribute sts among 3 dpns, as foll: 20 sts on ndl 1, 20 sts on ndl 2, and 24 sts on ndl 3. Join for working in the round, being careful not to twist sts. PM. **Rnd 1:** *K2, P2; rep from * to end. Rep Rnd 1 until piece meas 2" from CO. **Next rnd:** K2tog, knit to end. [63 sts rem].

LEG

Distribute sts so that there are 21 sts on

each ndl. **Rnd 1:** *K7, pm; rep from * to end. **Rnd 2:** Knit. **Rnd 3:** *YO, P1, P3tog, P1, YO, K2; rep from * to end. **Rnd 4:** Knit. Cont in Purl Lace Stitch, rep Rnds 1-4, until piece meas 6" from CO, end after Rnd 4.

HEEL FLAP

Next rnd: K16 sts, turn. **Next row:** SI 1, P32; keeping all 32 sts on 1 ndl. Turn. Redistribute rem 31 sts evenly between ndls 2 & 3, and hold for instep. **Row 1 (RS):** *SI1, K1; rep from * to end. **Row 2:** SI1, purl to end. Rep these 2 rows 15 more times. **Turn Heel**

Row 1: SI1, K18, ssk, K1. Turn.

Row 2: SI1, P7, P2tog, P1. Turn.

Row 3: SI1, knit to 1 st before "gap", ssk, K1. Turn.

Row 4: SI1, purl to 1 st before "gap", P2tog, P1. Turn.

Rep Rows 3 & 4 until all sts have been worked [20 sts rem].

HEEL GUSSET/FOOT

Next row (RS): With empty ndl (ndl 1) knit across 20 heel turn sts and pick up and K16 sts along RH side of heel flap; with empty ndl (ndl 2), work across 31 sts held from instep in

Purl Lace St; with empty ndl (ndl 3), pick up and K16 sts down LH side of heel flap, and knit across 10 heel turn sts to marker [26 sts on ndl 1, 31 sts on ndl 2, 26 sts on ndl 3; 83 sts total]. Knit one rnd.

Dec Rnd: With Ndl 1, knit to last 2 sts; K2tog. With Ndl 2, work across sts in patt. With Ndl 3, ssk, knit to end. Work 1 round even. Rep last two rounds 9 more times [63 sts rem]. Cont in patt as est until sock is 2" less than desired length of foot. **Next rnd:** K1, M1, knit to end, discontinuing patt st on Ndl 2 [64 sts].

TOE

Dec Rnd: With Ndl 1, knit to last 2 sts, K2tog. With Ndl 2, ssk, knit to last 2 sts, K2tog. With Ndl 3, ssk, knit to end [4 sts dec'd]. Knit 1 round even. Work these two rounds 9 more times [24 sts rem]. Divide rem sts evenly among 2 ndls (12 sts on ea ndl). Graft toe tog.

FINISHING

Weave in all loose ends. Block, if desired.

Designed by Beth Lutz exclusively for The Alpaca Yarn Co.

(K1, SI1) to end. **Row 2:** P14; slm; (P1, SI1) to next marker; slm; P14; slm; (P1, SI1) to end. Join into the rnd, pm to indicate end/beg of rnd, and being careful not to twist the sts. Markers indicate corners. **Rnd 1:** K14; slm; [K1, SI1] to next marker; slm; K14; slm; [K1, SI1] to next marker; slm; K14. **Rnd 2:** SI1, K12, SI1; slm; [SI1, K1] to next marker; slm; SI1, K12, SI1; slm; [SI1, K1] to next marker. Rep Rnds 1-2 until the Body meas 4". BO all sts evenly.

Upper Bag Edging

With crochet hook and RS facing, join *Bling* at right Back/side corner. Pick up and K5 sts evenly across the side and place on larger circ ndl. Pick up and K20 sts evenly across the Front and add them to the circ ndl. Pick up and K5 sts evenly along the side and pick up and K20 sts evenly across the Back, placing on the circ ndl - 50 sts. Join into the round, being careful not to twist the sts. PM to indicate beg of rnd. Beg to P every rnd until piece meas 8" from bottom of bag. BO off all sts tightly.

FINISHING

Turn inside out and stitch 3 seams to bag body. Turn right side out and insert bag liner. Clip on straps, making sure front part of clip attaches through the Upper Bag Edging.

Designed by Becca Smith exclusively for The BagSmith.



LINEN STITCH (worked in the round)

Row 1: *K1, sl 1wyif; rep from * to end. Rep Row 1 to form Linen Stitch in the rnd.

HANDBAG

Bag Bottom

With *Merino* and smaller circular ndls, CO 46 sts. Beg Linen St and work back and forth in rows until piece meas 3 1/2" from CO, end WSR.

Bag Body

Next Row (RS): PM, CO 14 sts for side, pm, CO 46 sts for Front, pm, CO 14 sts for side - 120 sts. Working sides (14 sts) in St st, and Front/Back in Linen St, complete 2 rows (working back and forth) as foll: **Row 1:** K14; slm; (K1, SI1) to next marker; slm, K14; slm;

43 Let's Do Lunch

Continued from page 84



FINISHED MEASUREMENTS

- Height 8"
- Width 11"
- Depth 4"

MATERIALS

- NOTE: Kit with yarn & bag liner is available from **The BagSmith**. Visit their website www.bagsmith.com for a list of retailers who carry their products.
- 1, 3.3oz (50 yd) ball **Pagewood Farms / BagSmith Bling** (handspun mohair/wool lock/polyester/metallic) color Dk Brown
- 1, 2.3oz (50 yd) ball **Pagewood Farms / Bagsmith Merino** (superwash merino worsted) color Dr Brown
- Size 9 US (5.5mm) 24" circular needles OR SIZE TO OBTAIN GAUGE
- Size 9 US (5.5mm) 24" circular needles
- Size 13 US (9mm) 24" circular needles
- Size J US (6mm) crochet hook, 4 stitch markers, yarn needle
- Purse Liner & Straps, **BagSmith** item #1700

GAUGE

- 24 sts = 4" in St st with *Merino* on smaller needles

LINEN STITCH (worked in rows)

Row 1: *K1, sl 1wyif; rep from * to end.


Row 2: *P1, sl 1wyif; rep from * to end.

Rep Rows 1-2 to form Linen Stitch in rows.

9 Cable-Knit Cardi

Continued from page 95

LACE PANEL CHART (14 st panel)



KEY

Note: RSRs are read right to left
(WSRs are read left to right)

= K on RS, P on WS

= yo

= Sl1, K1, pss0 on RS, P2tog on WS


15 New Wave Bolero

Continued from page 102

KEY

- = K on RS, P on WS
- = yo
- = knittbl
- = K2tog
- = ssk
- = K3tog
- = Sl 1, K2tog, pss0


BACK LACE PANEL (31 sts, 55 rows)



16 King George Cabled Pullover

Continued from page 103

CABLE PANEL A (26 sts)




KEY

- = K on RS; P on WS
- = P on RS; K on WS
- = Sl 3 sts to cn, hold in front; K3, K3 from cn
- = Sl next st to cn, hold in front; K1; K1 from cn
- = Sl 2 sts to cn; hold in back; K3, P2 from cn
- = Sl 3 sts to cn; hold in back; P2, K3 from cn
- = no stitch
- = M1
- ☒ = 1-to-3 Inc
- ☒ = Central Double Inc
- ☒ = P-tbl on RS; K-tbl on WS
- ☒ = Sl 3 sts onto cn #1 and hold in back; sl next st onto cn #2 and hold in back; K3, P1 from cn #2, K3, from cn #1
- ☒ = 7-to-1 Dec

CABLE RIB PATTERN (26 sts)



CABLE PANEL B (41 sts, inc to 59 sts)




24 Urban Silk Lace Stole

Continued from page 112


KEY

- = K on RS, P on WS
- = P on RS, K on WS
- = K2tog
- = yo
- = K2togtbl
- = Si 1 st kwise, K2tog, pss0
- = Si 1 st kwise, K3tog, pss0
- = Purf into st, but before removing st from LH needle, knit into back of the same st (inc 1 st)
- = SSK, Si next st over st just made by temporarily moving sts from ndl to RH ndl as foll: move st just made from RH ndl to LH ndl. Si next un-worked st on LH ndl over SSK st. Move the resulting st back to RH ndl.
- = SSK, Si next st over st just made by temporarily moving sts from ndl to RH ndl as foll: move st just made from RH ndl to LH ndl. Si next un-worked st on LH ndl over SSSK st. Move the resulting st back to RH ndl.
- = indicates pattern repeat
- = no sttch
- = Si 1 st pwise, wyif


UPPER INNER BORDER CHART



MAIN AREA CHART




LOWER INNER BORDER CHART



33 Cabled Petal Scarf

Continued from page 122

PATTERN CHART




KEY

- = K on RS, P on WS
- = P on RS, K on WS
- = Si 3 sts to cn, hold in front, K3, K3 from cn
- = Si 3 sts to cn, hold at back, K3, K3 from cn
- = Make Petal


29 An Aran Christmas for Him & Her

Continued from page 118


BORDER PATTERN A (11 st, 4 rnd rep)




BORDER PATTERN C (7 st, 2 rnd rep)



CABLE PANEL B (15 st, 18 rnd rep)



CABLE PANEL D (15 st, 18 rnd rep)



KEY


- = K
- = P
- ▨ = ssk
- ▨ = K2tog
- ▨ = Make 1
- ▨ = yo
- ▨▨▨▨ = CB: Sl 1 st to cn, hold in back, K2, K1 from cn
- ▨▨▨▨ = CF: Sl 2 sts to cn, hold in front, K1, K2 from cn
- ▨▨▨▨ = CBF: Sl 1 st to cn, hold in back, K2, P1 from cn
- ▨▨▨▨ = CFP: Sl 2 sts to cn, hold in front, P1, K2 from cn
- ▨▨▨▨ = C5B: Sl 3 sts to cn, hold in back, K2, move last st on cn back to Lh ndl and pur it, K2 from cn

37 Cables & Color

Continued from page 125




COLOR SEQUENCE CHART (6 st, 12 row rep)



35 Cable Me Red

Continued from page 123


HAT CABLE CHART (30 st, 20 row rep)



KEY

- = K on RS, P on WS
- = P on RS, K on WS
- = Sl 6 sts to cn, hold in back, [K1, P1] 3 times, K6 from cn

SCARF CABLE (42 st, 20 row rep)




39 Peppermint Twist Socks

Continued from page 126

KEY

- = Knit
- = Purl
- = Skip first st on RH ndl and reaching behind work, knit 2nd st tbl, leaving 2nd st on RH ndl, K skipped st tfl, drop both sts from LH ndl tog.
- = Sl 4 sts to cn, hold in front, K4, K4 from cn.

PEPPERMINT TWIST PATTERN CHART (32 st, 26 rnd rep)



The Hills and Valleys of Knitting

Continued from page 18



Photo 5

to be pulled. After removing the cut yarn stitch by stitch, one can see the stitch-like loops pointing down [valleys] which would be picked up and knit for the pocket lining (see Photo 5). Use the bottom opening of the stitches pointing to the top [the hills] to pick up (see Photo 6) and finish the desired finished treatment.



Photo 6

Make a Buttonhole

Release stitches and hold hills and valleys using either a stitch holder or double-pointed needles. Finish by crocheting one loop through the next around the stitch hills and valleys [see Photo 7].

Fix a Hole

Now you can think of a hole as an accidental cut. Follow the trail of the yarn on that row a few stitches away from the hole, trace the yarn and catch top and bottom stitches over the hole like a Kitchener stitch. Continue past the hole to secure the yarn, and then weave the tail invisibly.



Photo 7

Fix a Mis-Crossed Cable

Cut, unravel just through the cable, and place the stitches, both hills and valleys on two double-pointed needles, cross the cable the correct way, and Kitchener the two sections back together. Secure cut ends and weave the yarn to make it disappear.

Trying this technique might one day erase that feeling of time wasted as you consider restarting a piece or tossing it in the trash because you've identified a flaw or mistake that is unacceptable. Exploring this idea might allow you to accomplish what you might have before thought was impossible.

Get to Know Twisted Sisters

Continued from page 33.

mark, and they granted permission to Interweave Press/Lynne Vogel to use the name for the book. Watch for Lynne's latest book, *The Twisted Sisters Knit Sweaters*.

Where can I meet the Twisted Sisters?

The **Twisted Sisters** attend all of the Stitches events, as well as other retail events throughout the year to support the retailer that carry their yarn. Terri and Anna can usually be found in the Great Yarns booth. This provides the opportunity to meet the public and help customers put together their own

unique versions of **Twisted Sisters** designs. They are available to help with fitting questions and discuss their passion with the folks who knit their garments. Come see them at the next Stitches event!

What if I need more yarn?

Twisted Sisters cannot emphasize enough that their yarn is a work of art and each lot is different. Always buy what you need, as matching one dye lot to the next is nearly impossible. Contact your retailer if you do need more.

Terri, did you really rinse your pool at your son's water polo game? Yes, but only after the game was played. It didn't change the color of the water at all.

Is the cat really the CEO? No, but don't tell him.



On page 77, we feature one of **Twisted Sisters** brilliant designs, *Night Lights*. The purse is worked in Zazu, Oasis, and beads by **Twisted Sisters**.

To locate a shop near you that carries yarn and beads from **Twisted Sisters**, or send the CEO an email, please visit www.twistedsistersknitting.com.



Anyone for Beads?



The Dyehouse



The Transfusion Machine